

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 35-08359

Proposed Priority: October 4, 1984 Maximum Diversion Rate: 6.00 CFS
This is to certify, that JOHN B. KUGLER

DIANE K. KUGLER
147 STANFORD AVE.
POCATELLO, ID 83201

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	6.00 CFS

LOCATION OF POINT(S) OF DIVERSION: NESE Sec. 32, Township 06S, Range 29E
POWER County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
06S	29E	32	NESW 40	SWSW 40	SESW 40		
			NESE 40	NWSE 40	SWSE 40		
			SESE 40				280
07S	29E	5	NENW 33				33
Total number of acres irrigated:							313

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 1995.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
5. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
6. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

JUL 30 1990

Permit To Appropriate Water

NO. 35-08359

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this

27th day of July, 19 90

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

JUL 30 1990