

**STARTING
LEFT
SIDE OF
FILE**

FORM 202
12/99

JAN 19 2005

Ident. No. 63-32089

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

AMENDED

To appropriate the public waters of the State of Idaho

1. Name of Applicant City of Eagle Phone (208) 939-6813
Mailing address PO Box 1520 EAGLE, ID 83616

C.D. 3/11/05
CD 5/5/05

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is Township 4N Range 1W Sec. 11, in the NW $\frac{1}{4}$,
SE $\frac{1}{4}$ (two wells) $\frac{1}{4}$, Govt. Lot _____, B.M., ADA County;

additional points of diversion if any: T. 4N, R. 1W, S. 10 NW 1/4 OF NE 1/4, T. 4N, R. 1W, S. 11, SE 1/4, NW 1/4 AND T. 4N, R. 1W, S. 10, NW 1/4, NW 1/4

4. Water will be used for the following purposes:
Amount 4.0 cfs for Municipal purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 4.0 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source Public water system well (Well No. 4), pump and municipal distribution system.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet

c. Proposed well diameter is 16 inches; proposed depth of well is 500 feet

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____; Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. City of Eagle

d. Domestic; show number of households. _____

e. Other; describe fully. _____

3. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS	
			NE	NW	SW	SE														

CITY OF EAGLE MUNICIPAL SERVICE AREA

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? _____

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Agreement between developer and City of Eagle to dedicate well

12. Remarks: lot to City of Eagle Municipal Water System.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Nancy E Merrill
 Signature of Applicant (and title, if applicable)
 (MANAGER)



Received by DB Date 1-19-05 Time 3:25 PM Preliminary check by g

Fee \$ 410 Received by DB # W032531 Date 1-19-05

Publication prepared by dk Date 4-21-05 Published in THE IDAHO STATESMAN

Publication approved dk Date 5-10-05

#50 paid 5/5/05 to add well in NWSE S11, receipt W032895.



LEGEND

SERVICE AREAS
 [Pink Box] CITY OF EAGLE
 [Yellow Box] UNITED WATER IDAHO
 [Green Box] EAGLE WATER CO.

[Red Dot] WELL LOCATIONS AND POINTS OF DIVERSION
 [Black Line] SECTION LINE
 [Orange Line] QUARTER SECTION LINE
 [Dashed Line] QUARTER-QUARTER SECTION LINE

PROPOSED CITY OF EAGLE AMENDED MASTER PLAN DISTRIBUTION SYSTEM
 [Red Line] 20" WATER LINE
 [Orange Line] 16" WATER LINE
 [Black Line] 12" WATER LINE

JOB NO: EG 112404
 CAD FILE: EG112404.DWG
 ESTABLISHED: 3/29/05
 DATE: 3/29/05
 PLOTTER: JLM
 DRAWN BY: JLM
 CHECKED BY: CHD
 APPLICATION MAP LAYOUT

**CITY OF EAGLE
 WATER RIGHT APPLICATION MAP**

REUSE OF DOCUMENTS
 THIS DOCUMENT AND THE REASONS FOR REUSE ARE THE PROPERTY OF HOLLADAY ENGINEERING CO. AND IS NOT TO BE LOANED, REPRODUCED, COPIED, OR OTHERWISE USED WITHOUT THE WRITTEN PERMISSION OF HOLLADAY ENGINEERING CO.

HOLLADAY ENGINEERING CO.
 ENGINEERS • CONSULTANTS
 32 N. MAIN P.O. BOX 235 PAYETTE, ID 83461
 (208) 642-3304 • FAX# (208) 642-2159
 EMAIL: holladay@holladay.com

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED
USING ONE OF THE THREE ALTERNATIVES BELOW

Name of Applicant CITY OF EAGLE

Mailing Address PO BOX 1520
EAGLE ID 83616

Application No. (if known) CITY OF EAGLE APPLICATION NO. 2
Submitted 1/19/05

 IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

 PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

 X WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature *Dorothy E. Spivey*

Date 3/30/05

Please return this form to:

Idaho Department of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

**NOW
STARTING
RIGHT
SIDE OF
FILE**

Folder

/

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

**IN THE MATTER OF APPLICATIONS)
FOR PERMIT NOs. 63-32089 &)
63-32090 IN THE NAME OF CITY OF)
EAGLE)
_____)**

ORDER DISMISSING PROTESTS

On January 19, 2005, the City of Eagle filed with the Idaho Department of Water Resources (IDWR) 2 applications for permit to appropriate the public water of the State of Idaho. The applications were protested by individuals and entities listed on attachment "A."

A prehearing conference was held on July 28, 2005 at the Eagle City Library. Conference notices were sent by the Department to the applicant and protestants on June 9, 2005. Protestants and the applicant appeared at the scheduled conference date and place. Protestants Michael McCollum, Michael Heath, Tim Cheney, Roy Barnett, Bryan & Marie Pecht, Del & Robin Morton, Bob & Elsie Hanson, Tony & Brenda O'Neil, and Frank & Elaine Mosman failed to appear at the conference.

On August 11, 2005, IDWR sent protestants that failed to appear a letter requesting just cause why they did not appear at the prehearing conference. The letter stated that IDWR would consider dismissing their protest if no response was received by September 1, 2005

Protestants Mike McCullum, Micheal Heath, Tim Cheney, Bob & Elise Hanson, and Tony & Brenda O'Neil provided IDWR written just cause why they failed to appear at the prehearing conference. To date, protestants Roy Barnett, Bryan & Marie Pecht, Del & Robin Morton, and Frank & Elaine Mosman have failed or refused to respond.

ORDER

IT IS HEREBY ORDERED protests filed by Roy Barnett, Bryan & Marie Pecht, Del & Robin Morton, Tony & Brenda O'Neil, and Frank & Elaine Mosman against the City of Eagle Applications for Permit #63-32089 & #63-32090 are **DISMISSED**.

Dated this 13th day of September 2005.



JOHN WESTRA

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

**IN THE MATTER OF APPLICATIONS)
FOR PERMIT NOS. 63-32089 &)
63-32090 IN THE NAME OF CITY OF)
EAGLE)**

ORDER GRANTING INTERVENTION

On January 19, 2005, the City of Eagle filed with the Idaho Department of Water Resources (IDWR) 2 applications for permit to appropriate the public water of the State of Idaho. The applications were protested. A combined application prehearing conference was held on July 28, 2005 at the Eagle City Library for the contested cases.

On July 28, 2005 prior to the prehearing conference, Scott Reeser filed with IDWR a petition to intervene in the contested cases.

On August 10, 2005, IDWR sent the applicant (City of Eagle) a letter asking for opposing motions relating to the Reeser petition to intervene, (IDWR Rules of Procedure-Rule 354). To date, no opposing motions have been received.

CONCLUSIONS

APPLICABLE LEGAL PRINCIPLES


IDAPA 37.01.01.353 (Rule 353) *Granting Petitions to Intervene* states in part:

If a timely-filed petition to intervene show direct and substantial interest in any part of the subject matter of a proceeding and does not unduly broaden the issues, the presiding officer will grant intervention, subject to reasonable conditions, unless the applicant's interest is adequately represented by existing parties. Mr. Reeser's petition meets this criteria.

ORDER

IT IS HEREBY ORDERED that Scott Reeser's petition for intervention in the proceedings of Applications for Permit #63-32089 & #63-32090-City of Eagle be granted.

Dated this 13th day of September 2005.



JOHN WESTRA

CERTIFICATE OF MAILING

I hereby certify that on the 13th day of September, 2005, I mailed a true and correct copy, postage prepaid, of these documents to those on the attached list.

A handwritten signature in black ink, appearing to read "Jennifer Grover", is written over a horizontal line.

Jennifer Grover
Administrative Assistant

Documents Sent

- Order Dismissing Protests
- Order Granting Intervention
- Request for Hearing

DANA & VIKI PURDY
5926 FLOATING FEATHER
EAGLE ID 83616

JOSEPH & LYNN MOYLE
C/O MICHAEL MOYLE
480 N PLUMMER RD
STAR ID 83669

MICHAEL MCCOLLUM
1290 BUTTERFIELD
SAN ANSELMO CA 94960

MICHAEL HEATH
NANCY HEATH
401 N PALMER LN
EAGLE ID 83616

TIM CHENEY
PO BOX 190027
BOISE ID 83719

STAR SEWER & WATER
Jim Keller/Justin Walker
131 SW 5TH AVE STE A
MERIDIAN ID 83642

JERRY & MARY TAYLOR
3410 HARTLEY
EAGLE ID 83616

CORRIN HUTTON
TERRY HUTTON
10820 NEW HOPE RD
STAR ID 83669

BOB & ELSIE HANSON
4151 HARTLEY RD
EAGLE ID 83616

MIKE DIXON
RT 1 2650 WING RD
STAR ID 83669

UNITED WATER ID INC
C/O SCOTT RHEAD
PO BOX 190420
BOISE ID 83719-0420

SAM & KARI ROSTI
1460 N POLLARD LN
STAR ID 83669

EUGENE MULLER
C/O MARY TAYLOR
320 N PALMER LN
EAGLE ID 83616

CHARLES MEISSNER JR
3101 N PALMER
EAGLE ID 83616

CHARLES HOWARTH
C/O GUNNER & MATT HOWARTH
833 N PALMER
EAGLE ID 83616

BILL FLACK
4035 HARTLEY RD
EAGLE ID 83616

RONALD SCHREINER
2153 N POLLARD LN
STAR ID 83669

CITY OF STAR
C/O ROD LINJA
131 SW 5TH AVE STE A
MERIDIAN ID 83642

TONY & BRENDA O'NEIL
1910 N Mountain Vista Ln
Star ID 83669

LEEROY & BILLIE MELLIES
6860 W STATE ST
EAGLE ID 83616

RALPH & BARBARA WILDER
7320 W STATE ST
EAGLE ID 83616

DEAN & JAN COMBE
6440 W BEACON LIGHT
EAGLE ID 83616

NORMA MARES /
MARY TAYLOR
23966 BLESSINGER RD
STAR ID 83669-5016

BRUCE SMITH
MOORE SMITH BUXTON TURKLE
225 N 9TH STE 420
BOISE ID 83702

JULIE FISCHER
WHITE PETERSON
5700 FRANKLIN RD
NAMPA ID 83687

SCOTT & NANCY REESER
499 N LINDER RD
EAGLE ID 83616

JERRY KISER
620 W HAYS
BOISE ID 83702

Atten: Mr. John Westra
Western Regional Manager

State Department of Water Resources
2735 Airport Way
Boise, ID. 83705
Fax 208-334-2348
Contested applications: #63-32089 & #63-32090

Mr. John Westra,

This letter is in response to the letter we received in the mail dated 8/11/05 concerning failure to appear at a prehearing conference on 7/28/05. I contacted your office on 7/27/05 stating that my husband and I would not be able to attend the conference due to the time of day of the hearing. During the conversation I requested that a consideration be made for those of us who have a work schedule where we are unable to attend during the day but would be able to attend after working hours in the evening. Our person who is to represent us in our absence was unable to attend during that time as well.

We are very much interested in the concerns and responses of the prehearing conferences and any other meetings that will be held concerning the applications indicated. Due to our concern we will certainly try to attend the meetings and/or the person who is listed to come in our place.

Thank you,

Brenda O'Neil
1910 N Mountain Vista Dr
Star, ID. 83669

MOORE SMITH BUXTON & TURCKE, CHARTERED
ATTORNEYS AND COUNSELORS AT LAW

RECEIVED

225 NORTH 9TH STREET, SUITE 420
BOISE, ID 83702
TELEPHONE: (208) 331-1800 FAX: (208) 331-1202

SEP 06 2005

WATER RESOURCES
WESTERN REGION

SUSAN E. BUXTON*
MICHAEL C. MOORE†
BRUCE M. SMITH
PAUL A. TURCKE°
CHRISTOPHER E. YORGASON
TAMMY A. ZOKAN†

TODD M. LAKEY
Of Counsel

JOHN J. MCFADDEN*
Of Counsel

* Also admitted in Oregon
† Also admitted in Washington
° Also admitted in South Dakota
* Also admitted in New Mexico

September 2, 2005

John Westra
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83644


Re: City of Eagle Applications for Permit Nos. 63-32089 and 63-32090

Dear John:

This is a request for a hearing date of December 6-8, 2005. Thank you.

Sincerely,

MOORE SMITH BUXTON & TURCKE
CHARTERED



Bruce M. Smith

BMS:jj

cc: City of Eagle
Vern Brewer
Chris Duncan

PROTESTANTS OF CITY OF EAGLE
APPLICATIONS #63-32089 & #63-32090

#63-32089 & #63-32090

DANA & VIKI PURDY
5926 FLOATING FEATHER
EAGLE ID 83616
286-9701

JOSEPH & LYNN MOYLE
C/O MICHAEL MOYLE
480 N PLUMMER RD
STAR ID 83669
870-6667

MICHAEL MCCOLLUM
1290 BUTTERFIELD
SAN ANSELMO CA 94960
415-453-2339

MICHAEL HEATH
NANCY HEATH
401 N PALMER LN
EAGLE ID 83616
286-7808

TIM CHENEY
PO BOX 190027
BOISE ID 83719
323-2333

STAR SEWER & WATER
Jim Keller/Justin Walker
131 SW 5TH AVE STE A
MERIDIAN ID 83642
288-1992

JERRY & MARY TAYLOR
3410 HARTLEY
EAGLE ID 83616
286-7575

CORRIN HUTTON
TERRY HUTTON
10820 NEW HOPE RD
STAR ID 83669
286-7752

BOB & ELSIE HANSON
4151 HARTLEY RD
EAGLE ID 83616
286-7596

MIKE DIXON
RT 1 2650 WING RD
STAR ID 83669
484-5528

UNITED WATER ID INC
C/O SCOTT RHEAD
PO BOX 190420
BOISE ID 83719-0420
362-7325

SAM & KARI ROSTI
1460 N POLLARD LN
STAR ID 83669
286-7685

EUGENE MULLER
C/O MARY TAYLOR
320 N PALMER LN
EAGLE ID 83616
286-7369

CHARLES MEISSNER JR
3101 N PALMER
EAGLE ID 83616
866-8688

CHARLES HOWARTH
C/O GUNNER & MATT
HOWARTH
833 N PALMER
EAGLE ID 83616
286-9760

BILL FLACK
4035 HARTLEY RD
EAGLE ID 83616
289-7392

RONALD SCHREINER
2153 N POLLARD LN
STAR ID 83669
286-7028/870-2956

CITY OF STAR
C/O ROD LINJA
131 SW 5TH AVE STE A
MERIDIAN ID 83642
288-1992

TONY & BRENDA O'NEIL
1910 N Mountain Vista Ln
Star ID 83669
286-7427

#63-32090 ONLY

LEEROY & BILLIE MELLIES
6860 W STATE ST
EAGLE ID 83616
286-7257

RALPH & BARBARA
WILDER
7320 W STATE ST
EAGLE ID 83616
286-7536

DEAN & JAN COMBE
6440 W BEACON LIGHT
EAGLE ID 83616
286-7174

NORMA MARES /
MARY TAYLOR
23966 BLESSINGER RD
STAR ID 83669-5016
286-7757

ATTORNEYS

BRUCE SMITH
MOORE SMITH BUXTON
TURKLE
225 N 9TH STE 420
BOISE ID 83702

JULIE FISCHER
WHITE PETERSON
5700 FRANKLIN RD
NAMPA ID 83687

JERRY KISER
620 W HAYS
BOISE ID 83702

INTERVENE

SCOTT & NANCY REESER
499 N Linder Rd
Eagle ID 83616

Idaho Department of Water Resources Receipt

Receipt ID W033402


Payment Amount \$25.00 Date Received 9/12/2005 2:25:17 PM Region Western Status
 Payment Type Check Check Number 2124

Payer REESER, SCOTT J

Comment PETITION TO INTERVENE: CITY OF EAGLE; 63-32089 & 63-32090

Fee Detail

Amount	Description	Fund	FD	PCA	SO
\$25.00	PROTESTS	0229	21	62103	1155


 Signature Line (Dept. Representative)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 7, 2005

Bruce Smith
Moore Buxton Smith Buxton & Turcke
225 N 9th Street Suite 420
Boise ID 83702

**RE: Applications for Permit #63-32089 & #63-32090- City of Eagle
Request of Hearing**

Dear Mr. Smith:

This letter is to acknowledge receipt of your 9/2/05 letter requesting a hearing in early December 2005 for the above described contested applications. I have forwarded your request to the Department Administration for appointment of a hearing officer and facilitation of arrangements.

Should you have questions, please contact me at the Western Regional Office, phone 334-2190

Sincerely,

A handwritten signature in cursive script that reads "John Westra".

John Westra, Manager
Western Region

cc: Protestants
J. Fischer, White-Peterson

IMPORTANT MESSAGEFOR Leeve ✓ → JohnDATE 8/30/05 TIME _____ A.M.
P.M.**WHILE YOU WERE OUT**M Scott Reeser

OF _____

PHONE NO. 695-8587

TELEPHONED		PLEASE CALL	
CAME TO SEE YOU		WILL CALL AGAIN	
WANTS TO SEE YOU		RUSH	

RETURNED YOUR CALL

MESSAGE C. J. y Eagle Appl. -called e his post. fin to intervene.VERY Anxious to know if yes or no,asked for response as soon as can.(I saw from file that 8/25 deadlines eresponses from other parties).

SIGNED _____

OfficeMax

JZ

OM97295

August 28, 2005

John Westra, Western Regional Manager
State of Idaho
Department of Water Resources
Western Region
2735 Airport Way
Boise, Idaho 83705-5082


Dear Mr. Westra;

Please reconsider the dismissal of our protest of the City of Eagle applications to appropriate the public water of the State of Idaho. The Contested Applications #63-32089 & #63-32090 still very much affect our water usage on Palmer Lane.

On the scheduled Prehearing Conference date of July 28, 2005, neither my husband nor I could attend. I was taking a class required to enhance and further my position of employment. My husband, Michael D. Heath, could not take the time off from his job at Hewlett-Packard due to a conflicting conference call with a client.

Although I realize our failure to appear at the Prehearing may result in dismissing our protest, please take into consideration the above reasons for not attending. Thank you for reconsidering our protest.

Sincerely,



Nancy J. Heath
401 Palmer Lane
Eagle, ID 83818
(208) 286-7808

Hanson Beefalo Ranches



Land and Livestock

*Owned and Operated by
Bob and Elsie Hanson*

*4151 Hartley Rd
Eagle, ID 83616
(208) 286-7596*

*Pioneerville
Idaho 83631
(208) 392-4507*

RECEIVED

AUG 24 2005

WATER RESOURCES
WESTERN REGION

8-22-05

TO: Mr. John Westra
FROM: Bob & Elsie Hanson

Re: Failure to Appear Notice - #63-32089 & #63-32090

We are sorry we were unable to appear at the July 28th pre-hearing conference in Eagle.

We run cattle in Boise County at Pioneerville during the summer. During the week of the conference we were moving cattle on our BCM allotment and were unable to get away.

On June 19th we responded to a questionnaire sent by Manuel Raubut and under comments requested that Mrs. Mary Taylor and/or Mr. Bill Fleck represent us if we were unable to attend.

We try to respond to your letters as soon as possible. However, it is after a couple of weeks before any of the family can get away from Ada County to bring our mail to Pioneerville. For example your Failure to Appear Notice arrived yesterday.

Protesting a water right is not something we take lightly and we certainly wish we could have attended the pre-hearing. However, we were confident that Mrs. Taylor and Mr. Fleck would represent our concerns in a satisfactory manner.

We respectfully request that you not dismiss our protest.

Sincerely,

Bob Hanson Elsie Hanson

IMPORTANT MESSAGE

FOR

John

DATE

8/22/05

TIME

4:00

A.M.
P.M.**WHILE YOU WERE OUT**

M

Mike McCullen

OF

Eagle City Protest

PHONE NO.

415-747-6882

TELEPHONED

PLEASE CALL

CAME TO SEE YOU

WILL CALL AGAIN

WANTS TO SEE YOU

RUSH

RETURNED YOUR CALL

MESSAGE

Says he was at the meeting regarding the protest, but never signed in.

He says to call Mayor Nancy Merrill, she will

SIGNED vacche for his attendance.

OfficeMax

OM97295



TREASURE VALLEY TURF, INC.

P.O. Box 190027

Boise, ID 83719

RECEIVED

AUG 18 2005

WATER RESOURCES
WESTERN REGION

Phone: (208) 323-2333
Fax: (208) 323-6140

8-16/05 286 0254

IDWR

John Westra
Western Regional Manager

Dear Sir,

In answer to your letter dated 8/11/05 concerning my failure to attend the Pre-hearing conference July 28 05 concerning Applications #63-32089 + #63 32090, ~~in~~ On July 28, 05 I was attending a business meeting in Park City Utah, of the Turf Producers International Organization, of which I am a member. This meeting was scheduled in February of 05.

In reading the materials your office sent me announcing the meeting, ~~nowhere~~ I can find no reference that states the Pre-hearing conference is mandatory to protect my rights to protest these applications while I failed to appear, my business ^(hand and) partner and Land Owner Bill Flock, 4035 Hartley Rd, Eagle ID was in attendance + has informed me of the content of the meeting. Please add Bill Flock as my representative in all matters pertaining to these applications

Sincerely

Tim Cheney
Tim Cheney, Owner
Treasure Valley Turf



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

August 11, 2005

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

To Protestants:

Michael McCollum
Michael Heath
Tim Cheney
Roy Barnett
Bryan & Marie Pecht
Del & Robin Morton
Bob & Elsie Hanson
Tony & Brenda O'Neil
Frank & Elaine Mosman

RE: Failure to Appear-Prehearing Conference

Contested Applications #63-32089 & #63-32090- City of Eagle
July 28, 2005 at the Eagle Library

Dear Protestant:

Attached is a Failure to Appear Notice regarding the prehearing protest conference for the above referenced contested applications for the City of Eagle. Our attendance records indicate you were not in attendance at the conference held on July 28, 2005. Please submit to the Department in writing just cause why you failed to appear. If you attended the conference and did not sign in; please also submit a written statement confirming your presence. The Department will consider dismissing your protest if no response is received by **September 1, 2005**.

Should you have any questions, please contact me at the Western Regional Office, phone 334-2190.

Sincerely,

John Westra
Western Regional Manager

cc: T. Zokan


Enclosure: Failure to Appear Notice, Attachment-A

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF APPLICATIONS)
FOR PERMIT NOS. 63-32089 &) **NOTICE OF FAILURE TO APPEAR**
63-32090 IN THE NAME OF CITY OF) **AT PREHEARING PROTEST**
EAGLE) **CONFERENCE**
_____)

On January 19, 2005, the City of Eagle filed with the Idaho Department of Water Resources (IDWR) 2 applications for permit to appropriate the public water of the State of Idaho. The applications were protested by individuals and entities listed on attachment "A." A prehearing conference was held on July 28, 2005 at the Eagle City Library. Conference notices were sent by the Department to the applicant and protestants on June 9, 2005. Protestants and the applicant appeared at the scheduled conference date and place. Protestants Michael McCollum, Michael Heath, Tim Cheney, Roy Barnett, Bryan & Marie Pecht, Del & Robin Morton, Bob & Elsie Hanson, Tony & Brenda O'Neil, and Frank & Elaine Mosman failed to appear at the conference.


Dated this 11 day of August 2005.



JOHN WESTRA

CERTIFICATE OF MAILING

I hereby certify that on this 11th day of August 2005 I mailed a true and correct copy, postage prepaid, of this Notice of Prehearing Conference to those on the attached list.



Jennifer Grover
Administrative Assistant

MICHAEL MCCOLLUM
1290 BUTTERFIELD
SAN ANSELMO CA 94960

MICHAEL HEATH
401 N PALMER LN
EAGLE ID 83616

TIM CHENEY
PO BOX 190027
BOISE ID 83719

ROY BARNETT
188 S YOUNG LN
EAGLE ID 83616

BRYAN & MARIE PECHT
10090 W FLOATING FEATHER RD
STAR ID 83669

DEL & ROBIN MORTON
6814 W BEACON LIGHT RD
EAGLE ID 83616

BOB & ELISE HANSON
4151 HARTLEY RD
EAGLE ID 83616

TONY & BRENDA ONEAL
1910 N MOUNTAIN VISTA LN
STAR ID 83669

FRANK & ELAINE MOSMAN
570 HWY 16
EAGLE ID 83616

PROTESTANTS OF CITY OF EAGLE
63-32089 AND 63-32090
BOTH APPLICATIONS

DANA & VIKI PURDY
 5926 FLOATING FEATHER RD
 EAGLE ID 83616
 286-9701

JOSEPH & LYNN MOYLE
 C/O MICHAEL MOYLE
 480 N PLUMMER RD
 STAR ID 83669
 870-6667

MICHAEL MCCOLLUM
 1290 BUTTERFIELD
 SAN ANSELMO CA 94960
 415-453-2339

MICHAEL HEATH
 NANCY HEATH
 401 N PALMER LN
 EAGLE ID 83616
 286-7808

TIM CHENEY
 PO BOX 190027
 BOISE ID 83719
 323-2333

ROY BARNETT
 88 S YOUNG LN
 EAGLE ID 83616
 90-4525

STAR SEWER & WATER
 TIM KELLER/JUSTIN WALKER
 31 SW 5TH AVE STE A
 MERIDIAN ID 83642
 88-1992

JERRY &/or MARY TAYLOR
 3410 HARTLEY
 EAGLE ID 83616
 286-7575

BRYAN & MARIE PECHT
 10090 W FLOATING FEATHER RD
 STAR ID 83669
 286-9511

DEL & ROBYN MORTON
 6814 W BEACON LIGHT RD
 EAGLE ID 83616
 286-9589

CORRIN H HUTTON
 TERRY HUTTON
 10820 NEW HOPE RD
 STAR ID 83669
 286-7752

BOB & ELSIE HANSON
 4151 HARTLEY RD
 EAGLE ID 83616
 286-7596

MIKE DIXON
 RT 1 2650 WING RD
 STAR ID 83669
 484-5528

TONY & BRENDA O'NEAL
 1910 N MOUNTAIN VISTA LN
 STAR ID 83669
 286-7427

UNITED WATER ID INC
 C/O SCOTT RHEAD
 PO BOX 190420
 BOISE ID 83719-0420
 362-7325

SAM & KARI ROSTI
 1460 N POLLARD LN
 STAR ID 83669
 286-7685

EUGENE MULLER
 C/O MARY TAYLOR
 320 N PALMER LN
 EAGLE ID 83616
 286-7369

CHARLES W MEISSNER JR
 3101 N PALMER
 EAGLE ID 83616
 866-8688

CHARLES HOWARTH
 C/O GUNNAR & MATT HOWARTH
 833 N PALMER
 EAGLE ID 83616
 286-9760

BILL FLACK
 4035 HARTLEY RD
 EAGLE ID 83616
 289-7392

SCHREINER, RONALD
 2153 N POLLARD LN
 STAR ID 83669
 286-7028 870-2956

CITY OF STAR
 C/O ROD LINJA
 131 SW 5TH AVE STE A
 MERIDIAN ID 83642
 288-1992

63-32089 PROTESTANTS ONLY

FRANK & ELAINE MOSMAN
 570 HWY 16 EAGLE, ID 83616
 286-7312

63-32090 PROTESTANTS ONLY

LEEROY & BILLIE MELLIES
 6860 W STATE ST
 EAGLE, ID 83616
 286-7257

DEAN & JAN COMBE
 6440 W BEACON LIGHT RD
 EAGLE, ID 83616
 286-7174

NORMA MARES/MARY TAYLOR
 23966 BLESSINGER RD
 STAR, ID 83669-5016
 286-7757

RALPH & BARBARA WILDER
 7320 W STATE ST
 EAGLE, ID 83616
 286-7536



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

August 10, 2005

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

Bruce Smith/Tammy Zokan
Moore Smith Buxton Turcke
225 N 9th ST Ste 420
Boise ID 83702

**RE: Applications for Permit #63-32089 & #63-32090- City of Eagle
Petition to Intervene**


Dear Mr. Smith, Ms. Zokan:

Attached is a petition to intervene from Scott Reeser. The petition was filed with the Department on July 28, 2005 just prior to the prehearing conference for the applications described above. Pursuant to the Department's Rules of Procedure IDAPA 37.01.01.354 (Rule 354) parties opposing a petition for intervention must file an opposition (objection) motion. The motion must be served on parties of record and the person petitioning to intervene.

The Department will consider motions for the petition to intervene until **August 25, 2005**.

Should you have any questions, please contact me at the Western Regional Office, phone 34-2190.

Sincerely,


John Westra, Manager
Western Regional Office

cc: S Reeser

United Water

United Water Idaho Inc.
8248 W. Victory Road
P.O. Box 190420
Boise, ID 83709
telephone 208 362 7300
facsimile 208 362 3858

August 8, 2005

RECEIVED

AUG 10 2005

WATER RESOURCES
WESTERN REGION

Mr. Michael Moyle
480 N. Plummer Rd.
Star, ID 83669

RE: Redwood Creek well


Dear Mr. Moyle:

The purpose of this letter is to address your comments regarding the well construction of United Water Idaho's Redwood Creek well, expressed during the recent pre-hearing conference for the City of Eagle's new Applications for Permit.

We share your concern that aquifer pressures are maintained. The Redwood Creek well was designed to meet the standards of the Idaho Department of Water Resources for a municipal well. It is completed with an annular seal extending from ground level to a depth of 265 feet below ground.

If you have specific questions regarding the construction of the Redwood Creek well we would be glad to talk about them with you. I can be reached at 362-7358.

Sincerely



Roger Dittus, P.G.
Hydrogeologist

Cc: Scott Rhead, UWID, Managing Engineer
John Westra, IDWR, Western Regional Manager

Name	Tag #	Well Location	Well Depth	Pumping Level	Year drilled	Water right number	Additional Comments	Reason for Protest	Representatives	Additional Parties
Barrett, Roy								Injury to wells		
Cheney, Tim								Injury to well moratorium area Ag ->municipal POD vs. POU Illiegal seizure of WR	Casey Taylor	
City of Star								Injury to wells	Keller Assoc. Inc	
Combe, Dean & Jan								Injury to well Injury to WR		
X Dixon, Michael		4N 1W S3,4	65, 70, 200	40, 40, 100	1958, 1974, 2003		Hoot Nanny Farms	Injury to well Injury to aquifer injury to farm	Mike Dixon or Tery White	
Flack, Bill (5 wells)	NA	5N 1W S34/35	355, 78, 80,90, ?	120, 60, ?, 65, ?	40s-90s	63-3234 63-11720	5 wells, details in file			
X Flack, Bill & June		↓					↓	Injury to WR Injury to aquifer		
Hanson, Bob & Elsie								Injury to well		
Heath, Michael								Injury to WR	Nancy Heath	
Howarth, C. H.								Threat to existing WR		
X Hutton, Corrin	25194	4N 1W S5	115	114	2002			Injury to well		



Name	Tag #	Well Location	Well Depth	Pumping Level	Year drilled	Water right number	Additional Comments	Reason for Protest	Representatives	Additional Parties
Mares, Norma								Injury to wells, property value, and occupations		
X Mares, Palemon & Norma	NA	4N 2W S1 NWNW	220		1987	63-10915	NA	↓		
McCollum, Michael								Injury to aquifer decrease in Land value		
Meissner, Charles Jr.									Charles Meissner	
X Mellies, LeeRoy & Billie	NA	4N 1W S10	147	Artesian	1966	63-17644		Injury to well Injury to Property Value		
Morton, Robyn & Del								Injury to well Injury to aquifer		
Mosman, Frank & Elaine										
X Moyle, Joseph & Lynn		4N 1W S9	300		1881- 1944	63-2609B		Injury to well Injury to aquifer	Michael Moyle	
X Muller, Eugene		4N 1W S10	250	Artesian	1970?		When drilled well produced 285gpm	Injury to well	Mary Taylor	
O'Neil, Tony and Brenda								Ordinance # 479		
Pecht, Marie								Injury to well		
X Purdy, V. & Dana		4N 1W S2	250, 90		1900, 1952	63-15680, 63-2920		Injury to livelihood Injury to well		
Rosti, Sam & Kari								Injury to WR		

Resolution	Code 42-203A(5)
Deny app.	
Deny app.	
Complete withdrawal of application	
Guarantee financial compensation if injured	
No municipal wells	
condition to protect existing rights and aquifer; keep water on land	
more study	
more info	
no threat to aquifer	
deny app.	

Resolution	Code 42-203A(5)
deny app.	
POD should be POU	
Deny app no more wells	
Deny app.	
Deny app.	
Deny app.	
Guarantee well flow; drill to deeper aquifer	
Deny app.	

Resolution	Code 42-203A(5)
deny app. Or compensate if wells injured	
Complete withdrawal of application	
Deny app. Restrict private vs public	
deny app.	

RECEIVED

AUG 09 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name Frank & Elaine Mosman

Tag Number of the well (if available) unknown

Well Location (example: T2N, R1W, S12, SWNE):

NE 1/4 SE 1/4 sec 9 Twp 4N Range 1 W B.M. County Ada

Well Depth: Approximate 180ft

Pumping Level: unknown

Year drilled: Approximate 1930

Water right number if applicable: 63-50-26 63-5026

Additional Comments: Water is used for domestic use for one family and stockwater for up to 100 head range cattle and dairy stock & irrigation

left message 3:40 PM. 8/9/05.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 19, 2005

RE: Applications for Permit--#63-320898 & 63-32090, City of Eagle

Dear Protestant/Interested Parties:

The Department has not received your questioner that was sent with the pre-hearing conference notice earlier. We would ask that you fill out and return the enclosed form to provide the Department and the applicant information regarding your well. If you do not know the well legal description, please just mark the approximate location on the map with an X. Also, if you only know approximate values of other information, please list it with the word "approximate."

Ideally, we would like to have the information returned as soon as possible to tabulate it prior to the conference, but it may also be submitted at the conference.

We appreciate your cooperation.

Sincerely,

A handwritten signature in cursive script that reads "John Westra".

John Westra, Manager
Western Region

Enclosure

Our daughter
Sally Dietrich
1-370-391-8112
will contact you
in regards to these
papers.
Thank you
Elaine Masman
206-47-312

A circular seal with the text "IDaho DEPARTMENT OF WATER RESOURCES" around the perimeter. In the center, there is a stylized graphic of water and mountains. Below the seal, the text "28th ANNUAL MEETING OF SERVICE" is visible.

IDWR Water Right and Adjudication Search

Note: This search tool identifies active water rights and active transfers. If you want to search both active and inactive water rights, please check the box below.

Search for both active and inactive water right records.

Search Results

Type of Query **USAGE INSTRUCTION**

All SRBA & Water Rights


SRBA <input type="checkbox"/> Claims <input type="checkbox"/> Recommendations <input type="checkbox"/> Both	Water Rights <input type="checkbox"/> Applications <input type="checkbox"/> Permits <input type="checkbox"/> Decrees, Licenses and Statutory Claims <input type="checkbox"/> Transfers <input type="checkbox"/> All of the above
--	---

Query parameters:
 basinFrom = 63
 sequenceNumberFrom = 05026
 Search for: active Records

Information for type: Statutory Claim, Decree and License

	Record	Basin	Sequence	Suffix	Version	Basis	Status	Priority Date	Diversion Rate	Source List	Water Uses	Owner List
<div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Details</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Related Documents</div> <div style="border: 1px solid black; padding: 2px;">General Provision</div>	1	63	5026			Statutory Claim	Active	1940-11-01	0.09	GROUND WATER	DOMESTIC, IRRIGATION, STOCKWATER	MOSMAN, ELAINE M (Current); MOSMAN, FRANK D (Current)

Map of Eagle



- Proposed City of Eagle Wells
- Allroads.shp
- PLSS Section LinesGcdb_sections.shp
- Gcdb_tr.shp



RECEIVED

JUL 27 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name

DEL + ROBYN MORTON

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

MARKED ON MAP

Well Depth:

?

Pumping Level:

?

Year drilled:

?

Water right number if applicable:

?

Additional Comments:

RECEIVED

JUL 21 2005

WATER RESOURCES
WESTERN REGION



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 6th, 2005

Protestants

Re: Water Right Application for Permit Nos. 63-32089 & 63-32090, both in the name
of the City of Eagle

Dear Interested Parties:

In preparation for the Prehearing Conference on Thursday, July 28th, please
answer the questions on the enclosed questioner and mark the location of your well on
the enclosed map and return them to our office at your earliest convenience. Your
cooperation is appreciated and will allow us to prepare for the Prehearing Conference.

If you have any questions, please contact this office.

Sincerely,

Manuel Rauhut

Encl.: Questioner and map for completion

"No commingling"
John Westra 6/21/05

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name CHARLES H. HOWARTH

Tag Number of the well (if available)

(7) 0 - -0019-214

Well Location (example: T2N, R1W, S12, SWNE):

T4N R1W NE 1/4 SW 1/4 833N. PALMER

Well Depth:

333'

Pumping Level:

0


Year drilled:

2/02


Water right number if applicable:

Additional Comments:

Map of Eagle



- Proposed City of Eagle Wells
- ~ Allroads.shp
- PLSS Section LinesGcdb_sections.shp
- Gcdb_tr.shp




IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Office Use Only			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
1/4	1/4	1/4	
Lat: _____	_____	Long: _____	_____

1. DRILLING PERMIT NO. 0 - - 0019 -214
Other IDWR No. _____

2. OWNER:
Name CHARLES HOWARTH
Address 833 N PALMER
City EAGLE State ID _____ Zip 83616

3. LOCATION OF WELL by legal description:
Sketch map location must agree with written location



Lat: _____ Long: _____
Address of Well Site 833 N PALMER
City EAGLE

(Give at least name of road + Distance to Road or Landmark)
Lt. _____ Blk. _____ Sub. Name _____

4. USE:
 Domestic Municipal Monitor Irrigation
 Thermal Injection Other _____

5. TYPE OF WORK check all that apply (Replacement etc.)
 New Well Modify Abandonment Other _____

6. DRILL METHOD
 Air Rotary Cable Mud Rotary Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK		AMOUNT		METHOD
Material	From To	Sacks or Pounds		
CEMENT	0 80'	60 SKS		TREMIE

Was drive shoe used? Y N Shoe Depth(s) 242
Was drive shoe seal tested? Y N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
10"	0	72	.25	STEEL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6"	2	232	.25	STEEL	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
5"	2.5	313	.28	STEEL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Length of Headpipe N/A Length of Tailpipe N/A

9. PERFORATIONS/SCREENS
 Perforations Method _____
 Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:
0ft. below ground Artesian Pressure 7 lb
Depth flow encountered 333 ft. Describe access port or control devices: BALL VALVES

11. WELL TESTS:
 Pump Bailer Air Flowing Artesian

Yield gal/min.	Drawdown	Pumping Level	Time
400+	0	0	

Water Temp. 54 Bottom hole temp. _____
Water Quality test or comments: _____
Depth first Water Encountered 5 FT

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia	Water		Remarks: Lithology, Water Quality & Temp.	Y	N
	From	To			
10"	0	2	TOP SOIL		
	2	6	BROWN CLAY		
	6	42	GRAVEL		
	42	69	SAND & GRAVEL		
	69	72	TAN CLAY		
6"	72	74	TAN CLAY		
	74	80	SAND		
	80	85	BLUE CLAY		
	85	97	SAND		
	97	100	TAN CLAY		
	100	114	SAND		
	114	132	CLAY		
	132	151	SAND		
	151	155	TAN CLAY		
	155	170	SAND		
	170	179	TAN CLAY		
	179	184	SAND		
	184	197	TAN CLAY		
	197	214	SAND		
	214	235	TAN CLAY		
5"	235	248	SAND		
	248	269	TAN CLAY		
	269	285	SAND		
	285	291	TAN CLAY		
	291	308	SAND		
	308	315	BLUE CLAY		
	315	324	TAN CLAY		
	324	333	SAND W/CLAY INTERBEDS		

Completed Depth: 333 (Measurable)
Date: Started 10-31-01 Completed 2-7-02

13. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Coonse Well Drilling Firm No. 409
Firm Official Gary S. Coonse Date 12-31-01
Supervisor or Operator Kindy Mark Date 12+31-01
(Sign once if Firm Official & Operator)
Date: 2/13/02 Time: 1:20 PM



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 6th, 2005

Protestants

Re: Water Right Application for Permit Nos. 63-32089 & 63-32090, both in the name
of the City of Eagle

Dear Interested Parties:

In preparation for the Prehearing Conference on Thursday, July 28th, please
answer the questions on the enclosed questioner and mark the location of your well on
the enclosed map and return them to our office at your earliest convenience. Your
cooperation is appreciated and will allow us to prepare for the Prehearing Conference.

If you have any questions, please contact this office.

Sincerely,



Manuel Rauhut

Encl.: Questioner and map for completion

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name *Dean Ft Janet Combe*

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

T05N R01W S34

Well Depth: *70 ft*


Pumping Level: *0.04 CFS*

Year drilled: *1956*


Water right number if applicable: *63-20717*

Additional Comments:

Map of Eagle



- Proposed City of Eagle Wells
- ▭ Allroads.shp
- ▭ PLSS Section LinesGcddb_sections.shp
- ▭ Gcddb_tr.shp



Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name *Charles W. Messner Jr*

*3101 N PALMER
Eagle, Id 83616*

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

*1 { N 43° 43.133'
W 116' 26.712'*

Well Depth: *#1) 210 ft (6")*

#2) 280 ft (10")

Pumping Level: *1) 53' static*

2) 55' static


Year drilled:

Water right number if applicable:


Additional Comments:

Each well tested at 240 gpm in 1999

Map of Eagle



- Proposed City of Eagle Wells
- ▭ Allroads.shp
- ▭ PLS Section LinesGcdb_sections.shp
- ▭ Gcdb_tr.shp



Ralph & Barbara Walker

RECEIVED

JUL 21 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name Michael and/or Nancy Heath
401 Palmer Lane, Eagle, ID 83616

Tag Number of well (if available) Not Available

Well Location (example: T2n, R1W, S12, SWNE):

Par #7000 of SW4 Sec 10 1W #341000-R
Water Usage Location: T04N R01W S10 SESW

Well Depth: 194 Feet


Pumping Level: Artesian

Year drilled: 1929

Water right number if applicable: # 63-184-14

Additional Comments:

Map of Eagle




● Proposed City of Eagle Wells

Allroads.shp

PLSS Section LinesGcodb_sections.shp


Gcodb_tr.shp





State of Idaho
 Idaho Department of Water Resources
 Western Region

T4N R1W SECTION 10
 Water Right (s): 63-18414



1320 0 1320 2640 3960 5280 Feet N



- Point of Diversion
- Place of Use
- Section Lines
- Quarter Quarter Lines

GIS Place of Use Illustration
 1987 NAPP Photography
 Prepared By: Vicky Music
 Date: April 2005

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name *HANSON, BOB & ELSIE*

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

T05N R01W S34 NE SW NE

Well Depth:

85'

Pumping Level:

Year drilled:

1910

Water right number if applicable:

A63-18316

Additional Comments:

If we are unable to attend the July 28th prehearing conference we ask that Mary Taylor or Bill Flack speak for us.

*Bob Hanson
Elsie Hanson*

RECEIVED

JUL 20 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name SAM & KARI ROSTI

1460 N. pollard Ln.

STAR, Id. 83669

(2 wells)

Tag Number of the well (if available)

① ~~63-11715~~

Well Location (example: T2N, R1W, S12, SWNE):

① Sec. 4 7 Twp 04N, Rge 01W

② Sec 9 Tw 4N Rge 1W

Well Depth:

① 445 ft.

② 255 ft.

Pumping Level:

① 2.92 cfs

② 0.040 cfs

Year drilled:

① 1992 - Irrigation

② - DOMESTIC - date of priority April 1, 1897


Water right number if applicable:

① 63-11715

② A63-15636

Additional Comments:

Map of Eagle



- Proposed City of Eagle Wells
- ▬ Allroads.shp
- ▬ PLSS Section Lines Gcdb_sections.shp
- ▬ Gcdb_tr.shp



RECEIVED

JUL 15 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name *Hoot Manney Farms Inc.*

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

Records well → Range 1
Twp 4 - North
West Ada County
Bolen well 1/2 mile west of
Highway 16 between Floating Feather
& Beacon Light.

Well Depth: ~~65~~ Bolen well 65'
Reach well 70'
" Replacement well - 200'
Pumping Level: ~~60~~ 40' - 46' 100'

Year drilled: 1958 - Bolen well
1974 - Reach well
2003 - Replacement well


Water right number if applicable:

Additional Comments: *These 3 wells produce approx ~~2750~~ 3000 g.p.m.*

and they are vital to our crop production. Any drop in our g.p.m. in one well production is detrimental to our farming operation whether the crops are alfalfa, grain or potatoes etc. Any new well drilled near our farming operation could result in a drop in our well production

*your truly,
Michael Labief - president
Hoot Manney Farms Inc.*

Map of Eagle



- Proposed City of Eagle Wells
- ▬ Allroads.shp
- ▭ PLSS Section LinesGcdb_sections.shp
- ▭ Gcdb_tr.shp





State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

RECEIVED

June 6th, 2005

JUL 15 2005

WATER RESOURCES
WESTERN REGION



Protestants

Re: Water Right Application for Permit Nos. 63-32089 & 63-32090, both in the name of the City of Eagle

Dear Interested Parties:

In preparation for the Prehearing Conference on Thursday, July 28th, please answer the questions on the enclosed questioner and mark the location of your well on the enclosed map and return them to our office at your earliest convenience. Your cooperation is appreciated and will allow us to prepare for the Prehearing Conference.

If you have any questions, please contact this office.

Sincerely,

A handwritten signature in cursive script that reads "Manuel Rauhut".

Manuel Rauhut

Encl.: Questioner and map for completion

RECEIVED

JUL 15 2005

WATER RESOURCES
WESTERN REGION

Ron L. Schreiner
2153 Pollard Ln.
Star, ID 83669-5150

286-7028
870-2956

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name

RONALD L + NORMA L. SCHREINER

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

T4N, R1W, S4 NENWSW in Ada County

Well Depth:

Irrigation is 98 ft

Domestic is 148 ft

Pumping Level:

Artesian ?? ft.

Year drilled:

1958 - Irrigation

1980 - Domestic


Water right number if applicable:

63-4690

Artesian ?? B-4 1954

Additional Comments:

Map of Eagle



X Schreiner well (3)

-  Proposed City of Eagle Wells
-  Allroads.shp
-  PLSS Section LinesGcdb_sections.shp
-  Gcdb_tr.shp



Ron L. Schreiner
 2153 Pollard Ln
 Star, ID 83669-5150

Ron L. Schreiner
2153 Pollard Ln.
Star, ID 83669-5150

Owner - Ronald Schreiner

RECEIVED
Log No. MAY 28 1958

WELL LOG AND REPORT TO THE
STATE RECLAMATION ENGINEER OF IDAHO

Rec. _____
Well No. _____
Permit No. 27376

(DO NOT FILL IN)

Owner Mr Dal Bollen Address Rt. 1, Eagle, Idaho

Driller Chester D Kinsey Address Rt. 2, Boise, Idaho Lic. No. 33

Location of Well 1/4 NW 1/4 Sec 4 Twp 4 N R 1 West Boise Meridian Ida County
and _____ feet N/S, and _____ feet E/W from _____ Corner of _____ Sec _____

Size of Drilled Hole 12" Total depth of Well 98'

Give depth of standing water from surface 38' Water Temp. _____ °Fahrenheit

On pumping test delivery was 1210 g.p.m. or _____ c.f.s. Drawdown was 25' feet.

Size of pump and motor used to make the test 60 H P, 8" Coluza, 3 ten inch Bowls, 70' setting

Length of time pumped during check was 4 Hrs hr., _____ minutes.

If flowing well, give flow in c.f.s. _____ or g.p.m. _____ and shut in pressure _____

If flowing well, describe control works _____ (TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Irrigation Weight of casing per linear foot _____

Thickness of casing 10 Gage Casing material Kal-well Steel
E.G., PIPE, CONCRETE, WOOD.

Diameter, length and location of casing 12". 68', 12" above ground to bottom of gravel bed at 67'
(CASING 12" IN DIAMETER AND UNDER GIVE INSIDE DIAMETER; CASING OVER 12" IN DIAMETER GIVE OUTSIDE DIAMETER.)

Number and size of perforations 10 to the ft, the bottom 20 ft. perforations 3/8" x 6" feet
from surface of ground.

Other perforations _____

Date of commencement of well March 20--58 Date of completion of well MAR 28--58

Type of well rig Cabletool

CASING RECORD

DIAM. CASING	FROM FEET	TO FEET	LENGTH	REMARKS - SEALS, GROUTING, ETC.
12"	12" above	to 67' below	65'	

GENERAL INFORMATION - Pumping Test, Quality of Water, Etc.

STATE RECLAMATION ENGINEER OF IDAHO

DAVIS WELL DRILLING

Domestic and Irrigation Wells

PHONE 466-5765 OR 466-6119

278 DAVIS AVE.

415 N. Pitts Lane

NAMPA, IDAHO 83651

April 14 1980

Ron Schreiner

Ron L. Schreiner
2153 Pollard Ln.
Star, ID 83669-5150

TERMS CASH: CREDIT IS ADVANCED FOR YOUR CONVENIENCE. DO YOU

	ITEM	CHARGE
	77' 6" Drilling	9.00
	75' 6" 6" Casing	5.00
	1 6" drive shoe	
	Bentonite seal	
	1 sp	
	Put in new engine	2/

DAVIS WELL & PUMP CO.

WELLS - PUMPS - TRENCHING

415 N. Pitt Lane - Nampa, Idaho 83651

Chuck Davis - Phone (208) 466-5765 or 466-6119

DATE April 18, 1980

BY Chuck

CONDITIONS: _____

TO: Ron Schreiner

PHOTO



QUANTITY	DESCRIPTION
1	20P4E02 S 1HP Sta Rite Submersible
1	6" well pipe
1	Pitless adapter
40'	1 1/4" schedule 80 PVC
45'	12-3 Sub wire with ground
1	Yard hydrant
135'	1 1/4" PVC
2	1 1/2" diesel adapter PVC
1	1 1/2" tee galv.
2	1 1/4" galv. tee
1	1" tee galv.
2	1 1/2" PVC caps
1	1/4" el
1	1/4" tee
7'	1" galv. pipe
1	pressure switch FSG-2
1	pressure gauge
1	1" union
1	1 1/4" x 3/4" bushing
1	3/4" el
1	1 1/2" x 1 1/4" "
1	45° 1" el
1	90° 1" el

Trenching

RECEIVED

JUL 13 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name Dana and Viki Purdy

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

① T04N R01W S02 - SWSWSW - Ada Co. ② T04N-R01W S2
NWNWSW - Ada

① Well Depth: 250 ft ② 90 ft

① Pumping Level: 0.06 CFS Stockwater
0.06 Homes ② 1500 CFS
418.50 AFY


① Year drilled: 6-1-1900 ② 1-02-1952
Priority Date

① Water right number if applicable: 63-15680 ② 63-2920

Additional Comments:

We have 2 wells one for Domestic + Stockwater the other for Irrigation for 93 Acres Both are in the ~~est~~ close Proximity of (within 1/2 mile Radius) of City of Eagles Proposed wells. This is a dairy farm.

Map of Eagle



RECEIVED

JUL 11 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name *CORFIN H HUTTON*
10820 NEW HOPE RD.
STAR 10 83669

Tag Number of the well (if available) *D0025194*

Well Location (example: T2N, R1W, S12, SWNE):

Lot 4 section 5 T4N, R1W, B.M.

Well Depth:

115 ft.

Pumping Level:

114 ft.


Year drilled:

~~*6-02*~~ *6-2002*

Water right number if applicable:

Additional Comments:

Map of Eagle



- Proposed City of Eagle Wells
- ▬ Allroads.shp
- ▬ PLSS Section LinesGcdb_sections.shp
- ▬ Gcdb_tr.shp



RECEIVED

JUL 07 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name

EUGENE MULLER

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

PARCEL # 7800 OF W2 SE #
SEC. 10 4N 1W

Well Depth:

250 FT.

Pumping Level:

ARTISIAN

Year drilled:


1970 ?

Water right number if applicable:

Additional Comments:

WHEN DRILLED ARTISIAN WELL PRODUCER
285 GALLONS PER MINUTE.

Map of Eagle



- Proposed City of Eagle Wells
- ▬ Allroads.shp
- ▭ PLSS Section LinesGcdb_sections.shp
- ▭ Gcdb_tr.shp



RECEIVED

JUL 06 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name

Joseph Moyle

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

04N 01W9 ~~04N 01W9~~ SE 1/4 SE 1/4 SW 1/4
SW 1/4 SW 1/4 SW 1/4

Well Depth:

300'

Pumping Level:

Year drilled:


between
I believe ~~around~~ Feb. 1944 and Oct 1881

Water right number if applicable:

A67-026098

Additional Comments:

Map of Eagle



- Proposed City of Eagle Wells
- ▬ Allroads.shp
- ▬ PLS Section LinesGcdb_sections.shp
- ▬ Gcdb_tr.shp



RECEIVED

JUN 14 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name Lee Roy & Billie's Mellie's
6860 W STATE ST
EAST, ID 83616
Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

T04N R01W S10 WITHIN ADA COUNTY

Well Depth: 147'


Pumping Level: AT THE TOP IS A ARTESIAN WELL

Year drilled: 1966

Water right number if applicable: 63-17644

Additional Comments:

Map of Eagle



- Proposed City of Eagle Wells
- △ Allroads.shp
- ▭ PLS Section LinesGcdb_sections.shp
- ▭ Gcdb_tr.shp



RECEIVED

JUN 21 2005

WATER RESOURCES
WESTERN REGION

Bill Flock

Well #2 supplemental irrigation permit # 6311720
Location E $\frac{1}{2}$ SE $\frac{1}{4}$ Sec. 33 5N1W
well depth 355', drilled - 1992,
pump setting has been 120', this is no longer adequate
We are in the process of adding 1 more pump stage,
a 20 HP larger motor and dropping the setting
to 180'

Please return to our office with the attached map indicating
you have a copy of the well log please submit that as well.

Name William (Bill) Flock

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

Well Depth:

Pumping Level:

Year drilled:

Water right number if applicable:

Well #3 domestic

Location - Parcel 8101 of
NW $\frac{1}{4}$ SE $\frac{1}{4}$
Sec 34 5N1W

Drilled - 1951

Depth 80' ?

static level ?

well #3 + 4 are about 30' apart

Well #4 irrigation

Permit # 63-3234 drilled 1961
depth 78' pump setting 60'
Lift 40'

location - Parcel #8101 of
NW $\frac{1}{4}$ SE $\frac{1}{4}$

Sec 34 5N1W

Well #1 domestic
drilled over 60 years ago
well depth ?
pump setting 30' ?
Location E $\frac{1}{2}$ SE $\frac{1}{4}$ Sec 33 5N1W

Well #5 domestic
Location - SW $\frac{1}{4}$ NE $\frac{1}{4}$
Sec 34 5N1W
drilled over 50 years ago
depth 90'
Set setting 65'
static level 38'

RECEIVED

JUN 21 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name *William (Bill) Flock*

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

Well Depth:

Pumping Level:

Year drilled:

Water right number if applicable:

Additional Comments:

RECEIVED

JUN 21 2005

WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name ^{SALE MEAL} *Daleman & Norman Mares*

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

04N -02W - LOT 4 (NW NW), Sec 1 Township 04N RANGE 02W

Well Depth: *220 ft*


Pumping Level:

Year drilled: *1987*

Water right number if applicable: *63-10915*

Additional Comments:

Map of Eagle



- Proposed City of Eagle Wells
- ▬ Allroads.shp
- ▬ PLSS Section LinesGcdb_sections.shp
- ▬ Gcdb_tr.shp



Re: Water Right Applications 63-32089
and 63-32090 (City of Eagle's New
Applications for Permit)

RECEIVED
JUN 20 2005
WATER RESOURCES
WESTERN REGION

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name United Water Idaho Inc.

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

T4N, R1E, S7, SWNW

Well Depth: 415 Feet


Pumping Level: 65 ft.

Year drilled: 1994

Water right number if applicable: 63-12192
63-11878

Additional Comments:

Map of Eagle



- Proposed City of Eagle Wells
- ▬ Allroads.shp
- ▬ PLS Section LinesGcdb_sections.shp
- ▬ Gcdb_tr.shp




IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Use Typewriter
or
Ball Point Pen

1. DRILLING PERMIT NO. 63-93 C-188 - 0
Other IDWR No. 63-1187A

2. OWNER:
Name REDWOOD CREEK SUBDIVISION
Address 7108 SAN FERNANDO DRIVE
City BOISE State ID Zip 83704

3. LOCATION OF WELL by legal description:
Sketch map location must agree with written location.



Address of Well Site CLOSE TO 2810 W STATE ST
(Give at least Direction + Distance to Road or Landmark)

Lot No. _____ Block No. _____ Subd. Name REDWOOD CREEK

4. PROPOSED USE: NON DOMESTIC
 Domestic Municipal Monitor Irrigation
 Thermal Injection Other _____

5. TYPE OF WORK NEW WELL
 New Well Modify or Repair Replacement Abandonment

6. DRILL METHOD REVERSE ROTARY
 Mud Rotary Air Rotary Cable Other _____

7. SEALING PROCEDURES

SEA/FILTER PACK		AMOUNT		METHOD
Material	From	To	Sacks or Pounds	
*BENTONITE	265	0	3000#	POURED

Was drive shoe seal tested? YO NO How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Casting	Liner	Steel	Plastic	Welded	Threaded
10	1.5	281	.375			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	281	298	.375			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	313	361	.375			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
12	401	411	.375			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Final location of shoes _____
Top Packer or Headpipe _____ Bottom Tailpipe _____

9. PERFORATIONS/SCREENS
 Perforations Method _____
 Screens Type WIRE Material STAINLESS STEEL

From	To	Slot Size	Number	Diameter	Tele/Pipe Size	Casting	Liner
298	313	.40	304 STA	12"	PIPE	<input type="checkbox"/>	<input type="checkbox"/>
361	401	.40	304 STA	12"	PIPE	<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>
						<input type="checkbox"/>	<input type="checkbox"/>

10. WELL TESTS: FLOWING ARTESIAN
 Pump Bailer Air Flowing Artesian

Yield gal./min.	Drawdown	Pumping Depth	Time
2100	90'	83'	8HRS

Temperature of water 58 Was a water analysis done? Yes No
By whom? ANALETICAL LAB.
Water Quality (odor, etc.) GOOD
Bottom Hole Temperature 58

11. STATIC WATER LEVEL:
STATIC PLUS 7 ft. below surface Depth artesian flow found 297
Artesian pressure _____ lb. Describe access port 10" SIDE PIPE
Describe Controlling Devices: 10" VALVE

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	GPM
	0	5	TOPSOIL	
	5	18	SAND	
	18	19	BRN CLAY	
	19	20	FINE SAND, SOME SMALL GRAVEL	
	20	32	SAND, GRAVEL, RIVER ROCK	
	32	42	LITE BRN CLAY	
	42	58	SND, SND&CLAY MIX	
	58	65	LITE BRN CLAY	
	65	71	FINE TO MED SND	
	71	75	LITE BRN CLAY	
	75	84	FINE TO MED SAND	
	84	85	LITE BRN CLAY	
	85	95	FINE TO COARSE SAND&CLAY MIX	
	95	115	LT BRN CLAY W/SML AMNT SND	
	115	121	LTE BRN CLAY	
	121	130	FINE TO MED SAND, SML AMT CLAY	
	130	133	BRN CLAY W/ SAND MIX	
	133	137	FINE TO MED SAND W/ SOME CLAY MIX	
	137	155	BRN CLAY W/SOME SAND MIX	
	155	165	CLAY W/SOME SAND MIX	
	165	170	CLAY	
	170	175	CLAY W/SAND MIX	
	175	211	LT BRN CLAY W/SOME SAND MIXED	
	211	215	FINE TO MED SAND, SOME CLAY MIX	
	215	255	LT BRN CLAY W/SOME SAND MIX	
	255	259	SAND W/SOME CLAY	
	259	275	CLAY W/SOME SAND MIX	

Date: Started 3/30/94 Completed 4/5/94

13. DRILLER'S CERTIFICATION
I/We certify that all minimum well construction standards were complied with the time the rig was removed.

Firm Name PETE COPE DRILLING Firm No. 21
Firm Official _____ Date 4/18/94
and _____
Supervisor or Operator _____ Date 4/18/94
(Sign once if Firm Official & Operator)

Scott & Nancy Reeser
499 N Linder Rd
Eagle, ID 83616

John Westra
Regional Manager
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705

Dear Mr. Westra,

As a result of our phone conversation on July 26th this letter is a formal petition to intervene into the process in the case of Well Applications #633089 and #633090 for the following reasons:

- 1) I was not aware of the Public Notices provided in the Idaho Statesman for Well Applications that have been submitted for Eagle Field Estates or Legacy Subdivisions.
- 2) The well in operation on my residential property located at 499 N Linder Rd, in Eagle is currently only 60 feet deep. I believe that when the (5) 500 foot wells are installed for Legacy and Eagle Field Estates Subdivisions, I will lose valuable, available water level, eventually rendering my well useless. In recent months, I have noticed a severe decrease in available water pressure from my well apparently due to other wells recently installed in the area drawing down the available water level.
- 3) United Water has refused to provide service to the west side of Linder Road even though a water main is located 50 feet from and directly in front of my home.
- 4) With the new wells installed and the fact that I cannot get service from United Water, I will be forced to have my well drilled to a new unknown depth. This will cause a financial burden on my family for which we are not prepared to absorb.

Mr. Westra, due to the reasons mentioned above, I humbly request that my petition to be an intervener in the process of Well Applications #633089 and #633090 be approved.

Sincerely,
Scott Reeser
208-695-8587

Hand delivered to J. Westra ^{JFW}
7/28/05 prior to prehearing conference.

#25 - received 9-12-05
DB W033402

RECEIVED

JUL 27 2005

WATER RESOURCES
WESTERN REGION

Jerry A. Kiser
STOPPELLO & KISER
ATTORNEYS AT LAW
620 West Hays Street
Boise, Idaho 83702
Telephone: (208) 336-1020
Facsimile: (208) 336-1027
Idaho State Bar No. 3719

Attorneys for Star Sewer & Water District

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF APPLICATIONS)
FOR PERMIT NOS. 63-32089 AND) NOTICE OF SUBSTITUTION
63-32090 IN THE NAME OF THE) OF REPRESENTATIVE
CITY OF EAGLE.)
_____)


TO: The Idaho Department of Water Resources
and all interested parties.

PLEASE TAKE NOTICE THAT KELLER & ASSOCIATES no longer
represents the Star Sewer & Water District in the above-entitled
matter, and the STAR SEWER & WATER DISTRICT is now represented by
JERRY A. KISER of the firm STOPPELLO & KISER ATTORNEYS AT LAW.
All future notices, pleadings, or documents in this matter should
be directed to JERRY A. KISER of the firm STOPPELLO & KISER
ATTORNEYS AT LAW, 620 W. Hays Street, Boise, Idaho, 83702.


NOTICE OF SUBSTITUTION
OF REPRESENTATIVE - 1.

DATED this 26th day of July, 2005.

KELLER & ASSOCIATES

By 
Justin Walker

STOPPELLO & KISER
ATTORNEYS AT LAW

By 
Jerry A. Kiser, of the firm
Attorneys for Star Sewer & Water District

NOTICE OF SUBSTITUTION
OF REPRESENTATIVE - 2.

CERTIFICATE OF SERVICE: The undersigned does hereby certify that on this date he caused a true and correct copy of the within and foregoing NOTICE OF SUBSTITUTION OF REPRESENTATIVE to be mailed by United States first-class, postage prepaid mail to the following:

Dana & Viki Purdy
5926 Floating Feather Road
Eagle, ID 83616

Joseph & Lynn Moyle
% Michael Moyle
480 N. Plummer Road
Star, ID 83669

Michael McCollum
1290 Butterfield
San Anselmo, CA 94960

Michael Heath
Nancy Heath
401 N. Palmer Lane
Eagle, ID 83616

Tim Cheney
P.O. Box 190027
Boise, ID 83719

Boy Barnett
188 S. Young Lane
Eagle, ID 83616

Jerry and/or Mary Taylor
3410 Hartley
Eagle, ID 83616

Bryan and Marie Pecht
10090 W. Floating Feather
Star, ID 83669

Del and Robyn Morton
6814 W. Beacon Light Road
Eagle, ID 83616

Corrin H. Hutton
Terry Hutton
10820 New Hope Road
Star, ID 83669

Bob and Elsie Hanson
4151 Hartley Road
Eagle, ID 83616

Mike Dixon
Rt. 1 2650 Wing Road
Star, ID 83669

Tony and Brenda O'Neal
1910 N. Mountain Vista Lane
Star, ID 83669

United Water
% Scott Rhead
P.O. Box 190420
Boise, ID 83719-0420

Sam and Kari Rosti
1460 N. Pollard Lane
Star, ID 83669

Eugene Muller
% Mary Taylor
320 N. Palmer Lane
Eagle, ID 83616

Charles W. Meissner Jr.
3101 N. Palmer
Eagle, ID 83616

Charles Howarth
% Gunnar & Matt Howarth
833 N. Palmer
Eagle, ID 83616

Bill Flack
4035 Hartley Road
Eagle, ID 83616

Ron Schreiner
2153 N. Pollard Lane
Star, ID 83669

City of Star
% Rod Linja
131 SW 5th Ave., Suite A
Meridian, ID 83642

Leeroy and Billie Mellies
6860 W. State Street
Eagle, ID 83616

Dean and/or Jan Combe
6440 W. Beacon Light Road
Eagle, ID 83616

Norma Mares
Mary Taylor
23966 Blessinger Road
Star, ID 83669

Ralph and Barbara Wilder
7320 W. State Street
Eagle, ID 83616

Frank and Elaine Mosman
570 Highway 16
Eagle, ID 83616

Julie Klein Fischer
White Peterson
5700 Franklin Road
Nampa, ID 83687

Bruce Smith
Moore, Smith, Buxton, Turcke
225 N. 9th Street, Suite 420
Boise, ID 83702

Chris Duncan
Holladay Engineers
32 N. Main
P.O. Box 235
Payette, ID 83661

City of Eagle
P.O. Box 1520
Eagle, ID 83616

DATED this 26 day of July, 2005.

STOPPELLO & KISER
ATTORNEYS AT LAW

By 
Jerry A. Kiser, of the firm
Attorneys for Star Sewer & Water District

Agenda

Prehearing Conference - City of Eagle

9:00 Am July 28th, 2005 at Eagle Library

Sign in and pick up package (Spreadsheet summary of protestants, agenda, map of proposed wells and protestant's wells, 6 criteria handout)

9:00 AM: Opening Remarks – 5 minutes

- Rules for conduct
- Meeting outline

9:05 AM: Protestants (2 min each) – 1 hour

- Address their concerns
- Suggestions to resolve the issues

If protestant's concern are mostly similar in nature encourage the following protestants to add to previous concerns.

10:05 AM: Departments Role: (15 minutes)

- Things we can do
- Things we cannot do
- Review 6 criteria handout
- Questions

10:20 AM: Break (10 minutes)

10:30 AM: Applicant Presentations (30 minutes)

11:00 AM: Discussion (20 minutes)

11:20 AM: Settlement options (30 minutes)

11:50 AM: Specific Dates and Deadlines



Polston

"Our chances are looking better."

PRE-HEARING CONFERENCE

City of Eagle Applications for Permit

Pre-hearing Conference Purpose:

- Formulate/simplify the issues
- Discuss settlements, make settlement offers
- Address matters that may expedite conduct of the preceding or settlement
- Schedule hearings, discovery

Criteria for Department approval/denial of an Application for Permit

- Will the proposed use cause injury to existing Water Rights
- Is the proposed water source sufficient for the intended purposes
- Is the application made in good faith, or for speculation or delay
- Will the application conflict with local public interest.
- Is the proposed use be contrary to conservation of water resources in the state.

Ground Water Appropriations-Department

Things we can do:

- Condition well construction
- Condition permits to appropriate water—Acknowledge agreements.
- Enforcement for illegal diversions, violations of water right conditions.
- Regulate ground water if an area has been designated a water district by the Department Director—Eastern Idaho.

Things we can not do:

- Guarantee a ground water pumping level, a reasonable pumping level can be established by the Director
- Dictate whether a residential subdivision has a community well or individual domestic wells. This is a decision by local zoning, agencies and the developer.

Normally Civil Issues

- Trespass/right-of-way issues relating to water
- New domestic wells (number) effecting older wells—“My well has dried up”
- Wells with recorded water rights impacting existing domestic wells.

Hearing

- If a settlement of the protests can not be accomplished, the next step in the process is a hearing. A hearing officer is appointed by the Department.
- The applicant and protestant will prepare a case to the hearing officer.
- A decision is prepared by the hearing officer.

PRE-HEARING CONFERENCE
City of Eagle Applications for Permit #63-32089/32090

Name	Tag #	Well Location	Well Depth	Pumping Level	Year drilled	Water right number	Additional Comments	Reason for Protest	Representatives	Additional Parties	Resolution
Barrett, Roy		No Log found						Injury to wells			Deny app.
Cheney, Tim		No Log found						Injury to well moratorium area Ag -> municipal POD vs. POU Illegal seizure of WR	Casey Taylor		Deny app.
City of Star								Injury to wells	Keller Assoc. Inc		Compl withdrawal or application
Combe, Dean & Jan								Injury to well Injury to WR			Guarantee financial compensation if injured
Dixon, Michael		No Log found	65, 70, 200	40, 40, 100	1958, 1974, 2003		Hoot Nanny Farms	Injury to well Injury to aquifer injury to farm	Mike Dixon or Tery White		No municipal wells
Flack, Bill (5 wells)	NA	5N 1W S34/35	355, 78, 80, 90, ?	120, 60, ?, 65, ?	40s-90s	63-3234 63-11720	5 wells, details in file				
Flack, Bill & June								Injury to WR Injury to aquifer			condition to protect existing rights & aquifer; keep water on land
Hanson, Bob & Elsie		5N 1W S34 SW NE No log found	85		1910	63-18316	Mary Taylor or Bill Flack will speak for them if not able to be at meeting	Injury to well			more study

**PRE-HEARING CONFERENCE
City of Eagle Applications for Permit #63-32089/32090**

Name	Tag #	Well Location	Well Depth	Pumping Level	Year drilled	Water right number	Additional Comments	Reason for Protest	Representatives	Additional Parties	Resolution
Heath, Michael		Par #7000 of SW4 Sec 10 1W #341000-R No log found	194	Artesian	1929	63-184-14		Injury to WR	Nancy Heath		more info
Howarth, C. H.		4N 1W S10 NE SW					Called 7/20 about meeting at City Hall in Eagle	Threat to existing WR			no threat to aquifer
Hutton, Corrin	25194	4N 1W S5	115	114	2002			Injury to well			deny app.
Mares, Norma		No Log found						Injury to wells, property value, and occupations			deny app.
Palemon & Norma	NA	4N 2W S1 NWNW No log found	220		1987	63-10915	NA				
McCollum, Michael		No Log found						Injury to aquifer decrease in Land value			POD should be POU
Meissner, Charles Jr.		No Log found							Charles Meissner		Deny app no more wells
Mellies, LeeRoy & Billie	NA	4N 1W S10 No log found	147	Artesian	1966	63-17644		Injury to well Injury to Property Value			Deny app.
Morton, Robyn & Del		No Log found						Injury to well Injury to aquifer			Deny app.
Mosman, Frank & Elaine		No Log found									
Moyle, Joseph & Lynn		4N 1W S9	300		1881-1944	63-2609B		Injury to well Injury to aquifer	Michael Moyle		Deny app.

PRE-HEARING CONFERENCE
City of Eagle Applications for Permit #63-32089/32090

Name	Tag #	Well Location	Well Depth	Pumping Level	Year drilled	Water right number	Additional Comments	Reason for Protest	Representatives	Additional Parties	Resolution
Muller, Eugene		4N 1W S10	250	Artesian	1970?		When drilled well produced 285gpm	Injury to well	Mary Taylor		Guarantee well flow; drill to deeper aquifer
O'Neil, Tony and Brenda		No Log found						Ordinance # 479			Deny app.
Pecht, Marie		No Log found						Injury to well			Deny app.
Purdy, V. & Dana		4N 1W S2 No log found	250, 90		1900, 1952	63-15680, 63-2920		Injury to livelihood to well			Deny app.
Rosti, Sam & Kari		4N 1W S4 & 9 No log found	445, 255	2.92cfs, 0.04 cfs	1992, 1897	63-11715, 63-15636		Injury to WR			Deny app.
Schreiner, Ronald		4N 1W S4	98, 148, artesian		1958, 1980, 1954		Supplied all well logs	Injury to wells			deny app. Or compensate if wells injured
Star Sewer and Water District		4N 1W S8 SESW 1W S8 SWNW	191 565	115ft @450gpm unknown	1997 1995	63-12370 63-12100	see letter	Injury to wells	Keller Assoc. Inc		Complete withdrawal of application Deny app. Restrict private vs public
Taylor, Jerry & Mary		No Log found						Injury to well			
United Water of Idaho	NA	4N 1E S7 SWNW	415	65	1994	63-12192 63-11878	NA	Code 42-203A(5)/need more info	Scott Rhead, P. E.		
Wilder, Ralph & Barbara		No Log found						Injury to well Injury to WR Injury to aquifer			deny app.

IDAHO DEPARTMENT OF WATER RESOURCES
 Water Application Report 63-32090

WATER RIGHT NUMBER: 63-32090

<u>Owner Type</u>	<u>Name and Address</u>
Representative	HOLLADAY ENGINEERING CO CHRIS DUNCAN PO BOX 235 PAYETTE, ID 83661 (208)642-3304

Current Owner	CITY OF EAGLE PO BOX 1520 EAGLE, ID 83616 (208)939-6813
---------------	--

Priority Date: 01/19/2005

Basis:

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
MUNICIPAL	01/01 to 12/31	4.900 CFS	
	<u>Total Diversion:</u>	4.900 CFS	

Location of Point(s) of Diversion

GROUND WATER ADA County	NW1/4NE1/4	Sec. 10, Twp 04N, Rge 01W, B.M.
GROUND WATER ADA County	SE1/4NW1/4	Sec. 11, Twp 04N, Rge 01W, B.M.
GROUND WATER ADA County	NW1/4NW1/4	Sec. 10, Twp 04N, Rge 01W, B.M.

Place of Use

Conditions of Approval:

Remarks:

IDAHO DEPARTMENT OF WATER RESOURCES
Water Application Report 63-32090

Comments:

1. scurtis 3/29/2005 Legal Notice Remarks
Comment: Applicant agrees to mitigate consumptive use in the future as needed.
Municipal use is for applicants service area
Water bearing zone to be appropriated is from 250 to 500 feet.

2. Igraves 4/5/2005 Comment/Analysis
Comment: The city of Eagle wishes to provide for growth west of the city that has been recently annexed or is seeking annexation. The city plans to implement a water system master plan that encompasses four phases to be implemented within a 20 year planning horizon. Planned construction of the first phase, aka block 1, is anticipated to begin in 2005. Block 1 will require 8.9 cfs, which includes 6.68 cfs for a 3-hour emergency fire flow demand required under DEQ public drinking water system rules and a 1-hour peak demand of 2.23 cfs based on 2000 residential customer unit connections. The city plans to have block 1 completed within the next five years and has filed two applications to cover the municipal water needs; one for 4.9 cfs listing three proposed well sites and the second for 4.0 cfs listing the same three proposed well sites plus one more for a total of four proposed well sites. The reason for two applications is that the city does not have an access agreement for the fourth uncommon well site listed on the second application. Since time is of essence, the city did not want to be delayed on beginning construction of the three wells listed on application one for which they do have access agreements.
Additional information was requested from the applicants consultant via a letter dated 2/8/2005. Included in that letter was a request for large diversion information because the two applications represent a common system and when combined exceed 5.0 cfs. The requested information was provided in report form located in each application file. Eagles Municipally Owned Water System Amended Master Plan is available at Holladay Engineering, c/o Chris Duncan. Other rights for the city include 63-9331, 63-11413 and 63-12448 for municipal use totaling 6.45 cfs. They also have storage right 63-12017 for aesthetic, recreation, wildlife storage uses for ponds in Lexington Hills and Trail Creek Subdivisions. No other rights are used. As confirmed in the submitted reports, the proposals are for additional water to be beneficially used within the five year requested development period. Please note that information in the reports (paragraph 4, page 2) indicates that the city plans to construct a water storage system as revenues become available, which will then take care of the peak fire flow requirements. If this occurs, the city plans to use the surplus capacity to meet growing daily use requirements as urbanized development continues within the city service area.

Comments were submitted by DEQ prior to advertising and are located in the files.

Water Supply Bank:

IDAHO DEPARTMENT OF WATER RESOURCES
Water Application Report 63-32089

WATER RIGHT NUMBER: 63-32089

<u>Owner Type</u>	<u>Name and Address</u>
Representative	HOLLADAY ENGINEERING CO CHRIS DUNCAN PO BOX 235 PAYETTE, ID 83661 (208)642-3304

Current Owner	CITY OF EAGLE PO BOX 1520 EAGLE, ID 83616 (208)939-6813
---------------	--

Priority Date: 01/19/2005

Basis:

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
MUNICIPAL	01/01 to 12/31	4.000 CFS	
	<u>Total Diversion:</u>	4.000 CFS	

Location of Point(s) of Diversion

GROUND WATER ADA County	NW1/4SE1/4	Sec. 11, Twp 04N, Rge 01W, B.M.
GROUND WATER ADA County	NW1/4NE1/4	Sec. 10, Twp 04N, Rge 01W, B.M.
GROUND WATER ADA County	SE1/4NW1/4	Sec. 11, Twp 04N, Rge 01W, B.M.
GROUND WATER ADA County	NW1/4NW1/4	Sec. 10, Twp 04N, Rge 01W, B.M.
GROUND WATER ADA County	NW1/4SE1/4	Sec. 11, Twp 04N, Rge 01W, B.M.

Place of Use

Conditions of Approval:

Remarks:

IDAHO DEPARTMENT OF WATER RESOURCES
Water Application Report 63-32089

Comments:

1. scurtis 3/29/2005 Legal Notice Remarks

Comment: Applicant agrees to mitigate consumptive use in the future as needed.

Municipal use is for applicants service area

Water bearing zone to be appropriated is from 250 to 500 feet.

2. Igraves 4/5/2005 Comment/Analysis

Comment: The city of Eagle wishes to provide for growth west of the city that has been recently annexed or is seeking annexation. The city plans to implement a water system master plan that encompasses four phases to be implemented within a 20 year planning horizon. Planned construction of the first phase, aka block 1, is anticipated to begin in 2005. Block 1 will require 8.9 cfs, which includes 6.68 cfs for a 3-hour emergency fire flow demand required under DEQ public drinking water system rules and a 1-hour peak demand of 2.23 cfs based on 2000 residential customer unit connections. The city plans to have block 1 completed within the next five years and has filed two applications to cover the municipal water needs; one for 4.9 cfs listing three proposed well sites and the second for 4.0 cfs listing the same three proposed well sites plus one more for a total of four proposed well sites. The reason for two applications is that the city does not have an access agreement for the fourth uncommon well site listed on the second application. Since time is of essence, the city did not want to be delayed on beginning construction of the three wells listed on application one for which they do have access agreements.


Additional information was requested from the applicants consultant via a letter dated 2/8/2005. Included in that letter was a request for large diversion information because the two applications represent a common system and when combined exceed 5.0 cfs. The requested information was provided in report form located in each application file. Eagles Municipally Owned Water System Amended Master Plan is available at Holladay Engineering, c/o Chris Duncan. Other rights for the city include 63-9331, 63-11413 and 63-12448 for municipal use totaling 6.45 cfs. They also have storage right 63-12017 for aesthetic, recreation, wildlife storage uses for ponds in Lexington Hills and Trail Creek Subdivisions. No other rights are used. As confirmed in the submitted reports, the proposals are for additional water to be beneficially used within the five year requested development period. Please note that information in the reports (paragraph 4, page 2) indicates that the city plans to construct a water storage system as revenues become available, which will then take care of the peak fire flow requirements. If this occurs, the city plans to use the surplus capacity to meet growing daily use requirements as urbanized development continues within the city service area.

Comments were submitted by DEQ prior to advertising and are located in the files.

3. Igraves 5/9/2005 Comment/Analysis

Comment: Application amended 5/5/05 to add additional well in the NWSE S11, receipt no. W032895. Priority date advanced to 5/5/05. Re-advertising n/a per regional manager.

Water Supply Bank:



LEGEND

- | | | |
|--|---|--|
| <p>SERVICE AREAS</p> <ul style="list-style-type: none"> CITY OF EAGLE UNITED WATER IDAHO EAGLE WATER CO. | <ul style="list-style-type: none"> WELL LOCATIONS AND POINTS OF DIVERSION SECTION LINE QUARTER SECTION LINE QUARTER-QUARTER SECTION LINE | <p>PROPOSED CITY OF EAGLE AMENDED MASTER PLAN DISTRIBUTION SYSTEM</p> <ul style="list-style-type: none"> 20" WATER LINE 16" WATER LINE 12" WATER LINE |
|--|---|--|

JOB NO: EG 112404
 DRAW FILE: REVISED/05/29/05
 DATE: 3/29/05
 PLOTTED: 3/29/05
 DRAWN BY: JLM
 CHECKED BY: CHD

**CITY OF EAGLE
 WATER RIGHT APPLICATION MAP**

REUSE OF DOCUMENTS
 THIS DOCUMENT, AND THE IDEAS
 HEREIN, AS AN INSTRUMENT OF
 SERVICE, IS THE PROPERTY OF
 HOLLADAY ENGINEERING CO.
 IN WHOLE OR IN PART FOR ANY
 PURPOSES WITHOUT THE
 WRITTEN AUTHORIZATION OF
 HOLLADAY ENR. CO.

HOLLADAY ENGINEERING CO.
 ENGINEERS • CONSULTANTS
 32 N. MAIN, P.O. BOX 256, PAYSITE, ID 83661
 (208) 842-3300 FAX (208) 842-3199
 EMAIL: holladay@micron.net





State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 19, 2005

RE: Applications for Permit--#63-320898 & 63-32090, City of Eagle

Dear Protestant/Interested Parties:

The Department has not received your questioner that was sent with the pre-hearing conference notice earlier. We would ask that you fill out and return the enclosed form to provide the Department and the applicant information regarding your well. If you do not know the well legal description, please just mark the approximate location on the map with an X. Also, if you only know approximate values of other information, please list it with the word "approximate."

Ideally, we would like to have the information returned as soon as possible to tabulate it prior to the conference, but it may also be submitted at the conference.

We appreciate your cooperation.

Sincerely,

John Westra, Manager
Western Region

Enclosure

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

Well Depth:


Pumping Level:

Year drilled:


Water right number if applicable:

Additional Comments:

Map of Eagle



- Proposed City of Eagle Wells
-  Allroads.shp
-  PLSS Section Lines Gcdb_sections.shp
-  Gcdb_tr.shp



RECEIVED

JUL 14 2005

WATER RESOURCES
WESTERN REGION

July 13, 2005

Department of Water Resources
Western Region
2735 Airport Way
Boise, ID 83705-5082
Attn: John Westra, Manger

RE: Protest -City of Eagle Applications for Permit #63-32089 & 32090

Please be advised that the undersigned agree to be alternate spokespersons/contacts for the above case proceedings in the event that either Tony or Brenda O'Neil can not be present or attend such appointments.

Should you have any questions, please do not hesitate to contact us.

Sincerely,



James R. Stanford, Jr.
1878 N. Mountain Vista Ln.
Star, ID 83669
(208) 286-9119



Michele E. Stanford

cc: Tony & Brenda O'Neil



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

June 28, 2005

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

Mary Taylor
3410 Hartley
Eagle ID 83616

RE: Application for Permits—City of Eagle #63-32089 & #63-32090

Dear Mrs. Taylor:

The purpose of this letter is to bring clarification to the protest information discussed in our conversation of 5/5/05 and your letter of 5/6/05. As discussed, the City of Eagle filed 2 separate applications for permit with our Department. Our agency processes applications in accordance with Idaho Code (IC) §42-203A & 42§-221 which outlines criteria and procedures for protesting new water allocation applications. The protests and fees you have submitted meet the requirements, and are now part of each contested application.

Your previous letter indicates that you had received information that the applications had been combined into one. That information was incorrect. The applications are legal documents, and only the applicant can make application modifications/withdrawals. To-date the applications have not been modified/withdrawn, and continue to be individually processed by our office.

However for efficient use of time and resources, a pre-hearing conference has been scheduled that encompasses both applications. The conference will formulate the protest issues for each application and establish procedures. If a resolution between the protestants and applicant can not be reached, a determination will be made by the Department regarding the need for combined or separate application hearings.

I appreciate your timely response regarding the submittal of the delegated representatives for your protests.

Should you have any questions, please contact me at the Western Regional Office, phone 334-2190.

Sincerely,

John Westra, Manager
Western Region

Enclosure

cc: Bruce Smith

June 23, 2005

RECEIVED

JUN 27 2005

WATER RESOURCES
WESTERN REGION

TO: Mr. John Westra
Water Resources
2735 Airport Way
Boise, ID 83705-5082


FROM: Mary Taylor
3410 Hartley
Eagle, ID 83616

RE: City of Eagle applications #63-32089 & 32090

As per your letter dated June 21, 2005 requesting that as a protestant we submit in writing the names of 2 individuals that will act as spokesperson/contacts by July 15, 2005 -

Jerry Taylor and/or Mary Taylor will act as our spokesperson/contacts.

Sincerely,



Mary Taylor

P.S. Please find attached a copy of a letter dated May 6, 2005, I delivered to Water Resources addressed to you. It is regarding conflicting information we were given concerning these two applications. As of today, I have received no response to the questions presented in the letter. I would appreciate a clarification as to the information Water Resources has given us and the conflicting information representatives of the City of Eagle gave.

May 6, 2005

Mr. John Westra
Water Resources
2735 Airport Way
Boise, Idaho 83705-5082

RE: Application Permits by the City of Eagle
Numbers 63-32089 & 63-32090

Dear Mr. Westra,

Yesterday Thursday, May 5, 2005, I spoke with you around 3-4 p.m. It was regarding the two above mentioned applications. You instructed me, that by law, each application required an individual protest and each an accompanying \$25.00 fee.

At 7 p.m. that same day, Holladay Engineering, Eagle's consulting firm, held a meeting with a handful of concerned citizens. I was not able to attend, but was informed that Chris Duncan of Holladay told those present the two applications had been combined into one.

As affected property owners of Eagle's request, there is now confusion as to what the facts are. Water Resources tells us one thing and the City of Eagle tells us something different.

If what Eagle has told us is true, I feel Water Resources should refund the extra \$25 to everyone who submitted two protests. On the other hand, if Eagle has given us inaccurate information, I would appreciate written clarification by you for those I represent. Further more, I would ask that a letter be drafted to the City of Eagle informing them of the legal facts and urging them to inform the public accurately. If such a letter is written to Eagle, please forward a copy to me for my records.

I am sorry this burden must be placed on you; but conflicting information between the State agency and a local municipality has caused concern and confusion for those most affected. I will await your response.

Sincerely,

Mary Taylor
3410 Hartley
Eagle, ID 83616

Open Dates

Bruce Smith - 7-28

Julie Fisher - 7-28

Place to hold. Eagle Library

John, on 7-28-05 the Eagle library doesn't officially open til 11:00 but they will open a door to the conference room at 9:00 AM.

They are also going to waive the \$25 fee.

Due

* * * Memory TX Result Report (Apr. 25. 2005 8:24AM) * * *

1) Idaho Dept. of Water Resources
2)

Date/Time: Apr. 25. 2005 8:21AM

File No. Mode	Destination	Pg (s)	Result	Page Not Sent
0808 Memory TX	93834156	P. 3	OK	

Terry Scanlan

- Reason for error
- E. 1) Hang up or line fail
 - E. 2) Busy
 - E. 3) No answer
 - E. 4) Exceeded max. E-mail size
 - E. 5) Exceeded max. E-mail size

Application No. 2

Ident. No. 63-32089

FORM 202
1288

JAN 19 2005

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

AMENDED

To appropriate the public waters of the State of Idaho

1. Name of Applicant City of Eagle Phone (208) 939-6813

Mailing address PO Box 1520 Eagle, ID 83616

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is Township 4N Range 1W Sec. 11 in the NW X SE 1/4 of Govt. Lot _____ B.M. ADA County ADA

additional points of diversion if any: T. 4N, R. 1W, S. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30

4. Water will be used for the following purposes: Municipal purposes from 1/1 to 12/31 (both dates inclusive)

Amount 4.0 cfs for _____ purposes from _____ to _____ (both dates inclusive)

(cfs or acre-foot per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

(cfs or acre-foot per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

(cfs or acre-foot per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

(cfs or acre-foot per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

(cfs or acre-foot per annum)

5. Total quantity to be appropriated is (a) 4.0 _____ and/or (b) _____

(cubic feet per second) (acre-foot per annum)

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source Public water system well (Well No. 4), pump and municipal distribution system.

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-foot; total reservoir capacity _____ acre-foot

c. Proposed well diameter is 16 inches; proposed depth of well is 500 feet

d. Is ground water with a temperature of greater than 85°F being sought? _____

e. If well is already drilled, when? _____; Drilling firm _____; Drilling Permit No. _____

Well was drilled for (well owner) _____

7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to Item 9):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. City of Eagle

d. Domestic; show number of households. _____

e. Other; describe fully. _____



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 21, 2005

Jerry & Mary Taylor
3410 N Hartley
Eagle ID 83616

RE: Protest--City of Eagle Applications for Permit #63-32089 & 32090

Dear Taylors:

The purpose of this letter is to clarify any misconceptions regarding your protests filed against the City of Eagle applications. The protests received from you were accompanied by the correct \$25.00 statutory filing for each application, however a significant number of individual signatures were attached to each protest. A \$25.00 statutory fee is required for each protest pursuant to Idaho Code 42-203; therefore the documents are considered single protests even though signed by a significant number of individuals.

The Department requests that 2 individuals be delegated as spokespersons/contacts for participation in the contested case proceedings. Only delegated individuals will be able to participate. **Please submit to our office in writing the names of 2 individuals that will act as spokespersons/contacts by July 15, 2005.** If no response is received by the deadline, the Department will consider dismissing the protest pursuant to IDAPA Rule 700.

Should you have any questions, please contact me at the Western Regional Office, phone 334-2190.

Sincerely,

John Westra, Manager
Western Region

cc: B. Smith, Atty. City of Eagle.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 21, 2005

Tony & Brenda O'Neil
1910 N Mountain Vista Ln
Star ID 83669

RE: Protest--City of Eagle Applications for Permit #63-32089 & 32090

Dear O'Neils:

The purpose of this letter is to clarify any misconceptions regarding your protests filed against the City of Eagle applications. The protests received from you were accompanied by the correct \$25.00 statutory filing for each application, however a significant number of individual signatures were attached to each protest. A \$25.00 statutory fee is required for each protest pursuant to Idaho Code 42-203; therefore the documents are considered single protests even though signed by a significant number of individuals.

The Department requests that 2 individuals be delegated as spokespersons/contacts for participation in the contested case proceedings. Only delegated individuals will be able to participate. **Please submit to our office in writing the names of 2 individuals that will act as spokespersons/contacts by July 15, 2005.** If no response is received by the deadline, the Department will consider dismissing the protest pursuant to IDAPA Rule 700.

Should you have any questions, please contact me at the Western Regional Office, phone 334-2190.

Sincerely,

John Westra, Manager
Western Region

cc: B. Smith, Atty. City of Eagle.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 9, 2005

EAGLE LIBRARY
100 N STIERMAN WAY
EAGLE ID 83616

Re: Conference Room Reservation

This letter is to confirm the conference room reservation made by the Idaho Department of Water Resources for Thursday, July 28, 2005 at 9:00 a.m.

If you have any questions please call me at 334-2190, Western Region of the Department of Water Resources.

Sincerely,

Sue Kreger
Administrative Assistant



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

June 6, 2005

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

TO: PROTESTANTS ON THE ATTACHED LIST

Re: Applications for Permit Nos. 63-32089 and 63-32090 in the Name of the City of
Eagle

Dear Protestant:

This office acknowledges receipt of your protest to the issuance of a permit pursuant to the above referenced application.

The following are the criteria the department must consider in either approving or denying an application for permit (Section 42-203A, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

Enclosed is a Notice of Prehearing Conference scheduled for Thursday, July 28, 2005 at the Eagle Library in Eagle, Idaho. At the conference, the department will review possibilities for resolution of the protest. If the matter cannot be resolved at that time, a formal hearing will be arranged for a future date.

The department suggests you contact the applicant(s) directly in an effort to determine what is proposed by the application and to attempt to resolve the protest prior to the prehearing conference. Direct, sincere conversation between the parties prior to initiation of formal proceedings can often resolve a protest.

If this office can be of further assistance, please contact us.

Sincerely,

A handwritten signature in cursive script that reads 'John Westra'.

JOHN WESTRA
Western Regional Manager

JW:sk

Encl: Copy of Application
Notice of Prehearing Conference



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

June 6, 2005

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

CITY OF EAGLE
PO BOX 1520
EAGLE CA 83616

Re: Applications for Permit Nos. 63-32089 and 63-32090

Dear Applicant:

Enclosed are copies of protests filed against the issuance of a permit pursuant to the above-referenced application.

The following are the criteria the department must consider in either approving or denying an application for permit (per Section 42-203A, Idaho Code):

1. Will the proposed use reduce the quantity of water under existing water rights?
2. Is the proposed water supply insufficient for the purposes intended?
3. Is the application made in good faith or for delay or speculative purposes?
4. Has the applicant sufficient financial resources with which to complete the project?
5. Will the proposed use under this permit conflict with the local public interest?
6. Will the proposed use be contrary to conservation of water resources within the state of Idaho?

Enclosed is a Notice of Prehearing Conference scheduled for Thursday, July 28, 2005 at the Eagle Library in Eagle, Idaho 83616. At the conference, the department will review possibilities for resolution of the protest. If the matter cannot be resolved at that time, a formal hearing will be arranged for a future date.

The department suggests you contact the protestant(s) directly in an effort to determine what is in dispute in the application and to attempt to resolve the protest. Direct, sincere conversation between the parties prior to initiation of formal proceedings can often resolve a protest.

Please contact this office if you have questions regarding this procedure.

Sincerely,

JOHN WESTRA
Western Regional Manager

JW:sk

Enclosure: Copy of protest(s)
Notice of Prehearing Conference

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF APPLICATIONS)
FOR PERMIT NOS. 63-32089 AND)
63-32090 IN THE NAME OF THE CITY)
OF EAGLE.)
_____)


NOTICE OF PREHEARING
CONFERENCE

On January 19, 2005 the City of Eagle filed with the Department of Water Resources (IDWR) an application for permit to appropriate the public waters of the State of Idaho. The application was protested by those on the attached list.

IDWR has scheduled a prehearing conference for the protest to be held on **Thursday, July 28, 2005 at 9:00 am at the Eagle Library, 100 N. Stierman Way, Eagle, Idaho 83616**. The conference will be held in accordance with provisions of Chapters 2 and 17, Title 42, and Chapter 52, Title 67, of the Idaho Code, the adopted Rules of Procedure of the Department of Water Resources, and Rules 40 and 45 of the adopted Rules of Water Appropriation of the Department of Water Resources.

The conference will be conducted in a facility that satisfies the accessibility requirements of the Americans with Disabilities Act. If you require special accommodations in order to attend, participate in or understand the conference, please advise IDWR at least ten (10) days prior to the conference.

Dated this 9th day of June 2005.



JOHN WESTRA
Western Regional Manager

CERTIFICATE OF MAILING

I hereby certify that on the 9TH day of June 2005, I mailed a true and correct copy, postage prepaid, of the Notice of Prehearing Conference to those on the attached list.



Sue Kreger
Administrative Assistant

CONFERENCE AND HEARING PROCEDURE

APPLICATION FOR PERMIT

Section 42-203A, Idaho Code, requires the department to consider the following issues in connection with an application for permit:

- 1) Will the proposed appropriation injure other water rights?
- 2) Is the proposed water supply sufficient for the purpose for which it is sought to be appropriated?
- 3) Was the application made in good faith or for delay or speculative purposes?
- 4) Does the applicant have sufficient financial resources with which to complete the proposed project?
- 5) Is the proposed appropriation in the local public interest, which is defined as the affairs of the people in the area directly affected by the proposed use?
- 6) Is the proposed use contrary to conservation of water resources within the state of Idaho?

BURDEN OF PROOF

The applicant has the initial burden of proof on issues 1, 2, 3, 4, & 6 above and must provide evidence for the department to evaluate these criteria.

The initial burden of proof on issue 5 above lies with both the applicant and protestant as to factors which they are most knowledgeable and cognizant. The applicant has the ultimate burden of persuasion, however, for this issue.

PROCEDURE

The department generally conducts an informal conference with the parties to determine the issues and to try to settle a protested matter before a hearing is scheduled. If a hearing is held, the department will issue a written decision based on the hearing record.

CONFERENCE

The purpose of a prehearing conference is to provide the opportunity for the parties and the department to familiarize themselves with a contested matter and to attempt to resolve the matter. At the conference, the department may also formulate and simplify the issues, identify documents to avoid unnecessary proof, exchange proposed exhibits or prepared testimony, limit witnesses, discuss settlement offers, schedule hearings, establish procedure at hearings and address other matters that may expedite orderly conduct and disposition of the proceeding or its settlement.

HEARING

The department will tape record the hearing. Copies of a hearing tape are available upon written request and the payment of the cost of reproducing the tape.

The hearing likely will be conducted by a hearing officer appointed by the Director rather than the Director himself. If so, the hearing officer will prepare a preliminary order for the Director's consideration. Parties can file exceptions to a preliminary order, briefs in support of the exceptions or may request oral argument. Parties may seek judicial review of any final order issued by the Director.

Parties may, by written stipulation, waive their right to a preliminary order, particularly when a shortened decision process is desirable or necessary. Such a waiver does not eliminate any rights of the parties in connection with the final order of the Director and judicial review of the order.

EXHIBITS

A party who plans to offer an exhibit as part of the hearing record must provide a copy of the proposed exhibit to the parties and to the hearing officer prior to any scheduled hearing.

AMERICANS WITH DISABILITIES ACT

Any hearing scheduled will be conducted in a facility that meets the accessibility requirements of the Americans with Disabilities Act. If you require special accommodations in order to attend, participate in or understand the hearing please advise the department within ten (10) days prior to the hearing.

PROTESTS OF CITY OF EAGLE
63-32089 AND 63-32090
BOTH APPLICATIONS

JERRY &/or MARY TAYLOR
3410 HARTLEY
EAGLE ID 83616
286-7575

SAM & KARI ROSTI
1460 N POLLARD LN
STAR ID 83669
286-7685

DANA & VIKI PURDY
5926 FLOATING FEATHER RD
EAGLE ID 83616
286-9701

BRYAN & MARIE PECHT
10090 W FLOATING FEATHER RD
STAR ID 83669
286-9511

EUGENE MULLER
C/O MARY TAYLOR
320 N PALMER LN
EAGLE ID 83616
286-7369

JOSEPH & LYNN MOYLE
C/O MICHAEL MOYLE
480 N PLUMMER RD
STAR ID 83669
870-6667

DEL & ROBYN MORTON
6814 W BEACON LIGHT RD
EAGLE ID 83616
286-9589

CHARLES W MEISSNER JR
3101 N PALMER
EAGLE ID 83616
866-8688

MICHAEL MCCOLLUM
1290 BUTTERFIELD
SAN ANSELMO CA 94960
415-453-2339

CORRIN H HUTTON
TERRY HUTTON
10820 NEW HOPE RD
STAR ID 83669
286-7752

CHARLES HOWARTH
C/O GUNNAR & MATT HOWARTH
833 N PALMER
EAGLE ID 83616
286-9760

MICHAEL HEATH
NANCY HEATH
401 N PALMER LN
EAGLE ID 83616
286-7808

BOB & ELSIE HANSON
4151 HARTLEY RD
EAGLE ID 83616
286-7596

BILL FLACK
4035 HARTLEY RD
EAGLE ID 83616
289-7392

TIM CHENEY
PO BOX 190027
BOISE ID 83719
323-2333

MIKE DIXON
RT 1 2650 WING RD
STAR ID 83669
484-5528

SCHREINER, RONALD
2153 N POLLARD LN
STAR ID 83669
286-7028 870-2956

ROY BARNETT
188 S YOUNG LN
EAGLE ID 83616
890-4525

TONY & BRENDA O'NEAL
1910 N MOUNTAIN VISTA LN
STAR ID 83669
286-7427

CITY OF STAR
C/O ROD LINJA
131 SW 5TH AVE STE A
MERIDIAN ID 83642
288-1992

STAR SEWER & WATER
JIM KELLER/JUSTIN WALKER
131 SW 5TH AVE STE A
MERIDIAN ID 83642
288-1992

UNITED WATER ID INC
C/O SCOTT RHEAD
PO BOX 190420
BOISE ID 83719-0420
362-7325

CITY OF EAGLE
63-32090 PROTESTANTS ONLY

LEEROY & BILLIE MELLIES
6860 W STATE ST
EAGLE ID 83616
286-7257

DEAN &/OR JAN COMBE
6440 W BEACON LIGHT RD
EAGLE ID 83616
286-7174

RALPH & BARBARA WILDER
7320 W STATE ST
EAGLE ID 83616
286-7536

NORMA MARES
MARY TAYLOR
23966 BLESSINGER RD
STAR ID 83669-5016
286-7757

CITY OF EAGLE
63-32089 PROTESTANTS ONLY

FRANK & ELAINE MOSMAN
570 HWY 16
EAGLE ID 83616
286-7312

ATTORNEYS

JULIE KLEIN FISCHER
WHITE PETERSON ATT
5700 FRANKLIN RD
NAMPA ID 83687-7901
466-9272

BRUCE SMITH
MOORE SMITH BUXTON TURCKE
225 N 9TH ST STE 420
BOISE ID 83702
331-1800

CONSULTANT

CHRIS DUNCAN
HOLLADAY ENG
32 N MAIN PO BOX 235
PAYETTE ID 83661

APPLICANT

CITY OF EAGLE
PO BOX 1520
EAGLE ID 83616



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 6th, 2005

Protestants

Re: Water Right Application for Permit Nos. 63-32089 & 63-32090, both in the name
of the City of Eagle

Dear Interested Parties:

In preparation for the Prehearing Conference on Thursday, July 28th, please
answer the questions on the enclosed questioner and mark the location of your well on
the enclosed map and return them to our office at your earliest convenience. Your
cooperation is appreciated and will allow us to prepare for the Prehearing Conference.

If you have any questions, please contact this office.

Sincerely,



Manuel Rauhut

Encl.: Questioner and map for completion

Questioner

Please return to our office with the attached map indicating the location of your well. If you have a copy of the well log please submit that as well.

Name

Tag Number of the well (if available)

Well Location (example: T2N, R1W, S12, SWNE):

Well Depth:


Pumping Level:

Year drilled:


Water right number if applicable:

Additional Comments:

Map of Eagle



- Proposed City of Eagle
- ▬ Allroads.shp
- ▬ PLSS Section LinesGcdb.shp
- ▬ Gcdb_tr.shp



RECEIVED

MAY 12 2005

WATER RESOURCES
WESTERN REGION

WHITE PETERSON

ATTORNEYS AT LAW

SARAH H. ARNETT
KEVIN E. DINIUS
JULIE KLEIN FISCHER
CHRISTOPHER D. GABBERT
WM. F. GIGRAY, III
T. GUY HALLAM **
JILL S. HOLINKA
JOHN R. KORMANIK *
WILLIAM A. MORROW
WILLIAM F. NICHOLS **

CANYON PARK AT THE IDAHO CENTER
5700 E. FRANKLIN RD., SUITE 200
NAMPA, IDAHO 83687-7901
TEL (208) 466-9272
FAX (208) 466-4405

Email rhyde@whitepeterson.com

CHRISTOPHER S. NYE
PHILIP A. PETERSON
TODD A. ROSSMAN
TERRENCE R. WHITE ***

* Also admitted in CA
** Also admitted in OR
*** Also admitted in WA

May 10, 2005

Idaho Department of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

RE: Permit Nos. 63-32089 and 63-32090


Dear Clerk:

Enclosed are the original and one copy of the Notice of Appearance in the above referenced matter. Please file the original document and return the court stamped copy to me ⁵⁻¹²⁻⁰⁵ in the enclosed self-addressed, stamped envelope. *rk*

If you have any questions, please call. Thank you for your consideration.

Sincerely,

WHITE PETERSON, P.A.



Ruth Hyde, Legal Assistant to
Julie K. Fischer and John R. Kormanik

Enclosures
cc: client

RECEIVED

MAY 12 2005

WATER RESOURCES
WESTERN REGION

Julie K. Fischer
WHITE PETERSON, P.A.
5700 East Franklin Road, Suite 200
Nampa, Idaho 83687
Telephone: (208) 466-9272
Facsimile: (208) 466-4405
Idaho State Bar No. 4601
jkf@whitepeterson.com

Attorneys for Respondents
Hoot Nanney Farms, Inc., Mike Dixon

BEFORE THE IDAHO DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO


IN THE MATTER OF APPLICATION FOR)
PERMIT NOS. 63-32089 AND 63-32090 IN) **NOTICE OF APPEARANCE**
THE NAME OF CITY OF EAGLE)
)
)
)

TO: ALL INTERESTED PARTIES

PLEASE TAKE NOTICE that Julie Klein Fischer of the firm of White Peterson, P.A., hereby enters the appearance of said firm as attorneys of record for respondents, Hoot Nanney Farms, Inc., and Mike Dixon, President in this action.

DATED this 10 day of May, 2005.

WHITE PETERSON, P.A.



Julie Klein Fischer, of the Firm

CERTIFICATE OF SERVICE

I hereby certify that on this 10th day of May, 2005, I caused to be served a true and correct copy of the foregoing document by the method indicated below to the following:

 X


US Mail
Overnight Mail
Hand Delivery
Facsimile No.

City of Eagle
PO Box 1520
Eagle, ID 83616

 X

US Mail
Overnight Mail
Hand Delivery
Facsimile No.

City of Eagle
c/o Holladay Engineering Co
Chris Duncan
PO Box 235
Payette, ID 83661



for WHITE PETERSON

rh: W:\Work\HHoot Nanney\Water Rights\Pleadings\Notice of Appearance.doc

RECEIVED

MAY 10 2005

WATER RESOURCES
WESTERN REGION

May 6, 2005

Mr. John Westra
Water Resources
2735 Airport Way
Boise, Idaho 83705-5082

RE: Application Permits by the City of Eagle
Numbers 63-32089 & 63-32090

Dear Mr. Westra,

Yesterday Thursday, May 5, 2005, I spoke with you around 3-4 p.m. It was regarding the two above mentioned applications. You instructed me, that by law, each application required an individual protest and each an accompanying \$25.00 fee.


At 7 p.m. that same day, Holladay Engineering, Eagle's consulting firm, held a meeting with a handful of concerned citizens. I was not able to attend, but was informed that Chris Duncan of Holladay told those present the two applications had been combined into one.

As affected property owners of Eagle's request, there is now confusion as to what the facts are. Water Resources tells us one thing and the City of Eagle tells us something different.

If what Eagle has told us is true, I feel Water Resources should refund the extra \$25 to everyone who submitted two protests. On the other hand, if Eagle has given us inaccurate information, I would appreciate written clarification by you for those I represent. Further more, I would ask that a letter be drafted to the City of Eagle informing them of the legal facts and urging them to inform the public accurately. If such a letter is written to Eagle, please forward a copy to me for my records.

I am sorry this burden must be placed on you; but conflicting information between the State agency and a local municipality has caused concern and confusion for those most affected. I will await your response.

Sincerely,



Mary Taylor
3410 Hartley
Eagle, ID 83616

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

MAY 09 2005
WATER RESOURCES
WESTERN REGION

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested 63-32089 & 63-32090 City of Eagle

2. Name of protestant Ray Barrett

3. Protestant's Representative for service (If different than protestant)

4. Service mailing address 188 S. Young Lane Eagle, Id. 83616

5. Service telephone no. 208 890 4525

6. Basis of protest (including statement of facts and law upon which the protest is based)
Denial to domestic well Water Right 63-18916
" " irrigation well
" " artesian well

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Deny Eagle request

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 9/ day of May, 20 05.

Ray Barrett
Protestant

Protestant's Representative

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by DB Date 5/9/05 Time 12:45 pm

\$25.00 fee Received by DB # W032901 Date 5/9/05
↳ each

Idaho Department of Water Resources Receipt

Receipt ID W032901


Payment Amount \$50.00 Date Received 5/9/2005 12:46:04 PM Region Western Status
Payment Type Cash

Payer BARRETT & SAWYER LLC

Comment NOTICE OF PROTEST: 63-32089 & 63-32090

Fee Detail

Amount	Description	Fund	FD	PCA	SO
\$50.00	PROTESTS	0229	21	62103	1155


Signature Line (Dept. Representative)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 09 2005

WATER RESOURCES
WESTERN REGION

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested Application # 63-32089 & # 63-32090

2. Name of protestant Tony and Brenda O'Neil

3. Protestant's Representative for service (If different than protestant)

4. Service mailing address 1910 W. Mountain Vista Ln Ste. ID 83669

5. Service telephone no. 208-286-7427

6. Basis of protest (including statement of facts and law upon which the protest is based)

In 7/04, the Eagle Mayor & City Council passed ordinance #479 which states in essence that: as a condition of annexation, surface water rights (canals/irrigation) and ground water rights (wells) are to be transferred or assigned over to the city of Eagle.
(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Reject their application for the ordinance.

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 9th day of May, 2005.

[Signature]
Protestant

Protestant's Representative

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
6. Specifically describe the nature of the protest.
7. Describe the relief being sought by the protestant.

FOR DEPARTMENT USE ONLY

Received by NB Date 5/9/05 Time 4:00 pm

\$25.00 fee Received by NB # W032906 Date 5/9/05
↳ Each

We, the undersigned, are protesting application #63-32089 and #63-32090 by the City of Eagle.
We urge the Department of Water Resources to deny these two applications.

NAME

ADDRESS

~~Jerry and Brenda Cifal 1910 W Mountain Vista Dr Star~~
Michael and Theresa Preen 1875 N. Mountain Vista Ln Star
James and Michele Stuber 1876 N. Mountain Vista Ln^{Star}
Jack + Becky Shull, 8888 Floating Feather, Star, ID 83469
Susan + Ernest Bradbury 1024 W. Pollard Ln Star, ID 83469
Kevin + Kathi McLeod 892 N. Pollard Star, ID 83669
Bert Murray 859 H y 16 Star

Idaho Department of Water Resources Receipt


Receipt ID W032906

Payment Amount Date Received Region Status
Payment Type Check Number

Payer
Comment

Fee Detail

Amount Description Fund FD PCA SO
\$50.00 PROTESTS 0229 21 62103 1155


Signature Line (Dept. Representative)

November 26, 1999

RECEIVED

MAY 09 2005

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested: Application for Permit No. 32089 in the name of the City of Eagle

2. Name of protestant: City of Star

3. Protestant's Representative for service (If different than protestant)
Keller Associates, Inc. (Rod Linja)

4. Service mailing address: 131 SW 5th Ave, Suite A; Meridian, ID 83642

5. Service telephone number: (208) 288-1992

6. Basis of protest (including statement of facts and law upon which the protest is based)
The City of Star's Impact Area which has been approved by Ada County borders the "place of use" designated in the water right application being contested. Development of the proposed water right may negatively impact the availability and quality of groundwater for neighboring residents on domestic wells located inside the City's impact area. Furthermore, the City of Star has residents on private wells located inside the City limits. The availability and quality of the water supply for these private wells may be impacted by the contested water right application.

(Additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Complete withdrawal of water right application

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 9th day of MAY, 2005
[Signature], Mayor
Protestant
[Signature]
Protestant's Representative

NOTE: Please serve documents to both the Protestant and the Protestant's representative.

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
6. Specifically describe the nature of the protest.
7. Describe the relief being sought by the protestant.


FOR DEPARTMENT USE ONLY

Received by JAL Date 5-9-05 Time 4:30 p.m.

\$25.00 fee Received by JAL # W032909 Date 5-9-05

City of Star, Idaho

AREA OF IMPACT



LEGEND

-  Area of Impact
-  Existing City Limits

3-21-05



RECEIVED

November 26, 1999

MAY 09 2005

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NOTICE OF PROTEST

WATER RESOURCES
WESTERN REGION

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested: Application for Permit No. 32089 in the name of the City of Eagle

2. Name of protestant: Star Sewer and Water District (SSWD)

3. Protestant's Representative for service (If different than protestant)
Keller Associates, Inc. (Jim Keller) and / or (Justin Walker)

4. Service mailing address: 131 SW 5th Ave, Suite A; Meridian, ID 83642

5. Service telephone number: (208) 288-1992

6. Basis of protest (including statement of facts and law upon which the protest is based)
Proposed water right has proposed a place of use and point of diversion located inside the Area of Impact of the Star Sewer and Water District (SSWD). The SSWD has a DEQ - approved water master plan for this area which has been attached. The approval of the permit filed by the City of Eagle would negatively impact the SSWD's ability to acquire necessary municipal water right for the residents inside its service area. Furthermore, the development of the water right proposed in the City of Eagle's water right application conflicts with the water facilities presented in the attached water master plan which has been approved by DEQ. This conflict obstructs the SSWD's ability to plan the necessary water infrastructure effectively in its service area.

(Additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Complete withdrawal of water right application

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 9th day of May, 2005
Jim Keller Chairman SSWD
Protestant
Justin Walker (Keller Associates)
Protestant's Representative

NOTE: Please serve documents to both the Protestant and the Protestant's representative.

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."

2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.

3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.

4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.

5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.

6. Specifically describe the nature of the protest.

7. Describe the relief being sought by the protestant.

FOR DEPARTMENT USE ONLY

Received by JH Date 5-9-05 Time 4:30 p.m.

\$25.00 fee Received by JH # W032910 Date 5-9-05

RECEIVED
MAY 10 2005
WATER RESOURCES
REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222, and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested Application for Permit No. 63-32089 in the name of the City of Eagle
2. Name of protestant United Water Idaho Inc.
3. Protestant's Representative for service (If different than protestant)
Scott Rhead, P.E.
4. Service mailing address PO Box 190420, Boise ID 83719-0420
5. Service telephone no. (208) 362-7325
6. Basis of protest (including statement of facts and law upon which the protest is based)
The Application may violate all criteria of Idaho Code § 42-203A(5). The Application does not provide sufficient information for Protestant to identify more specific concerns.

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Additional information from the Applicant 1) demonstrating the source for the proposed permit is sufficient to supply the proposed permit without injuring Protestant's water rights and 2) that Applicant actually requires the quantity of water requested.

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 9 day of MAY, 2005.

[Signature] United Water
Protestant

SCOTT RHEAD
Protestant's Representative

Idaho Department of Water Resources Receipt

Receipt ID W032914

Payment Amount Date Received Region Status
 Payment Type Check Number

Payer

Comment

Fee Detail

Amount	Description	Fund	FD	PCA	SO
\$25.00	PROTESTS	0229	21	62103	1155

Signature Line (Dept. Representative)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested City of Eagle # 63-32089

2. Name of protestant Jerry & Mary Taylor

3. Protestant's Representative for service (If different than protestant)
ourselves and/or pending legal + technical expertise

4. Service mailing address 3410 Hartley Eagle Id 83616

5. Service telephone no. 286-7575

6. Basis of protest (including statement of facts and law upon which the protest is based)
extremely significant increase in use of water
injury to present surrounding wells both domestic &
agricultural
pose threat to many individuals livelihood
(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? deny application -
significant restrictions on use, amount of water used,
accountability of governmental ownership (City of Eagle)

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 6 day of May, 2005

Mary Taylor
Protestant

Pending
Protestant's Representative

RECEIVED

MAY 11 2005

WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-6-05 Time _____
\$25.00 fee Received by M # C077825 Date 5-6-05

We, the undersigned, are protesting application #63-32089 and #63-32090 by the City of Eagle.
 We urge the Department of Water Resources to deny these two applications.

NAME	ADDRESS
Patsy Barber	9393 Beacon Light Rd
Gay Barbuss	" " " "
John	2360 N Pollard Ln Star Id 83669
Ron Schein	2153 N. Pollard Ln Star, ID
Laurie Johnson	3965 N POLLARD LN STAR, ID
Lori Ballard	2361 N. Pollard Ln Star, ID
Patrick Ballard	2361 N. Pollard Ln. Star, ID
John Johnson	915 O N. FLOATING FEATHER STAR, ID
Joseph E. Mox	280 N. Plummer Rd. Star Idaho
Tom Elibank	11330 2nd Star ID
Dyanne Martin	8243 W State Eagle ID
Jay Stillwell	3716 Hwy. 16 Eagle, Idaho
Jack + Joan Jones	1955 Hwy 16 Eagle ID 83616
Denise Van Horn	7223 Moon Valley Rd 83616
Caitlin Welton	4500 W Bronner Arrow Pt. Star 83669
Craig Johnson	425 HWY 16 Eagle Id 83616
Frank Dimasmon	570 Hwy 16 Eagle, Idaho 83616
Connie Davis	8660 W Equest Eagle ID 83616
Salma Mays	81634 W State Star 83669
Laurie Mays Bekas	9800 W Beacon Light Rd Star 83669

We, the undersigned, are protesting application #63-32089 and #63-32090 by the City of Eagle. We urge the Department of Water Resources to deny these two applications.

NAME	ADDRESS
Howard J Fuller	11550 W New Hope Rd Star ID
Elsie M Fuller	11550 W New Hope Rd Star ID
Mark H Fuller	11590 W New Hope Rd Star ID
Randy J Thomson	11474 W New Hope Rd Star ID
Sandra R Thomson	11474 W New Hope Rd Star ID
Vina Combe	11483 W New Hope Rd.
Myra	11483 W. New Hope Rd.
Begon Lewi	2525 N. Brandon Rd
Noyle C Miner	2350 Brandon Rd
Karen Piel	2689 N. Brandon Rd
Frank Piel	2689 N. Brandon Rd
Richard F. Hudson	3035 N. Hamlet Ln Star ID
Cheryl P. Hudson	3035 N. Hamlet Lane Star ID
Bill Stinson	2987 N. Hamlet Lane Star ID
Pam Stinson	2987 N. Hamlet Lane Star ID
Larry B. Hutto	10824 W. New Hope Rd Star ID

We, the undersigned, are protesting application #63-32089 and #63-32090 by the City of Eagle.
We urge the Department of Water Resources to deny these two applications.

NAME	ADDRESS
Steve Hoyt	953 Hwy 16 Eagle ID 83616
Vicki Hoyt	953 Hwy 16 Eagle, ID 83616
Erney Carlock	7580 Beacon Road Eagle, 83616
Charles Manning	3101 N Palmer Eagle 83616
Margaret J. Miller	3544 Hartley Rd 83616
Doy John	3718 Hartley RD 83616
TOM SHUPLER	3875 HARTLEY RD 83616
Ellen Woodard	4795 N Hartley Rd 83616
E. Woodard	4795 N. Hartley Rd 83616

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested City of Eagle #63-32089 and #63-32090

2. Name of protestant SAM and Kari Rosti

3. Protestant's Representative for service (If different than protestant)

4. Service mailing address 1460 N. Pollard Ln. Star, Id 83669

5. Service telephone no. 208-286-7685 cell 890-0364

6. Basis of protest (including statement of facts and law upon which the protest is based)
injury and damage to our domestic & irrigation wells
injury and damage to the aquifer
changing use of wells in protest from irrigation to municipal

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? reject both applications from City of Eagle
don't deny our grandfather rights - don't let Eagle take
away our rights just because they are short of water

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5th day of May, 2005

Sam Rosti Kari Rosti
Protestant

Protestant's Representative

RECEIVED

MAY 11 2005

WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-6-05 Time _____
\$25.00 fee Received by M # C077822 Date 5-6-05

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

MAY 06 2005
DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested Application 63-32089

2. Name of protestant Dana u Via Purdy

3. Protestant's Representative for service (If different than protestant)

4. Service mailing address 5926 Floating Feather Eagle Trl 83616

5. Service telephone no. 286-9701

6. Basis of protest (including statement of facts and law upon which the protest is based)

Injury to livelihood, Domestic Well

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Withdrawal or denial of Application

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5 day of May, 2005.
Dana Purdy Via Purdy
Protestant

Protestant's Representative

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-6-05 Time _____
\$25.00 fee Received by M # 077820 Date 5-6-05

11/99

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested 63-32089

2. Name of protestant Marie Pecht

3. Protestant's Representative for service (If different than protestant)
Marie Pecht husband - Bryan Pecht

4. Service mailing address 10090 W. Floating Feather Star Id

5. Service telephone no. 286-9511

6. Basis of protest (including statement of facts and law upon which the protest is based)
Transferred water rights would ~~be~~ result in injury to my families. It would also be a threat to the aquifer if any enlargement of the original rights are changed.

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? More protection of water flow for mine and other neighbor's wells.. Please make all water shares stay with the exact parcel of land it was meant for.

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 4th day of May, 20 04.

Marie Pecht
Protestant

Bryan Pecht
Protestant's Representative

RECEIVED

MAY 11 2005

WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-6-05 Time _____
\$25.00 fee Received by M # 0077818 Date 5-6-05

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested IDENT. NO 63 320 89

2. Name of protestant EUGENE O. MULLER

3. Protestant's Representative for service (If different than protestant)
MARY TAYLOR

4. Service mailing address 320 N. PALMER LN. EAGLE, ID 8361

5. Service telephone no. 286-7369

6. Basis of protest (including statement of facts and law upon which the protest is based)

TO PROTECT MY WELL FLO

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? GUARANTEE MY WELL FLO

DRILL TO A DEEPER AQUIFER

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5TH day of MAY, 20 05.

Eugene O. Muller
Protestant

Protestant's Representative

RECEIVED

MAY 11 2005

WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-6-05 Time _____
\$25.00 fee Received by M # 077816 Date 5-6-05

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
MAY 06 2005
DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

- 1. Matter being protested Application # 63-32-089
- 2. Name of protestant Wes and Robyn Morton
- 3. Protestant's Representative for service (If different than protestant)

- 4. Service mailing address 6814 W. Beacon Light Rd, Eagle Id.
- 5. Service telephone no 286-9589
- 6. Basis of protest (including statement of facts and law upon which the protest is based)
Water Right damage to my well, danger to our aquifer, and a threat to our agriculture income
(additional pages may be attached to describe nature of the protest)
- 7. What would resolve your protest? Deny this application

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 4 day of May, 20 05.
Robyn K. Morton
Protestant

Protestant's Representative

RECEIVED
MAY 11 2005
WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-6-05 Time _____
\$25.00 fee Received by M # 077811 Date 5-6-05

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested Application # 63-32089

2. Name of protestant JOSEPH A & LYNN S MOYLE

3. Protestant's Representative for service (If different than protestant)
MICHAEL E MOYLE

4. Service mailing address 480 N. PLUMMER RD STAR ID 83669

5. Service telephone no. 208-870-6667

6. Basis of protest (including statement of facts and law upon which the protest is based)
Concerned about injury to our wells & aquifer
Damage to our business causing loss of income to our employees
Under municipal use of the aquifer - there is no time for aquifer to recharge

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Deny this application

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5 day of MAY, 20 05

Lynn S Moyle Joseph A. Moyle
Protestant

Michael E Moyle
Protestant's Representative

RECEIVED

MAY 11 2005

WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-6-05 Time _____
\$25.00 fee Received by M # C077814 Date 5-6-05

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by 5/6/05 M. McMillan Date 5/6/05 Time _____

\$25.00 fee Received by M. McM. # C077809 Date 5/6/05

dy

Pre-hearing Conference Notes

City of Eagle—#63-32089 & #63-32090

From: J. Westra, M Rauhut

Date: 7/28/05

Attendance: see attached sheets

Location: Eagle Library

The conference opened with the **protestants** presenting the following concerns:

Muller-comingling of water aquifers, upper aquifers not cased out from wells

Howath-comingling of aquifers, new wells should not take water above the 500 ft level.
wells should be conditioned for construction.

Moyle- comingling of aquifers, mining of water & sending the water out of the service area.
surface water should be utilized for fire protection—ponds.
too large an amount—justify, What is the Department doing about existing commingled
aquifer wells?

C. Meissner- his well 280 ft, sees drop in aquifer already from development, sending water away

Hutton- concerns about drying up existing well.

Mellis-concerns about the number of lawns, stress on aquifer

Rosti-development stress on water supply, need more research/information on the area, fire
protection use surface water, artesian flows lost.

Flack-Integrity of wells lost by this application, concerned about the amount of service area

Taylor- property rights of citizens, significant change in use-recharge issues, too large a project.

City of Star-conflicts with local public interest. intended to be served by Star, use surface water
for fire protection, consider other provider for fire protection.

Star Sewer- access to land, foreseeable needs of development not adequate

United Water- Future annexations, injury to their wells, too many water suppliers in the area
Master plan/area of impact what is it. concerns about use of ground water for fire

Mike Dixon/Julie Fischer—irrigation wells on his farm could be affected, surface water is
available use it first.

Purdy- dairy farm concerns about impacts being within the wells radius

Wilder-Losing water rights, decreases in artesian flow, ponds in the new development-impact

Combe- need to guarantee on well level, business in her home.

Applicant's Presentation--

Cris Duncan, Vern Brewer

- Master water plan has been developed for the city.
based on Treasure Valley Ground Water Study
- surface water will remain for irrigation where available

-2000 residential 1700 outside, metered system

- 1 hr. peak- 2.23 cfs
- average- .84 cfs
- peak-1.40 cfs
- fire flow-8.91 cfs

- Will be looking at testing as project progresses
- Use of water tank later in the system for fire protection.
- Plans will be refined as development is proposed
- well construction will be conditioned by state- depth-aquifer

Questions:

- What will be done with existing wells & water rights? sell off?
- Overlap of Municipal & existing ground water irrigation rights?
- What about shoulder periods when surface water is not available?

IDWR—We discussed following—see handout:

- state does not guarantee a pumping level
- well permits are conditioned
- processing applications—evaluation criteria
- do not allow wells to commingle all aquifers—did allow years back-
doing nothing on existing wells at present.
- tried to address overlap of water rights, state only allows .02 cfs/acre.

Comments:

During the agenda discussion period-the group had difficulty staying on the subject
Was not successful in arguments concerning overlap of water rights & municipal
Developed a summary of issues and several solution approaches—good, see summary
No resolution of any of the protests
Adjourned at 12:00 PM

Summary of Protestants Concerns/Issues

City of Eagle Applications #63-32089 & #63-32090

City of Eagle Prehearing Conference
7/28/05

-Injury to existing Wells

Loss of water supply-large additional volume
Artesian pressure drop
Drop in aquifer levels
Mitigation

-Water should stay in the service area—not be routed away

-How and Who will monitor the project effects

-Commingling of aquifers, well construction depths

-Use Surface water for fire protection

-Exchange of existing water rights-stacking with Municipal

-Private Citizen's rights—impacts from water development

-Change in the area ground water recharge

Possible Resolutions

-Transfer/Change existing Water Rights vs. New Appropriations

-Use existing area water systems/suppliers

-Withdraw one application, amend the other for reduced flow

Eagle Condome
Eagle Library.

July 28th, 2005

63-32090
App. # 63-32089

Print Name	Representing	Phone
Vern Brewer	City of Eagle	642-3304
CHRIS DUNCAN	CITY OF EAGLE	642-3304
CHARLES HOWARTH	SELF	286-9764
Mike Moyle	Mayor	286-7842
Tommy Zokan	City of Eagle	331-1800
Eugene Muller	SELF	286-7369
Julie Fischer	Hoot Nanny Farms	466-9272
JJ Saylor	SELF	284-1089
GENE HARDING	SELF	440-6949
Corin Hatcher	self	286-7752
Jerry A. Kiser	Star Sewer & Water	336-1020
Nancy Merrill	City of Eagle	939-6813
Peter Harris	Harris Homes	939-4310
NATE MITCHELL	City of Star	286-7247
Charles W. Meissner Jr	Myself	866-8688
Charles S Meissner	CHARLES W MEISSNER JR	859-4256
Cyrne Sedlaeck	City of Eagle	939-6219
Billy Melvin	self	286-7257
Ken Miller	Self	286-7257
Ron Schreiner	Self	286-7828
Al Henderson	Self	286-7070
Roger Dittus	United Water	362-7358
Scott Rheta		362-7345
John Kelly	Collectors	871-0546
John Kelly	Star Sewer & Water	
Tom Wood	Clearwater Geoscience	589-5555
Justin Walker	Star Sewer & Water (Keller Associates)	286-1992

Print Name	Representative	Phone
NORMA MARES	MARY TAYLOR	286-7757
Jim Keller	Keller Assoc.	288-7992
T. J. Angstman	Eaglefield, LLC	384-0588
Conor Robbins	Signature Sports	941-7239
Terry Scoutan	Eaglefield	383-4140
Mick McCurry	Eagle City	859-8214
Sem & Karl Rosti	Sam	286-7605
Bill + June Flock	Bill	286-7392
Mike Hormaechea		336-2200
Scott & Nancy Reeser		939-7012
Vicki Purdy	Vicki	286-9701
Barbara Wilder		286-7536
Jordan Jones		866-0287
Jan Combe		286-7174
Mary Sawyer	Mary	286-7575

Not on Roster.

X Present.

PROTESTANTS OF CITY OF EAGLE
63-32089 AND 63-32090
BOTH APPLICATIONS

JERRY &/or MARY TAYLOR
3410 HARTLEY
EAGLE ID 83616
286-7575

SAM & KARI ROSTI
1460 N POLLARD LN
STAR ID 83669
286-7685

DANA & VIKI PURDY
5926 FLOATING FEATHER RD
EAGLE ID 83616
286-9701

BRYAN & MARIE PECHT
10090 W FLOATING FEATHER RD
STAR ID 83669
286-9511

EUGENE MULLER
C/O MARY TAYLOR
320 N PALMER LN
EAGLE ID 83616
286-7369

JOSEPH & LYNN MOYLE
C/O MICHAEL MOYLE
480 N PLUMMER RD
STAR ID 83669
870-6667

DEL & ROBYN MORTON
6814 W BEACON LIGHT RD
EAGLE ID 83616
286-9589

CHARLES W MEISSNER JR
3101 N PALMER
EAGLE ID 83616
866-8688

MICHAEL MCCOLLUM
1290 BUTTERFIELD
SAN ANSELMO CA 94960
415-453-2339

CORRIN H HUTTON
TERRY HUTTON
10820 NEW HOPE RD
STAR ID 83669
286-7752

CHARLES HOWARTH
C/O GUNNAR & MATT HOWARTH
833 N PALMER
EAGLE ID 83616
286-9760

MICHAEL HEATH
NANCY HEATH
401 N PALMER LN
EAGLE ID 83616
286-7808

BOB & ELSIE HANSON
4151 HARTLEY RD
EAGLE ID 83616
286-7596

BILL FLACK
4035 HARTLEY RD
EAGLE ID 83616
289-7392

TIM CHENEY
PO BOX 190027
BOISE ID 83719
323-2333

MIKE DIXON
RT 1 2650 WING RD
STAR ID 83669
484-5528

SCHREINER, RONALD
2153 N POLLARD LN
STAR ID 83669
286-7028 870-2956

ROY BARNETT
188 S YOUNG LN
EAGLE ID 83616
890-4525

TONY & BRENDA O'NEAL
1910 N MOUNTAIN VISTA LN
STAR ID 83669
286-7427

CITY OF STAR
C/O ROD LINJA
131 SW 5TH AVE STE A
MERIDIAN ID 83642
288-1992

STAR SEWER & WATER
JIM KELLER/JUSTIN WALKER
131 SW 5TH AVE STE A
MERIDIAN ID 83642
288-1992

UNITED WATER ID INC
C/O SCOTT RHEAD
PO BOX 190420
BOISE ID 83719-0420
362-7325

63-32089 PROTESTANTS ONLY

FRANK & ELAINE MOSMAN
570 HWY 16 EAGLE, ID 83616
286-7312

63-32090 PROTESTANTS ONLY

LEEROY & BILLIE MELLIES
6860 W STATE ST
EAGLE, ID 83616
286-7257

DEAN & JAN COMBE
6440 W BEACON LIGHT RD
EAGLE, ID 83616
286-7174

NORMA MARES/MARY TAYLOR
23966 BLESSINGER RD
STAR, ID 83669-5016
286-7757

RALPH & BARBARA WILDER
7320 W STATE ST
EAGLE, ID 83616
286-7536

11/99

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested 63-32089

2. Name of protestant Michael McCallum

3. Protestant's Representative for service (If different than protestant)
Pending - will notify.

4. Service mailing address 1290 Buttenfield, SAN ANSELMO, CA 94960

5. Service telephone no. 415 453-2339

6. Basis of protest (including statement of facts and law upon which the protest is based)
(1) This is an encroachment of the water right,
(2) Injury to Adverser
(3) Will threaten current Livelihood and security impact future value.

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Leave the water on the ground it is intended for.

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5th day of MAY, 2005

[Signature]
Protestant

Protestant's Representative

RECEIVED

MAY 10 2005

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
MAY 06 2005
DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested 63-32089

2. Name of protestant CORRIN H HUTTON

3. Protestant's Representative for service (If different than protestant)

TERRY HUTTON

4. Service mailing address 10820 New Hope Rd. STAR ID. 83669

5. Service telephone no. 208 286 7752

6. Basis of protest (including statement of facts and law upon which the protest is based)

I recently drilled a new well because my old well went dry this application would cause injury to the Aquifer.

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? deny application to protect Aquifer

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5th day of MAY, 20 05.

Corrin H Hutton
Protestant

Protestant's Representative

RECEIVED
MAY 10 2005
WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by MM Date 5-6-05 Time _____
\$25.00 fee Received by MM # C077803 Date 5-6-05

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

- 1. Matter being protested Application # 63-32089
- 2. Name of protestant Charles H. Howarth M.D. P.H. HOWARTH
- 3. Protestant's Representative for service (If different than protestant)
Sumner - Matt Howarth
- 4. Service mailing address 833 N. Palmer Eagle Id 83616
- 5. Service telephone no. 208 - N. Palmer In Eagle Id 83616 208-286-9760
- 6. Basis of protest (including statement of facts and law upon which the protest is based)

Threat to existing water

(additional pages may be attached to describe nature of the protest)

- 7. What would resolve your protest? No threat to aquifer

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 3 day of May, 2005
CH Howarth

Protestant

The above in my absence
Protestant's Representative

RECEIVED

MAY 10 2005

WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-6-05 Time _____
\$25.00 fee Received by M # C077801 Date 5-6-05

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested Application 63-32089

2. Name of protestant Michael Heath

3. Protestant's Representative for service (If different than protestant)
Nancy J Heath

4. Service mailing address 401 N Palmer Lane, Eagle, ID 83616

5. Service telephone no. 286-7808

6. Basis of protest (including statement of facts and law upon which the protest is based)

Cause injury to my water rights used for
domestic, stock and irrigation use.

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? more information to make an
informed decision.

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5th day of May, 20 05.

Michael Heath
Protestant

Nancy J Heath
Protestant's Representative

RECEIVED

MAY 10 2005

WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-6-05 Time _____
\$25.00 fee Received by M # C077799 Date 5-6-05

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
MAY 06 2005
DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested Application 63-32089

2. Name of protestant Bob & ELSIE HANSON

3. Protestant's Representative for service (If different than protestant)

4. Service mailing address 4151 Hartley Rd. Eagle ID 83616

5. Service telephone no. 286-7596

6. Basis of protest (including statement of facts and law upon which the protest is based)

Increase of use which would deplete the underground water in the area of the wells in question

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? It appears that this issue needs further study before this application is processed.

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5 day of May, 2005

Elaine G. Hansen
Protestant

Protestant's Representative

RECEIVED
MAY 10 2005
WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-6-05 Time _____
\$25.00 fee Received by M # C077797 Date 5-6-05

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested 63-32089

2. Name of protestant Bill Flach

3. Protestant's Representative for service (If different than protestant)

4. Service mailing address 4035 Hartley Rd, Eagle Idaho 83616

5. Service telephone no. 286-7392

6. Basis of protest (including statement of facts and law upon which the protest is based)

enlargement of original right, damage to my water rights

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Keeping the water rights with the land it originated

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5TH day of May, 2005

Bill Flach
Protestant

Protestant's Representative

RECEIVED

MAY 10 2005

WATER RESOURCES
WESTERN REGION

11/99

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 06 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested 63-32089

2. Name of protestant Tim Cheney

3. Protestant's Representative for service (If different than protestant)
Cesey Taylor

4. Service mailing address PO Box 190027 Boise ID 83719

5. Service telephone no. 208 323 2333

6. Basis of protest (including statement of facts and law upon which the protest is based)

- 1 Damage to existing wells pumping level
- 2 New wells for commercial use in a moratorium area
- 3 Ag use water converted to municipal use
- 4 Water leaving area - land the rights are tied to
- 5 Illegal seizure of water rights (additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? Denial of application

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5th day of May, 2005

Tim Cheney
Protestant

Cesey Taylor
Protestant's Representative

RECEIVED

MAY 10 2005

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

MAY 05 2005

DEPARTMENT OF
WATER RESOURCES

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested 63-32089

2. Name of protestant Mike Sigfox

3. Protestant's Representative for service (If different than protestant)
Tony White or Mike Sigfox

4. Service mailing address Box 2650 Welles Rd. 5th Fl. Ada 83664

5. Service telephone no. 484-5528

6. Basis of protest (including statement of facts and law upon which the protest is based)
It will have a adverse impact on our Welles Aquifer

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? No Municipal Wells

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 5 day of May, 20 05

Michael L Sigfox
Protestant

Tony White
Protestant's Representative

RECEIVED

MAY 10 2005

WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by M Date 5-5-05 Time _____
\$25.00 fee Received by M # COFF195 Date 5-5-05

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
NOTICE OF PROTEST

RECEIVED
MAY 06 2005
DEPARTMENT OF
WATER RESOURCES

RECEIVED
MAY 05 2005
DEPARTMENT OF
WATER RESOURCES

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

- 1. Matter being protested Applications No 63-32089 and 63-32-090
- 2. Name of protestant Frank + Elaine Mosman
- 3. Protestant's Representative for service (If different than protestant)
570 Hwy 16, Eagle Idaho 83616
- 4. Service mailing address _____
- 5. Service telephone no. 286-7312
- 6. Basis of protest (including statement of facts and law upon which the protest is based)
Injury to aquifer
Injury to prof domestic well
Change of use of Ag. and to municipal
prop Ag recharge. (additional pages may be attached to describe nature of the protest)
- 7. What would resolve your protest? denial of application

per phone conversation with Mr. Mosman 5-12-05 dk

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 3rd day of May, 2005

Frank + Elaine Mosman
Protestant

Craig Tomson
Protestant's Representative

RECEIVED
MAY 10 2005
WATER RESOURCES
WESTERN REGION

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by _____ Date _____ Time _____
\$25.00 fee Received by MM # C077813 Date 5-5-05

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

MAY 04 2005

WATER RESOURCES
WESTERN REGION

NOTICE OF PROTEST

This form may be used to file a protest with the department under sections 42-108B, 42-203A, 42-203C, 42-211, 42-222 and 42-224, Idaho Code. The department will also accept a timely protest not completed on this form if it contains the same information.

1. Matter being protested 63-32089 + 63-32090 City of Eagle

2. Name of protestant RONALD L. SCHREINER

3. Protestant's Representative for service (If different than protestant)

4. Service mailing address 2153 N. POHARD LN., STAR ID. 83669

5. Service telephone no. 208-286-7028 or 208-870-2956

6. Basis of protest (including statement of facts and law upon which the protest is based)

Damage to our domestic well
Damage to our irrigation well
Damage to our artesian well

(additional pages may be attached to describe nature of the protest)

7. What would resolve your protest? 1. Deny these applications

2. Condition of approval to compensate the Schreiner for
any loss of water flow on the 3 existing wells.
To remedy the loss

I hereby, acknowledge that if I, or my designated representative, fails to appear at any regularly scheduled conference or hearing in the matter of which I have been notified at the address above, the department may issue a notice of proposed default against me in this matter for failure to appear. I also verify that I have served a copy of this protest upon the applicant.

Signed this 4th day of May, 2005.

Ronald L. Schreiner
Protestant

Protestant's Representative

NOTE:

A protestant is required to timely file a protest with the department together with a \$25.00 protest fee for each application being protested in order for the protestant to be considered a full party by the department. In addition, the department's Rule of Procedure, IDAPA 37.01.01203, requires a protestant to send a copy of a protest to the applicant.

INSTRUCTIONS

1. The matter being protested must be clearly identified. A typical matter is identified by the application number such as "Application for Permit No. _____ in the name of _____" or "Application for Transfer No. _____ in the name of _____."
 2. Show the name of the protestant. Only one (1) protestant may be shown per protest form. If this protest form is signed by more than one person, the hearing officer will consider the first signer as the official protestant and the representative for service of documents.
 3. If the protestant is represented by an attorney or other authorized representative, show the representative's name. The department then will serve documents on the representative and upon the protestant if specifically requested.
 4. Show the address where the department is to serve the documents. This should be the address of the authorized representative unless the protestant does not designate a representative.
 5. Show the telephone number of the authorized representative unless the protestant does not designate a service representative.
 6. Specifically describe the nature of the protest.
 7. Describe the relief being sought by the protestant.
-

FOR DEPARTMENT USE ONLY

Received by lg Date 5/4/05 Time 10:00 AM
\$25.00 fee Received by lg # W032882 Date 5/4/05

The Idaho Statesman

RECEIVED

APR 29 2005

WATER RESOURCES
WESTERN REGION

P.O. Box 40, Boise, Idaho 83707-0040

LEGAL ADVERTISING PROOF OF PUBLICATION

Account # 047628	DTI# 1264573	Identification APPLICATION	Amount: \$117.00
Attention: SUE KREGER		P.O.#	Run Dates APRIL 21, 28, 2005
IDAHO DEPT. WATER RESOURCES WEST 2735 AIRPORT WY. BOISE, ID 83705		Number of Lines 2 X 32	Affidavit 1
		Legal # 22203	

LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-32089
CITY OF EAGLE
PO BOX 1520
EAGLE ID 83616

Points(s) of Diversion: NWSE S11 T04N R01W ADA County Source GROUND WATER
 Points(s) of Diversion: NWNE S10 T04N R01W ADA County Source GROUND WATER
 Points(s) of Diversion: SENW S11 T04N R01W ADA County Source GROUND WATER
 Points(s) of Diversion: RWNW S10 T04N R01W ADA County Source GROUND WATER
 Use: MUNICIPAL 01/01 To 12/31 4 CFS
 Total Diversion: 4 CFS
 Date Filed: 01/19/2005

Remark: Applicant agrees to mitigate consumptive use in the future as needed.

Municipal use is for applicants service area

Water bearing zone to be appropriated is from 250 to 500 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 05/09/2005. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Pub. Apr. 21, 28, 2005

22203

JANICE HILDRETH, being duly sworn, deposes and says: That she is the Principal Clerk of *The Idaho Statesman*, a daily newspaper printed and published at Boise, Ada County, State of Idaho, and having a general circulation therein, and which said newspaper has been continuously and uninterruptedly published in said County during a period of twelve consecutive months prior to the first publication of the notice, a copy of which is attached hereto: that said notice was published in *The Idaho Statesman*, in conformity with Section 60-108, Idaho Code, as amended, for:

TWO

consecutive weekly single
 consecutive daily odd skip
 insertion(s)

beginning issue of: APRIL 21, 2005

ending issue of: APRIL 28, 2005

Janice Hildreth

STATE OF IDAHO)

.ss

COUNTY OF ADA)

On this 28 day of APRIL in the year of 2005


before me, a Notary Public, personally appeared before me Janice Hildreth known or identified to me to be the person whose name subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that she executed the same.

Cecily Brungman

Notary Public for Idaho

Residing at: Boise, Idaho

My Commission expires: 8-27-09



Lester, Steve 

From: Lester, Steve
Sent: Monday, May 02, 2005 9:34 AM
To: 'Terry Scanlan'
Subject: RE: Additional Well for Application for Permit 63-32089

OK PER MANAGER
↓

Terry:

The application can be amended to add a back-up well in the same 1/4 1/4 without any need to readvertise. The \$50 amendment fee will be required, however.

Steve

[Lester, Steve] -----Original Message-----

From: Terry Scanlan [mailto:TScanlan@spfwater.com]
Sent: Monday, April 25, 2005 4:06 PM
To: Lester, Steve; slester@idwr.state.id.us
Subject: Additional Well for Application for Permit 63-32089

Steve -

My client (Land Associates, developer of Eaglefield Estates Subdivision) met with the City of Eagle today to discuss water supply for their project. The City has applied for 4.0 cfs of municipal water right permit (63-32089) to serve the project. The application protest period ends May 9. The application lists "Point(s) of Diversion" in four quarter-quarter sections, including the NWSE Section 11 which is located within Eaglefield Estates Subdivision. The other 3 quarter-quarter sections are located in a different development that may lag construction of Eaglefield by a year or more. The water system to serve Eaglefield needs two wells to meet DEQ requirements for public water system. Eaglefield is proposing construction of two wells on a single well lot within the NWSE of Section 11. Can the City amend the application for permit to allow two wells in the NWSE Section 11 without readvertisement? The term "Point(s) of Diversion" next to each quarter quarter in the legal notice seems to imply one or more wells in each quarter-quarter section.

Terry



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

RECEIVED

APR 26 2005

WATER RESOURCES
WESTERN REGION

Dirk Kempthorne, Governor
Toni Hardesty, Director

1445 North Orchard • Boise, Idaho 83706-2239 • (208) 373-0550

April 25, 2005

Sue Kreger
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

RE: Application for Permit No. 63-32089 in the name of the City of Eagle, Well No. 4

Dear Ms. Kreger:

Thank you for the opportunity to respond to your letter dated April 14, 2005. We have the following general comments regarding this project:

Potable Water Supply

This project proposes the modification of an existing public drinking water system. Per *Idaho Code* § 39-118 and the associated *Idaho Rules for Public Drinking Water Systems*, all components of public water system construction, including wells, must be designed by an Idaho registered professional engineer (engineer) and approved by the Idaho Department of Environmental Quality (IDEQ) prior to construction.

If you have any questions, please contact me at (208) 373-0162, or via e-mail at srae@deq.state.id.us.

Sincerely,

A handwritten signature in black ink, appearing to read "Stephen H. Rae".

Stephen H. Rae, P.E.
Staff Engineer

SHR:vee G:\Engineering\Srae\Reviews\Planning and Zoning Comments\IDWR-63-32089-City of Eagle Well 4_04-25-05.doc

cc: Charles W. Ariss, P.E., Regional Manager-Engineering, Boise Regional Office
File 1, Eng, City of Eagle, Reading File



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 15, 2005

MARY TAYLOR
3410 HARTLEY
EAGLE ID 83616

Re: Water Right Application for Permit Nos. 63-32089 and 63-32090 both in the
Name of the City of Eagle

Dear Interested Parties:

Enclosed are copies of application(s) that may be of interest to you. Please
review the application(s) and submit any comments you may have.

This office normally completes the processing of an application within a six-week
period and is required to take final action shortly thereafter. However, if you desire to
file a formal protest against the approval of this application(s), your written protest along
with the \$25.00 protest fee must be received in this office by May 9, 2005.

If you have any questions regarding the application(s), please contact this office.

Sincerely,

Sue Kreger
Administrative Assistant

Encl. Copy of Application(s)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190
FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 8, 2005

Holliday Engineering
Attention: Chris Duncan
PO Box 235
Payette ID 83661

Re: City of Eagle Applications for Permit

Dear Chris:

The recent applications for permit regarding ground water for municipal use that you filed on behalf of the City of Eagle are being processed. As standard procedure, we require applications proposing diversion of water greater than 5.0 cfs to provide additional information to assist this office in completing the initial processing steps. Because the City of Eagle's applications were received at the same time and, when combined, propose a total diversion of 8.9 cfs to be used within the same service area, we request the following additional information required by I. C. § 42-203A(5)(a-e) for "large diversion projects" be submitted. This requirement includes the following items discussed in the enclosed copy of Water Appropriation Rule 40, Rule Subsections 040.05c through 040.05g:

1. effect on existing water rights
2. sufficiency of water supply
3. good faith, delay or speculative purposes
4. financial resources
5. local public interest.

In your situation, only selected items circled in the enclosure need to be addressed. With regards to local public interest, please provide documentation showing that comment letters from the Ada County and Idaho Department of Environmental Quality have been requested. Processing will not be delayed while waiting for responses from these entities.

Other information that must be provided for each application includes the following:

1. Specification that you have been retained by the applicant as their consultant.
2. The water bearing zone where the proposed ground water will be appropriated.

2/8/05
Page 2

3. Completion of items 11.a., b. and c regarding ownership of the point of diversion and place of use.
4. Clarification that the applications are or are not for reasonably anticipated future needs. If they are, please specify and justify the planning horizon sought.
5. The department is aware of at least two municipal providers in the area proposed by the applications (United Water Idaho and Eagle Water Corp.). Please explain if/how these applications relate to the other providers listed.

The above requested information can be addressed in letter form as an attachment to the applications. Please submit the requested information to allow final evaluation of your applications to be completed. You may seek additional time to provide the information by making a written request to delay or interrupt processing. Your written response including the requested information, or a request for more time to seek the information, must be received within thirty (30) days of the date of this letter. The applications will be removed from the records of this agency if a timely reply is not made.

IDWR forms and other information are available on the Internet at www.idwr.idaho.gov. Please contact me at 208-334-2190 if you need more information. Thank you for your attention to these matters.

Sincerely,



Lori Graves
Sr. Water Resource Agent

Enclosure

criterion (e) of Section 42-203A(5), Idaho Code, as to any factor affecting local public interest of which he is knowledgeable or reasonably can be expected to be knowledgeable. The protestant shall bear the initial burden of coming forward with evidence for those factors relevant to criterion (e) of Section 42-203A(5), Idaho Code, of which the protestant can reasonably be expected to be more cognizant than the applicant. (7-1-93)

iii. The protestant shall bear the initial burden of coming forward with evidence for the evaluation of the public interest criteria of Section 42-203C(2), Idaho Code, and of demonstrating a significant reduction, except that the applicant shall provide details of the proposed design, construction, and operation of the project and directly associated operations to allow the impact of the project to be evaluated. (7-1-93)

c. The applicant has the ultimate burden of persuasion for the criteria of Section 42-203A, Idaho Code, and the protestant has the ultimate burden of persuasion for the criteria of Section 42-203C, Idaho Code. (7-1-93)

d. For unprotested applications or permits to be reprocessed, the director will evaluate the application, information submitted pursuant to Rule Subsection 040.05.c. and information in the files and records of the department, and the results of any studies the department may conduct to determine compliance with the appropriate criteria. (7-1-93)

e. In protested matters the director will take official notice of information as described in the department's adopted Rules of Procedure, and will, prior to considering, circulate to the parties information from department studies and field examinations concerning the protested application or permit being reprocessed, if such information has not otherwise been made a part of the hearing record. (7-1-93)

05. Additional Information Requirements. (7-1-93)

a. For unprotested applications and permits being reprocessed, the additional information required by Rule Subsection 040.05.c. shall be submitted within thirty (30) days after the director notifies the applicant that the application or permit is being reviewed for decision. The director may extend the time within which to submit the information upon request by the applicant and upon a showing of good cause. Failure to submit the required information within the time period allowed will be cause for the director to void an application or to advance the priority of a permit being reprocessed by the number of days that the information submittal is late. The director will provide opportunity for hearing as provided in Section 42-1701A, Idaho Code. (7-1-93)

b. For protested applications or protested permits being reprocessed, the information required by Rule Subsection 040.05.c. may be requested by the director to be submitted within thirty (30) days after notification by the director, may be made a part of the record of the hearing held to consider the protest, or may be made available in accordance with any pre-hearing discovery procedures. Failure to submit the required information within the time period allowed will be cause for the director to void an application or to advance the priority of a permit being reprocessed by the number of days that the information submittal is late. (7-1-93)

c. The following information shall be submitted for applications to appropriate unappropriated water or trust water and for permits being reprocessed for trust water. The additional information submittal requirements of this rule are waived for filings which seek to appropriate five (5) cfs or less or storage of five hundred acre-feet (500 AF) or less and for filings seeking reallocation of trust water which the director determines will reduce the flow of the Snake River measured at Murphy Gauge by not more than two (2) acre-feet per day. For filings proposing irrigation as a purpose of use, the additional information is required if more than two hundred (200) acres will be irrigated. However, the director may specifically request submittal of any of the following information for any filing, as he determines necessary. Information relative to the effect on existing water rights, Section 42-203A(5)(a), Idaho Code, shall be submitted as follows: (7-1-93)

i. For applications appropriating springs or surface streams with five (5) or fewer existing users, either the identification number, or the name and address of the user, and the location of the point of diversion and nature of use for each existing water right shall be submitted. (7-1-93)

ii. For applications appropriating groundwater, a plat shall be submitted locating the proposed well relative to all existing wells and springs and permitted wells within a one-half mile radius of the proposed well.

(7-1-93)

iii. Information shall be submitted concerning any design, construction, or operation techniques which will be employed to eliminate or reduce the impact on other water rights. (7-1-93)

d. Information relative to sufficiency of water supply, Section 42-203A(5)(b), Idaho Code, shall be submitted as follows: (7-1-93)

i. Information shall be submitted on the water requirements of the proposed project, including, but not limited to, the required diversion rate during the peak use period and the average use period, the volume to be diverted per year, the period of year that water is required, and the volume of water that will be consumptively used per year. (7-1-93)

ii. Information shall be submitted on the quantity of water available from the source applied for, including, but not limited to, information concerning flow rates for surface water sources available during periods of peak and average project water demand, information concerning the properties of the aquifers that water is to be taken from for groundwater sources, and information on other sources of supply that may be used to supplement the applied for water source. (7-1-93)

e. Information relative to good faith, delay, or speculative purposes of the applicant, Section 42-203A(5)(c), Idaho Code, shall be submitted as follows: (7-1-93)

i. The applicant shall submit copies of deeds, leases, easements or applications for rights-of-way from federal or state agencies documenting a possessory interest in the lands necessary for all project facilities and the place of use or if such interest can be obtained by eminent domain proceedings the applicant must show that appropriate actions are being taken to obtain the interest. Applicants for hydropower uses shall also submit information required to demonstrate compliance with Sections 42-205 and 42-206, Idaho Code. (7-1-93)

ii. The applicant shall submit copies of applications for other needed permits, licenses and approvals, and must keep the department apprised of the status of the applications and any subsequent approvals or denials. (7-1-93)

f. Information Relative to Financial Resources, Section 42-203A(5)(d), Idaho Code, shall be submitted as follows: (7-1-93)

i. The applicant shall submit a current financial statement certified to show the accuracy of the information contained therein, or a financial commitment letter along with the financial statement of the lender or other evidence to show that it is reasonably probable that financing will be available to appropriate the water and apply it to the beneficial use proposed. (7-1-93)

ii. The applicant shall submit plans and specifications along with estimated construction costs for the project works. The plans shall be definite enough to allow for determination of project impacts and implications. (7-1-93)

g. Information Relative to Conflict with the Local Public Interest, Section 42-203A(5)(e), Idaho Code, shall be submitted as follows: The applicant shall seek comment and shall submit all letters of comment on the effects of the construction and operation of the proposed project from the governing body of the city and/or county and tribal reservation within which the point of diversion and place of use are located, the Idaho Department of Fish and Game, the Idaho Department of Health and Welfare, Division of Environment, and any irrigation district or canal company within which the proposed project is located and from other entities as determined by the director. (7-1-93)

h. The following information Relative to the Public Interest Criteria of Section 42-203C(2), Idaho Code, shall be submitted by an applicant seeking reallocation of trust water for a project which the director determines will reduce the flow of the Snake River by more than two (2) acre-feet per day. For filings proposing irrigation as a purpose of use, the additional information is required if more than two hundred (200) acres will be irrigated. The director may request any or all of the following information for any filing seeking the reallocation of trust water. (7-1-93)

list
COUNTY
IDECQ

Information Report
Application for Water Appropriation
Application No. 2

To: Lori Graves, IDWR Western Regional Office
From: Chris Duncan P.G., City of Eagle Project Consultant
Date: March 7, 2005
Subject: IDWR Information Request for City of Eagle Application for Water Appropriation (Application No. 2) Submitted on January 19, 2005.

The following report provides information requested by IDWR regarding City of Eagle application for water appropriation (application no. 2) filed on January 19, 2005.

Water Appropriation Rule 40, Rule Subsection 040.05.c.ii. *“For applications appropriating groundwater, a plat map be submitted locating the proposed wells relative to all existing wells and springs and permitted wells within a one-half mile radius of the proposed well”.*

Attached is a plat map showing the location of proposed City of Eagle well no. 4 listed in water appropriation application no. 2. A one-half mile radius line is shown around proposed well no. 4 on the map. The location of existing wells in the area and other possible well sites (exempt from water right filing) have also been shown on the plat map. Water rights associated with wells occurring within one-half mile of proposed well no. 4 are listed in the map table. Well locations are based IDWR database records and aerial photo interpretation. Well locations were not field verified.

Water Appropriation Rule 40, Rule Subsection 040.05.c.iii. *“Information shall be submitted concerning any design, construction, or operation techniques which will be employed to eliminate or reduce the impact on other water rights”.*

Proposed Water System Design and Operation

The attached City of Eagle Municipally Owned Water System Amended Master Plan, Volume 1, Development Plan and Ownership Documents, January 2005, (Water System Master Plan) describes the proposed expansion of the municipal

not attached. available @ Holladay Engineering upon request. *lg*
3/24/05

water system to meet current and future development in the City of Eagle Amended Comprehensive Plan. The City of Eagle is planning to provide municipal water service to accommodate urban growth in adjoining areas west of the City that have been recently annexed or are seeking annexation. The City of Eagle water policy is to provide municipal water service to developing areas where service is not available to minimize water resource impacts resulting from the conversion agricultural lands to higher density urban uses. City policy and Ordinance No. 442 and 479 requires use of existing surface irrigation and groundwater supplies appurtenant to the land to meet the needs of the proposed development seeking annexation.

The City of Eagle Water System Master Plan will be implemented using a phased approach, starting with Block 1 and continuing through Block 4 in the western expansion area. The City anticipates full build-out of the water system to occur within a 20 year planning horizon and will serve approximately 22,000 residents. Construction of Block 1 is planned for late 2005 and will provide service to approximately 2,000 residential water customer units (ERC) at completion.

The water supply requirement for Block 1 is a flow rate of 8.9 cfs (3,995 gpm). The City is requesting a groundwater diversion rate to meet this requirement as listed in the applications for water appropriation (application 1 and 2). The requested groundwater diversion rate of 8.9 cfs is composed of a computed 3-hour fire flow demand of 6.68 cfs, as required under IDEQ Public Water System rules for residential and commercial development, and a 1-hour peak demand of 2.23 cfs based on approximately 2,000 residential customer unit connections in the western service area.

The largest component of the total diversion rate is the 3-hour emergency fire requirement of 6.68 cfs. The City plans to construct a 1.5-million gallon storage system, when approximately 2,000 residential service connections are completed and revenue becomes available for construction. The peak fire flow requirements will then be primarily supplied by the storage system. This will allow for a reduction in the required peak groundwater diversion rate. The surplus capacity in the well system will be used to meet the growing daily use requirements as urbanized development continues in the City of Eagle service area.

The applications for water appropriation (application no. 1 and 2) request a combined maximum groundwater diversion rate of 8.9 cfs (3,995 gpm) in a four well system, primarily to meet the fire flow requirement. Under normal operational conditions, the 1-hour peak demand of 2.23 cfs (1,000 gpm) and average daily flow rate of 0.84 cfs (332 gpm) will result in well pumping rates ranging from approximately 0.74 cfs (335 gpm) to 0.28 cfs (125 gpm) when operating three wells across a four well system. The proposed distribution system design will allow for balancing of individual well pumping rates. The distribution system in the western area is configured to operate as a single

pressure zone. During an emergency fire flow event, pumping will be increased to meet the requirements of the situations, up to a maximum diversion rate of 8.9 cfs from the well system.

Proposed Well Construction

The expected well construction is 12-inch screen sections set in the lower aquifers zone between approximately 250 and 500 feet. The target design capacity of well no. 4 is between 1,000 and 1,200 gpm. All well construction will meet IDWR Well Construction Standards and IDEQ Public Water System requirements. An exploration program will be performed prior to production well construction to determine site specific subsurface lithology and hydrogeologic conditions. Exploration will include a minimum of one exploration boring and temporary well for aquifer testing. Final production well design will be based on exploration results.

The well pump system will be sized in accordance with IDWR water right permits and IDEQ Public Water System requirements. The pump system will be equipped with variable frequency drive motor control. Continuous downhole water level monitoring will be performed. Well no. 4 and distribution system will be equipped with a SCADA operational control system.

Potential Impacts to Existing Water Rights

The City of Eagle proposed well no. 4 has been located to minimize potential impacts to surrounding wells, as shown on the City of Eagle Well Location Map (Attached). The water right table on the City of Eagle Well Location Map lists water rights of wells located within a half-mile of the proposed well site. The majority of these groundwater rights reside under the control and ownership of Eaglefield, and Eagle Creek developments seeking City annexation and the Signature Sports Development annexed on December 7, 2004. The City is pursuing agreements with each development to resolve any water right issues prior to City well construction.

The City is proposing well completion in the lower zone of the Treasure Valley Aquifer to minimize potential hydraulic impacts to area wells and protect the municipal supply from potential sources of contamination. Site specific aquifer conditions will be determined by on-site exploration and testing. Data collected during on-site exploration will provide the basis a further analysis.

Hydrogeologic information available for the Eagle area suggests the operation of proposed well no. 4 will have limited hydraulic impacts at a radial distance beyond one-half mile. Well information and subsurface conditions shown in Cross-Section A-A' (attached) through the east-west corridor of the Eagle area indicate strong aquifer conditions in the lower zone below 250 feet.

Water Appropriation Rule 40, Rule Subsection 040.050.d.ii. *“Information shall be submitted on the quantity of water available from the source applied for, including, but not limited to, information concerning flow rates for surface water sources available during periods of peak and average project water demand, information concerning the properties of the aquifers that water is to be taken from for groundwater sources, and information on other sources of supply that may be used to supplement the applied for water source”.*

The attached Water System Master Plan describes a required 2.64 MGD supply at full build-out of the western expansion area. This equates to approximately 3,000 ac-ft per year of groundwater withdrawal. In the Eagle western expansion area, approximately 9.5 cfs of primary and supplemental groundwater irrigation water rights have been appropriated for agricultural uses. Current City policy and ordinances requires existing water rights appurtenant to the land be applied to the proposed development. The City believes the overall groundwater supply in the area will remain unchanged through the conversion of agriculture lands to urban development.

Water Appropriation Rule 40, Rule Subsection 040.050.g. *“Information Relative to Conflict with Local Public Interest, Section 42-203A(5)(e), Idaho Code, shall be submitted as follows: The applicant shall seek comment and shall submit all letters of comment on the effects of the construction and operation of the proposed project from the governing body of the city and/or county and tribal reservation within which the point of diversion and place of use are located, the Idaho Department of Fish and Game, The Idaho Department of Environmental Quality, and any irrigation district or canal company within which the proposed project is located and from other entities as determined by the Director”.*

Attach are copies of City of Eagle request for comment from Ada County and Idaho Department of Environmental Quality concerning the City of Eagle Municipally Owned Water System Amended Master Plan. In addition, attached is a copy of public notice concerning the City of Eagle Comprehensive Plan Amendment.

Additional information requested by IDWR

- 1. Documents showing the request for comments from Ada County and IDEQ.**

Attachment is request for comment from Ada County and Idaho Department of Environmental Quality concerning the City of Eagle Municipally Owned Water System Amended Master Plan.

2. Holladay Engineering Company as City project consultant

Attached is a copy of the Holladay Engineering Company Professional Service Agreement with the City of Eagle showing Holladay Engineering as City Engineer and consultant representing the City of Eagle.

3. Water bearing zones of proposed appropriation

The proposed water bearing zone of the requested appropriation is the lower aquifer zone between approximately 250 to 500 feet below ground surface. Specific site conditions and exact depths of water bearing zones will be determined during exploration. Attached is Cross-Section A-A' summarizing known subsurface conditions in the Eagle area.

4. Application lines 11. a., b. and c. regarding ownership of point of diversion and place of use.

The point of diversion (well no. 4) is located on property under the ownership of Double D Investments, MLGB Investments, and Ronald Quenzer Trust (Eaglefield Subdivision). The Eaglefield subdivision is currently pending City annexation. Attached is a copy of the City of Eagle Annexation Application. A Confirmation of Dedication of Well, Well Site and Access agreement will be completed prior to approval of City Annexation. This agreement will allow the City of Eagle access, construction, and operation of the proposed well.

The place of use is shown on the City of Eagle Water Right Application Map submitted with the City's application. The City of Eagle intends to provide municipal water service within this mapped service area to meet current and future development requirements in accordance with the City of Eagle Amended Comprehensive Plan.

5. Clarification that the applications are or not for reasonable anticipated future needs.

The requested appropriation reflects an immediate need to supply municipal water service in Block 1 of the City of Eagle Municipally Owned Water System Amended Master Plan. Construction is anticipated to begin in 2005.

6. Explain if/how this application relates to United Water of Idaho and Eagle Water Company located in the area.

The City's application for appropriation of water is unrelated to United Water Idaho and Eagle Water Company. Neither United Water nor Eagle Water Company is certificated to serve the subject area by the Idaho

Public Utilities Commission. The City of Eagle is requesting appropriation of groundwater to meet the needs of residents and proposed development currently annexed or seeking annexation in the City of Eagle.



Mayor: Nancy C. Merrill

CITY OF EAGLE

P.O. Box 1520
Eagle, Idaho 83616
939-6813

Council: Stanley J. Bastian
Steve Guerber
Scott Nordstrom
Lynne Sedlacek

February 28, 2005

To: Mike McGowen
Western Regional Administrator
Department of Environmental Quality
1445 N. Orchard
Boise, ID 83706

Jerry Armstrong
Ada County Planning Director
200 West Front Street
Boise, ID 83702

Re: City of Eagle – Water Rights Applications

Gentlemen:

The City of Eagle recently annexed 575 acres between Linder Road and Highway 16. Preparatory to constructing a municipal water system supplied by three public wells to serve the area in and around the annexed property, the City has filed two applications to appropriate water with the Idaho Department of Water Resources (IDWR). The City of Eagle has received permission for three well sites on the annexed property. (see attached notice, February, 15, 2005) Wells shall be constructed to IDWR and Idaho Department of Environmental Quality, Public Drinking Water System standards.

The City of Eagle will provide for and maintain a water supply and delivery system within the service area to meet the health and safety needs of the City as anticipated by the land uses identified in the Comprehensive Plan. A central well and distribution system is much more efficient and protective of the resource than hundreds or thousands of smaller wells constructed at less than public well standards. The City, by filing for water appropriation and preparing to extend its public water system to the area, is acting in the local public interest.

The City of Eagle and the Department of Water Resources is interested in your comments on the foregoing information. Comments may be addressed to:

City of Eagle
310 E. State St.
Eagle, ID 83616

Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

Thank you for your prompt attention in this matter. For further questions, you may contact Chris Duncan, P.G., at Holladay Engineering Co., (208) 642-3304.


Nancy C. Merrill, Mayor
City of Eagle

Attachments: Map
Well agreement

CITY OF EAGLE
P. O. BOX 1520
EAGLE, IDAHO 83616
FAX: 939-3854

Legal notice is hereby given that the EAGLE Planning & Zoning Commission will hold a public hearing on August 9, 2004 AT 6:30 P.M. at Eagle City Hall to consider the following:

APPLICATION #: CPA-02-04 City of Eagle

PROJECT SUMMARY: To consider a City initiated Comprehensive Plan Amendment to:

1. Modify a portion of the Comprehensive Plan Land Use Map and a policy to adopt the Western Eagle Sub-area Plan, **full size map and application materials are available for public review at city hall;**
2. Adopt a future acquisitions map;
3. Update appropriate sections of the existing plan to ensure consistency with the new Sub-area land use plan.

The proposed amendment and application materials are on file for public inspection at Eagle City Hall, 310 E. State Street. Public testimony is encouraged at the public hearing and written comments will be accepted until 5:00 p.m. on the three days before the public hearing. Auxiliary aids or services for persons with disabilities can be made available by calling the City Clerk (939-6813) at least three days prior to the public hearing.

PLANNING & ZONING COMMISSION MEETING DATE: August 9, 2004

TO:

Ada County Assessor
Ada County Development Services –
Ada County Highway District - Attn: **Joyce Newton**
*Ballantyne Irrigation Ditch Company
Boise School District – Attn: **Sarah Stobaugh**
Chevron Pipeline
Central District Health
COMPASS
DEQ
Drainage District #2
Eagle Fire Dept
Eagle Water Co.
Eagle Sewer District - Attn: **Lynn Moser**
*Farmers Union Ditch Co. Ltd.
Idaho Power: **Layne Dodson**
IDOL
ITD - Attn.: **Sue Sullivan**
Meridian School District
New Dry Creek Ditch Co. - Attn: **Dana Purdy**
*New Union Ditch Co. - Attn: **George Transtrum**
PUC
TCI
U.S. Fish & Wildlife
Qwest – Attn: **Cindi Davis**
United Water - Attn: **Dan Brown**

The Planning and Zoning Department notified you of this application prior to the Planning and Zoning Commission's public hearing. The Commission recommended approval and forwarded this item to the Council for action. If you have any additional comments on the proposed application, please notify the City of Eagle in writing within 15 days of the transmittal date noted above. If no response is received, you will be considered as having no specific concerns regarding this item.

If you have any questions I can be reached at 939-0227.

Sincerely,

Nichoel Baird Spencer, AICP, Planner III

* Indicates mail instead of fax

HOLLADAY ENGINEERING COMPANY PROFESSIONAL SERVICES AGREEMENT

This is an Agreement made effective as of the date of signature between the person or organization as identified by authorized representative's signature, hereinafter called **OWNER** and Holladay Engineering Company, of Payette, Idaho, hereinafter called **CONSULTANT**.

PROJECT TITLE City of Eagle, Idaho, a municipal corporation

SCOPE OF WORK

DESCRIPTION OF REQUIRED WORK


As City Engineer, Consultant will provide customary civil engineering services to assist the Owner. Services may include the following:


- Perform review and comment on lot line adjustments, lot splits, and preliminary and final subdivision plats; sign lot line adjustment, lot split and final plat mylars;
- Perform review and comment on submitted plans and specifications involving engineering related issues; perform review and comment on City and agency studies involving engineering related issues;
- Suggest, and comment on, engineering related ordinance changes;
- Advise the Mayor and Council on issues affecting the City including specific project proposals, infrastructure expansion, floodplain modifications, storm water and erosion control, ground water studies, and GIS mapping;
- and other professional engineering related tasks as may be assigned by the Mayor and Council.

To ensure duplicate file contents are maintained in the Consultant's and Owner's offices, a procedure has been established to send and/or ensure that a "Client File Copy" of all related information for each project/task made known to the Consultant will be distributed to the Owner.

This Agreement shall have a period of 365 calendar days including holidays and weekends and shall begin upon the date of signatures contained herein. OWNER shall pay CONSULTANT according to the following:

<input checked="" type="checkbox"/> Current Time and Materials Fee Schedule-Exhibit A	<input type="checkbox"/> Fixed Fee as defined in Scope of Work Schedule	<input type="checkbox"/> Other as Defined in Scope of Work Schedule
---	---	---

By:  5/28/97
 Representative's Signature Date

By:  5/23/97
 Holladay Engineering Co. Date

Person or Organization Represented:
 City of Eagle, Idaho
 a municipal corporation
 P.O. Box 477
 Eagle, ID 83616

HECO Job Number: 060996EG

**AMENDMENT NO. 1
TO THE PROFESSIONAL ENGINEERING
SERVICES AGREEMENT
BETWEEN
HOLLADAY ENGINEERING CO.
AND CITY OF EAGLE, IDAHO
FOR ENGINEERING SERVICES, PROJECT NO. 060996**

This original AGREEMENT entered into on May 28, 1997, between HOLLADAY ENGINEERING CO. and the CITY OF EAGLE, IDAHO, for professional engineering services shall be amended as follows:

The contract time is extended to remain open. Either party may terminate this contract by providing 30 days written notice to the other party.

All other conditions of the original agreement shall remain in full force and effect.

IN WITNESS WHEREOF, the parties hereto each herewith subscribe the same in duplicate.

For City of Eagle, Idaho :

By: *Rich Yagum* 6/11/98
Date
Richard Yagum
Printed Name

City of Eagle
 A municipal corporation
 P.O. Box 477
 Eagle, Idaho 83616
 (208) 939-6813
 Fax: (208) 939-6827

For Holladay Engineering Co.:

By: *Vernon E. Brewer* 6/5/98
Date
Vernon E. Brewer
Printed Name

Holladay Engineering Co.
 P.O. Box 235
 Payette, ID 8361
 (208) 642-3304
 Fax: (208) 642-2159

Post-It® Fax Note	7671	Date	# of pages
To	RECEIVED		
Co./Dept.			
Phone #			
Fax #			
		JUN 15 1998	
		HOLLADAY ENGINEERING CO.	
		PAYETTE, ID	

CITY OF EAGLE

310 E. State Street, Eagle, ID 83616
Phone #: (208) 939-6813 Fax #: (208) 939-6827

RECEIVED & FILED
CITY OF EAGLE

DEC 23 2004

File: _____
Route to: _____

ANNEXATION APPLICATION

FILE NO:	<u>A-11-04</u>	FEE:	_____
CROSS REF FILES:	_____		_____

APPLICANT: D.H. Development, LLC PHONE: (208) 463-1925
 Owner: Purchaser: Lessee: FAX: (208) 463-4728

APPLICANT'S ADDRESS: 16299 Franklin Rd. Nampa, ID
 _____ ZIP: 83687

OWNER: Double D Investments, L.P.; The Ronald L. Quenzer and Debbie A. Quenzer Living Trust;
MLGB Investments, L.P. PHONE: 454-2069 (Marv Quenzer) FAX: 454-4138

OWNER'S ADDRESS: See attached affidavits of legal interest.
 _____ ZIP: _____

REPRESENTED BY
 (IF DIFFERENT FROM ABOVE): Landmark Engineering & Planning, Inc. - Clint Boyle, AICP PHONE: 442-6300
 FAX: 466-0944

LOCATION OF PROPERTY
 TO BE ANNEXED: North side of State Hwy. 44 and approximately 1,000 feet west of Linder Rd.

	COMP PLAN DESIGNATION	ZONING DESIGNATION	LAND USE
Existing	High, Medium, & Low Density Residential & Commercial	R-U-T	Agricultural with single family dwellings
Proposed	High, Medium, & Low Density Residential	R-2 and R-4	Single family detached and attached
North of site	Low Density Residential	R-R (A-R proposed)	Agriculture with sporadic residential
South of site	Office	R-R and R-1	Residential/ Agricultural
East of site	High, Medium, & Low Density Residential	R-R and A-R	Church/ Residential/ Agricultural
West of site	High, Medium, & Low Density Residential	R-R	Agricultural/ Residential

TOTAL ACREAGE OF SITE: 142.4

PUBLIC SERVICES (Provide a brief narrative stating what services are available and what agency is provide the service):

Potable Water: United Water or Eagle City Water

Irrigation Water: Middleton Mill Irrigation

Sanitary Sewer: Eagle Sewer

Fire Protection: Eagle Fire District

Schools: Meridian

Roads: _____

EXISTING SITE CHARACTERISTICS: _____

SPECIAL ON-SITE FEATURES (Yes or No – If yes explain):

Areas of Critical Environmental Concern - No

Evidence of Erosion - No

Fish Habitat - No

Floodplain - No

Mature Trees - Agricultural land

Riparian Vegetation - No

Steep Slopes - No

Stream /Creek - Middleton Canal

Unique Animal Life - No. See Idaho Fish and Game letter dated 7-14-04

Unique Plant Life - No. See Idaho Fish and Game letter dated 7-14-04

Unstable Soils - No

Wildlife Habitat - No. See Idaho Fish and Game letter dated 7-14-04

Application Submittal Requirements

- 1. Legal description of property
- 2. Copy of Deed
- 3. If the signator on this application is not the owner of the property requested for annexation, then provide a notarized statement (affidavit of legal interest) from the owner stating the applicant is authorized to submit this application.
- 4. Names and addresses of all adjoining owners of property and residents within three hundred feet (300') of the external boundaries of the land being considered as shown on record in the County Assessor's Office. The addresses shall be submitted to the City on two sets of address labels.
- 8. One 8 W' x 11" vicinity map
- 9. Provide a written justification for the proposed annexation

**POSTING REQUIREMENTS OF THE CITY OF EAGLE
EAGLE CITY ORDINANCE #312 2/10/98 (ECC 8-7-8)**

Posted Notice: Except as noted within this paragraph, any time notice is required, the land being considered shall be posted not less than ten (10) days prior to the Planning and Zoning Commission hearing and again not less than ten (10) days prior to the City Council hearing. Except as noted herein, posting of the property must be in substantial compliance with the following requirements:

1. Signage Requirements:

- a. The sign(s) shall consist of 4' x 4' plywood or other hard surface mounted on two (2) 4" x 4" posts in such a manner that it is perpendicular to the roadway along which the sign is posted and the bottom of the sign is at least three-feet (3') above the ground.
- b. Centered at the top of the 4' x 4' sign board(s) in six-inch letters shall be the words "Public Notice". In addition, each sign will inform the public of the name of the applicant, and if applicable, the proposed development, the date, time, place, and nature of the public hearing and a summary of the proposal to be considered. Each sign shall be painted white and the letters shall be painted black and shall appear on both sides. An example of this sign is set forth in the attached illustration.

- Size = 6 inches-----
- Size = 2 inches-----
- Size = 1.5 inches-----

PUBLIC HEARING NOTICE
Eagle Planning and Zoning Commission

THE CITY OF EAGLE will hold a public hearing on May 9, 1995, at the Eagle City Hall at 7:00 7:30 P.M.

PURPOSE: Annexation and Zoning – You Name-It Subdivision – Zoning R-4, Subdivision Preliminary Plat, 7.66 acres, 29 lots, single family dwelling, 1 lot open space/drainage w/landscaped entryway.

LOCATION: SW corner of Second St. and State St.

APPLICATION BY: Average citizen, USA, Inc.

C. In lieu of the above conditions, for conditional use permit applications made pursuant to Eagle City Code Section 8-3-2(E) (Mobile Home - temporary living quarters) of this Title only, the sign shall consist of one (1) 11" x 17" sign on paper or other material and lettering sufficient to inform the public of the name of the applicant, and, if applicable, the proposed development, the date, time, place, and nature of the public hearing and a summary of the proposal to be considered.

2. The sign(s) shall be posted on the land being considered along each roadway that is adjacent to it. The signs shall be located on the property outside of the public right-of-way, if they can be so located and remain clearly visible from the roadway; otherwise, the consent of the owner of the right-of-way must be obtained and the sign(s) located therein. Except as noted herein, if the land being considered consists of more than one parcel of record, a sign must be located upon each parcel. The Zoning Administrator, upon finding that adequate notice will be provided, may not require all signs to comply with the size requirements of Subsection 1 above. In the event that the land being considered includes properties with 500-foot or more of road frontage, a sign shall be placed on each end of the property roadway frontage. If this property includes a corner lot, three signs shall be posted, one on the corner and one on each end of the property roadway frontages.
3. The applicant shall submit a certification to the City Clerk no later than seven (7) days prior to the hearing as to what, where, and when sign(s) were posted. Unless the certification is received by such date, the hearing will be canceled.
4. No later than three (3) days after the noticed hearing and any continuation thereof, sign(s) must be removed. A penalty of \$25.00 per day shall be imposed against each applicant for late removal of the signs.

NOTE:

IF THE CITY COUNCIL OR THE ZONING ADMINISTRATOR DETERMINE THAT ADDITIONAL AND/OR REVISED INFORMATION IS NEEDED, AND IOR IF OTHER UNFORSEEN CIRCUMSTANCES ARISE, ANY DATES OUTLINED FOR PROCESSING MAY BE RESCHEDULED BY THE CITY.

APPLICANT/REPRESENTATIVE MUST ATTEND THE CITY COUNCIL MEETING.

Eagle City Code Section 1-7-4 (A) states, "Fee Schedule Established - The City Clerk, at the time of the filing of an application for a land use planning action within the City limits, shall collect the fee for such action established through a resolution of the City Council, together with any direct costs incurred by the City in obtaining a review of the application, by architects, engineers or other professionals necessary to enable the City to approve or disapprove the application in an informed manner". Direct costs, as underlined in 1-7-4 (A) above, shall be required to be paid by the applicant in a time frame to be determined by the Zoning Administrator. Processing of an application may be delayed if the direct costs are not reimbursed as required.

The City does not guarantee acquisition of public services provided by any agency. The developer, property owner and/or applicant of this annexation application does hereby release and indemnify and hold harmless the City of Eagle from any and all claims, costs, etc., from any individual or organization regarding the acquisition of services that are not affiliated with the City, including but not limited to, water/sewer service and fire protection.


Signature of Applicant/Representative  Date 12/22/04

City staff comments: _____

Signature of receipt by City staff

Date


WELL LOCATION MAP CITY OF EAGLE



MAP TABLE
Groundwater Rights With Points of Diversion
Within 1/2-mile of Proposed Wells

Map Point	Ac	Basin	Sec. No.	Suffi	Basin	Priority Date	Decree Date	Source	Well Division Rate	Max Division Volume	Owner
T&NR1WS2											
1	1	83	15637	Decreed	Dec 31 1913	Dec 30 1999	GROUND WATER	0.04			HEINRICH BELMERS
2	1	83	15682	Decreed	Jan 1 1900	Dec 30 1999	GROUND WATER	0.08			WRE V K PURDY
3	1	83	2629	License	Jan 2 1959		GROUND WATER	1.5			CLARENCE F PURDY
3	2	83	7947	License	Oct 8 1973		GROUND WATER	2.78			QUARTER CIRCLE DU RANCO CO
T&NR1WS3											
1	1	83	9268	Statutory Claim	Mar 1 1962		GROUND WATER	3.3			QUARTER CIRCLE DU RANCO CO
2	1	83	7947	Decreed	Oct 8 1973		GROUND WATER	3.78	1993		QUARTER CIRCLE DU RANCO CO
3	1	83	23824	Decreed	Jan 1 1973	Mar 24 2000	GROUND WATER	0.09			LILLIAN DECKER
3	2	83	23824	Decreed	Jan 1 1973	Mar 24 2000	GROUND WATER	0.09			CLINT DECKER
3	3	83	2675	License	Dec 18 1941		GROUND WATER	0.58			ERSHALL HARRIS
3	4	83	9264	Statutory Claim	Jan 1 1962		GROUND WATER	1.4			QUARTER CIRCLE DU RANCO CO
T&NR1WS9											
1	1	83	4025	Statutory Claim	Apr 1 1950		GROUND WATER	0.22			WARREN VAN OLSEN
1	2	83	21937	Decreed	Jun 25 1962	May 4 2000	GROUND WATER	0.24			BRADLEY K THORNTON
1	3	83	4025	Statutory Claim	Apr 25 1962		GROUND WATER	0.14			WARREN VAN OLSEN
T&NR1WS10											
1	1	83	2716	License	Aug 17 1949		GROUND WATER	0.44			ERSHALL HARRIS
1	2	83	9264	Statutory Claim	Jan 1 1962		GROUND WATER	1.4			QUARTER CIRCLE DU RANCO CO
2	1	83	7947	License	Oct 8 1973		GROUND WATER	3.78	1993		QUARTER CIRCLE DU RANCO CO
3	1	83	10702	License	Aug 12 1988		GROUND WATER	2.08	1070		QUARTER CIRCLE DU RANCO CO
4	1	83	17288	Decreed	Jun 15 1949	Jan 14 2000	GROUND WATER	0.04			MARIE KUENZLI
4	2	83	18311	Decreed	Jan 1 1930	Jan 19 2000	GROUND WATER	0.11			RALPH A WELZOFF
4	3	83	17288	Decreed	Jun 15 1949	Jan 14 2000	GROUND WATER	0.04			RONALD L KUENZLI
T&NR1WS11											
1	1	83	7947	License	Oct 8 1973		GROUND WATER	3.78	1993		QUARTER CIRCLE DU RANCO CO
2	1	83	2933	License	Jun 11 1925		GROUND WATER	1			CRUWICOR MOORE
2	2	83	9267	Decreed	Jan 1 1962	Dec 30 1999	GROUND WATER	0.11			QUARTER CIRCLE DU RANCO CO
3	1	83	8023	Decreed	Apr 15 1919	Dec 30 1999	GROUND WATER	0.08			LEON QUENNER
4	1	83	23649	Decreed	Jul 28 1935	Mar 31 2000	GROUND WATER	0.04			MATHEW LOCKS
5	1	83	18571	Decreed	Dec 31 1943	Jan 7 2000	GROUND WATER	0.04			WILLIAM OLFE
5	2	83	28130	License	May 23 1950		GROUND WATER	0.34			E L HARRIS
5	3	83	18571	Decreed	Dec 31 1943	Jan 7 2000	GROUND WATER	0.04			FRANK M LEE
6	1	83	28130	License	May 23 1950		GROUND WATER	0.08			LAWRENCE L COPE
7	1	83	13463	License	Jun 25 1980		GROUND WATER	0.08			HERBERT H BAKER
8	1	83	3024	License	Mar 15 1955		GROUND WATER	0.11			SCOTT LUTHERMAN CHURCH
8	2	83	4315	Statutory Claim	Jun 1 1948		GROUND WATER	0.58			CONRAD H HARRIS
8	3	83	22941	Decreed	Mar 10 1941	Apr 7 2000	GROUND WATER	0.04			MARVIN LEAR
8	4	83	4307	Statutory Claim	Jun 1 1962		GROUND WATER	0.08			ESTATE OF SARAH JANE SMITH
9	1	83	17602	Decreed	Jan 1 1967	Jun 28 2001	GROUND WATER	0.04			SHAWN MORO
9	2	83	20741	Decreed	May 21 1946	Mar 9 2000	GROUND WATER	0.11			DOROTHY S PROCKS
10	1	83	2543	Decreed	Jan 4 1938	Dec 30 1999	GROUND WATER	0.04			DEAN GLENZNER

NOTE: 1. Water right information is based on IDWR base records.
2. Well location are approximate and not field verified.



AERIAL PHOTO DATE: 7/5/98

NOTE: AERIAL PHOTO SCALE APPROX. 1 INCH = 4000 FEET

LEGEND:

-  CITY OF EAGLE SERVICE AREA AND PLACE OF USE
-  CITY OF EAGLE INCORPORATED LIMITS (AS OF 2/1/05)
-  AREA SEEKING CITY OF EAGLE ANNEXATION
-  PROPOSED CITY OF EAGLE WELL
-  EXISTING WELL (BASED ON IDWR DATABASE RECORDS)
-  POTENTIAL DOMESTIC WELL SITE


This map represents a compilation of public information from (various records gathered by the City of Eagle and Holladay Engineering Company. The purpose for which this map is prepared is an overall general representation of positional relationships, and not a definitive description of location of any class of objects or conditions. Hence, no responsibility for errors can be or is assumed. The City of Eagle and Holladay Engineering Company CANNOT AND DO NOT GUARANTEE the absence of errors or the correctness of all information furnished to them for the preparation of this map.

Revised March 2005

HE HOLLADAY ENGINEERING CO.
Copyright © 2003 by Holladay Engineering Co. All Rights Reserved.

11/24/05 10:41:02 AM 03/04/05

63-32089




JOB NO. EG 112404
 DATE FILED
 DATE 3/18/05
 NUMBER 3/18/05
 DRAWN BY JLM
 CHECKED BY CHD

CROSS SECTION A-A'
EAGLE IDAHO AREA
CITY OF EAGLE, IDAHO

REUSE OF DOCUMENTS
 AND SOONER TO BE
 PROPERTY OF HOLLADAY
 ENGINEERING CO. IN
 THE STATE OF IDAHO.
 NO WELL OR WATER
 WITHIN JURISDICTION OF
 HOLLADAY ENG. CO.

HOLLADAY ENGINEERING CO.
 ENGINEERS - CONSULTANTS
 32 N. MAIN P.O. BOX 235 PAYETTE, ID 83861
 (208) 842-3304 FAX (208) 842-2159
 EMAIL: holladay@micron.net



WELL NO.	WELL LOG OWNER
1	L. SCRIBNER
2	C. HOTHWARTH
3	UNITED WATER CORP. (HOPE LUTHERAN CHURCH)
4	T. RICKS
5	REDWOOD CREEK SUBDIVISION (UNITED WATER IDAHO)

MAP SCALE
 1" = 3000'

CROSS SECTION SCALE
 VERTICAL SCALE 1" = 150 FEET
 HORIZONTAL SCALE 1" = 3000 FEET

MAP LEGEND
 ● CITY OF EAGLE PROPOSED WELLS
 ○ EXISTING WELLS

CROSS SECTION LEGEND
 □ CLAY AND SANDY CLAY
 ▨ SAND AND CLAYEY SAND
 ▩ GRAVEL AND SANDY GRAVEL
 I WELL SCREEN OR OPEN WELL ZONE
 ∇ STATIC WATER LEVEL IN WELL (AT WELL CONSTRUCTION)

NOTE: BLUE CLAY TO 840 FT.



HOLLADAY ENGINEERING CO.

ENGINEERS • CONSULTANTS

32 N. Main P.O. Box 235 Payette, ID 83661
(208) 642-3304 • Fax # (208) 642-2159

RECEIVED

MAR 08 2005

WATER RESOURCES
WESTERN REGION

March 8, 2005

Lori Graves
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

Dear Mrs. Graves,

We have reviewed your letter dated February 8, 2005 requesting additional information concerning the City of Eagle applications for appropriation of water (Application No. 1 and 2) submitted on January 19, 2005. Your letter indicated the City is to provide information specific to Water Appropriation Rule 40, Rule Subsection 040.05cii and 040.05ciii, 040.050dii, and 040.050g. In addition, The City is to provide information regarding the following items:

- Documents showing the request for comments from Ada County and IDEQ,
- Holladay Engineering Company as a City project consultant,
- Water bearing zones of proposed appropriation,
- Application lines 11. a., b. and c. regarding ownership of point of diversion and place of use,
- Clarification that the applications are or not for reasonable anticipated future needs, and
- Explain if/how this application relates to United Water of Idaho and Eagle Water Company located in the area.

We are submitting a report for each application containing the information requested. We have also included documents which support and supplement our response.

Please contact me with any questions or if you need additional information.

Sincerely,

Holladay Engineering Company
Chris Duncan, P.G.

Attachments: Information Report Application for Water Appropriation No. 1
Information Report Application for Water Appropriation No. 2
City of Eagle Municipally Owned Water System Master Plan, Vol. 1.



STATE OF IDAHO
DEPARTMENT OF ENVIRONMENTAL QUALITY
BOISE REGIONAL OFFICE
1445 North Orchard Street • Boise, ID 83706-2239 • (208) 373-0550

RECEIVED

MAR 23 2005

WATER RESOURCES
WESTERN REGION

DEQ Response to Request for Environmental Comment

Date: March 14, 2005
Agency Requesting Comments: City of Eagle
Date Request Received: March 3, 2005
Application No: N/A
Description: Applications to appropriate water with IDWR
Applicant: City of Eagle & Idaho Dept. of Water Resources

Thank you for the opportunity to respond to your letter dated February 28, 2005. We have the following general comments regarding this project:

1. Air Quality

- The Department of Environmental Quality (DEQ) proposes that if the county approves the Conditional Use Permit they also require compliance with The Rules for the Control of Air Pollution in Idaho.
- Fugitive Dust:** According to IDAPA 58.01.01.651, "All reasonable precautions shall be taken to prevent particulate matter from becoming airborne." Based on that rule, DEQ would request that the county require development of a dust control plan by the applicant, which incorporates appropriate best management practices (BMP) to control fugitive dust that may be generated at the site. DEQ would offer technical assistance to the applicant in the development of this plan.
- Permit to Construct:** IDAPA 58.01.01.201 of the Rules for the Control of Air Pollution in Idaho (Rules) states that "No owner or operator may commence construction or modification of any stationary source, facility, major facility, or major modification without first obtaining a permit to construct from the Department . . ." Based on the information supplied in the letter of intent submitted by the Applicant to construct and operate the proposed facility, it is not possible to determine if they may require a Permit to Construct for the proposed activity. DEQ asks that as a condition of the CUP approval, the county require the Applicant to contact DEQ for an applicability determination on their proposal to ensure they remain in compliance with the Rules. The applicants should contact Bill Rogers at (208) 373-0437 to initiate the applicability finding.
- Odor Control:** According to IDAPA 58.01.01.776, "No person shall allow, suffer, cause or permit the emission of odorous gases, liquids or solids into the atmosphere in such quantities as to cause air pollution." DEQ would request that the county require development of an odor management plan using the appropriate best management practices, which details how the applicant will manage odors that may occur from the proposed operation. DEQ would offer technical assistance to the applicant in the development of this plan.

Additional information is needed to comment.
No comments.

2. Wastewater

This project proposes the expansion of an existing wastewater collection system. All projects involving wastewater collection system extensions must be designed by a professional engineer registered in Idaho. Plans and specifications must be approved by this office prior to construction. We do not review plans for individual service lines. Sewer services to individual lots should be reviewed by the State Plumbing Bureau and/or the local building department.

This project proposes a new wastewater collection system and treatment plant. All projects involving wastewater collection systems and wastewater treatment plants must be designed by a professional engineer registered in Idaho. Plans and specifications must be approved by this office prior to construction.

This project proposes the land application of treated wastewater. It will be necessary to obtain a permit from DEQ. The permit process will include review of collection and treatment. For additional details, contact Charles W. Ariss of this office, at 373-0550.

The wastewater treatment plant effluent discharge proposed for this project was not described in the information we received for this project. One or more of the following conditions may apply:

NPDES Permit: *If wastewater treatment plant effluent will reach the State waters, a National Pollutant Discharge Elimination System (NPDES) permit will be required for the proposed discharge. This permit will be difficult to obtain and may delay or halt plan and specification review by this office.*

Wastewater Land Application Permit (WLAP): *If this project proposes the land application of treated wastewater, it will be necessary to obtain a permit from DEQ.*

Large Scale Absorption System (LSAS): *If effluent from the wastewater treatment plant will be discharged to groundwater through a subsurface disposal system, DEQ review and approval may be necessary.*

This project will be served by the _____ wastewater collection system and treatment plant. The wastewater treatment plant does not currently have the additional treatment capacity necessary to serve this development. Applications for this preliminary plat should be denied by the City/District until wastewater treatment capacity has been increased to accommodate this development.

Prior to preparing engineering reports, plans and specification for submission to DEQ, the developer and his engineer should schedule a meeting with Charles W. Ariss, P.E. of this office (373-0550) as soon as possible.

This project will be served by individual subsurface sewage disposal systems. These systems are permitted by the local District Health Department.

Additional information is needed to comment.
No comments.

3. Drinking Water

- This project proposes modifications to an existing public drinking water system. Per Idaho Code §39-118 and the associated Idaho Rules for Public Drinking Water Systems, all components of public water system construction, including wells, must be designed by an Idaho registered professional engineer and approved by the Department of Environmental Quality (DEQ) prior to construction.
- This project will serve more than 24 people for more than 60 days per year and will be a Public Drinking Water System (PWS) and/or Supply. Per Idaho Code §39-118 and the associated Idaho Rules for Public Drinking Water Systems, all components of PWS construction, including wells, must be designed by an Idaho registered professional engineer and approved by the Department of Environmental Quality (DEQ) prior to construction. We recommend that you contact our office directly for each new water system at 373-0550.
- This project will serve between 2 and 9 connections. All components of water system construction, including wells, must be designed by an Idaho registered professional engineer and approved by the Department of Environmental Quality (DEQ) prior to construction. We recommend that you contact our office directly for each new water system at 373-0550.
- This project proposes the use of individual wells for each residential domestic water supply. In most cases, individual well construction is not equivalent to public drinking water system well construction. Therefore, we recommend that private wells be tested for total coliform bacteria, nitrate and nitrite prior to use and retested annually thereafter.
- Additional information is needed to comment.
- No comments.

4. Surface Water

- If the project will involve de-watering of groundwater during excavation, treatment of any discharges from this process will be needed to prevent excessive sediment and turbidity from entering surface water. If the project disturbs more than one acre, a stormwater permit from the U.S. EPA may also be needed.
- Construction Storm Water
The Clean Water Act requires operators of construction sites to obtain permit coverage to discharge storm water to a water body or to a municipal storm sewer. In Idaho, EPA has issued a general permit for storm water discharges from construction sites. In the past storm water was treated as a non-point source of pollutants. However, because storm water can be managed on site through management practices or when discharged through a discrete conveyance such as a storm sewer, it now requires a National Pollution Discharge Elimination System (NPDES) Permit.

a) The Construction General Permit (CGP)

If a construction project disturbs more than one acre of land (or is part of larger common development) that will disturb more than one acre), the operator is required to apply for

City of Eagle

permit coverage from EPA after developing a site-specific Storm Water Pollution Prevention Plan.

b) Storm Water Pollution Prevention Plan (SWPPP)

To obtain the Construction General Permit, operators must develop a site-specific Storm Water Pollution Prevention Plan. The operator must document the erosion, sediment, and pollution controls they intend to use, inspect the controls periodically and maintain the best management practices (BMPs) through the life of the project.


- Additional information is needed to comment.
- No comments.

5. Hazardous Waste

- Comment: No trash or other solid waste should be buried, burned or otherwise disposed at the site. These disposal methods are regulated by various state regulations including Idaho's Solid Waste Management Regulations and Standards, Rules and Regulations for Hazardous Waste, and Rules and Regulations for the Prevention of Air Pollution.
- Additional information is needed to comment.
- No comments.

Please contact me or any technical staff at 208-373-0550, if you have any questions.

Sincerely,


Michael R. McGown
Administrator
Boise Regional Office

TFF:fw: Document1

CC: File 24, Manager's File, Reading File
File 2, _____



HOLLADAY ENGINEERING CO.

ENGINEERS • CONSULTANTS

32 N. Main P.O. Box 235 Payette, ID 83661
(208) 642-3304 • Fax # (208) 642-2159

RECEIVED

MAR 24 2005

WATER RESOURCES
WESTERN REGION

March 22, 2005

Lori Graves
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082

RE: Changes to Information Reports for Application for Water Appropriation No. 1 and 2, City of Eagle

Dear Mrs. Graves,

We are submitting the recommended changes to the information reports for City of Eagle Applications for Water Appropriation No. 1 and 2, as discussed on March 14, 2005. Enclosed is a revised well site confirmation letter from Eagle Sports Development (a.k.a. Signature Sports Development) for Water Appropriation Application No. 1 and report drawings in 8½ by 11 inch format. We have included the City of Eagle System Development Plat Map to replace the City of Eagle Municipally Owned Water System Amended Master Plan to avoid office file problems, as requested.

If you need additional information, please contact me at 642-3304.

Sincerely,

Holladay Engineering Company
Chris Duncan, P.G.

Cc: Bruce Smith, City of Eagle Attorney

Enclosures: Eagle Sports Development Well Confirmation Letter
Well Location Map (2-copies)
Cross-Section A-A' of Eagle, Idaho Area (2-copies)
City of Eagle System Development Plat Map (2-copies)

Graves, Lori

From: Music, Vicky
Sent: Wednesday, March 30, 2005 2:36 PM
To: Graves, Lori
Subject: City of Eagle applications for permit

Hi Lori - Mary Taylor walked in today on my office day inquiring about the City of Eagle water rights and permits. I gave her the workflow printouts. She is particularly interested in the new apps filed 1-19-2005, # 63-32089, 63-32090. I see from the apps list that these are assigned to you.

She and her neighbors are concerned that the City of Eagle is looking for new water, will drill wells and take their water. She looked up the owners of the PODs listed on the apps and has already talked to one of them...she is asking specific questions that I cannot answer so I am deferring to you! Sorry - For instance, why can they drill wells on private property without the knowledge or consent of the property owner? Etc....

Anyway, she wants to talk to the person working on it. Will you please call her?

Mary Taylor 286-7575.

thanks - Vicky M

3410 Hartley Ln
Eagle Id 83696

3/30/2005

**IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 AIRPORT WAY
BOISE ID 83705**

April 14, 2005

Legal Notice Department
IDAHO STATESMAN
PO BOX 40
BOISE ID 83707

RE: Application for Permit No. 63-32089 and 63-32090

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find two legal notices which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notices on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 05/09/2005. Your cooperation is appreciated.

Sincerely

Sue Kreger
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-32089

CITY OF EAGLE
PO BOX 1520
EAGLE ID 83616

Point(s) of Diversion	NWSE	S11	T04N R01W	ADA County	Source GROUND WATER
Point(s) of Diversion	NWNE	S10	T04N R01W	ADA County	Source GROUND WATER
Point(s) of Diversion	SENW	S11	T04N R01W	ADA County	Source GROUND WATER
Point(s) of Diversion	NWNW	S10	T04N R01W	ADA County	Source GROUND WATER

Use: MUNICIPAL 01/01 To 12/31 4 CFS

Total Diversion: 4 CFS

Date Filed: 01/19/2005

Remark: Applicant agrees to mitigate consumptive use in the future as needed.
Municipal use is for applicants service area
Water bearing zone to be appropriated is from 250 to 500 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.
Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 05/09/2005. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in the Idaho Statesman on April 21 and 28, 2005.