

Lester, Steve

From: Lester, Steve
Sent: Wednesday, April 23, 2008 1:45 PM
To: Westra, John
Subject: Processing Application 63-32573, M3 Eagle

Attachments: M3 scan list.doc

John:

Here's the summary we talked about if you want to pass it on.

M3 application will be published in 4 statewide papers May 1 & May 8 with May 19 protest deadline. Used a Word ad instead of the database product to make it better and more cost effective for advertising. Numerous protests already filed but all identify David Head as protestant rep. Denise will send comment letter to that rep to let him know about legal notice and that protestants do not have to do anything, just sit tight.

Application form has dept. cover sheet to point people in the right direction when looking at scanned docs - we divided the application into pieces for scanning to make it more friendly to viewers. That scan cover sheet is attached to give you the idea. That sheet is the first thing anyone will see when opening scanned application. Scanning should be done by end of this week well before ads hit the newspapers.

I added the following database comments to give folks an overview.

RAFNM municipal application with 30 year planning horizon for large planned community involves 12 existing wells and up to 15 proposed wells in a 6000 acre service area in Eagle foothills between Hwy 16 and Hwy 55. Numerous protests received prior to legal notice. Due to voluminous data entry and need to advertise statewide, a stand-alone Word ad is being used instead of Workflow ad. Also, due to interest in this application and expected access to scanned documents on our website, application was divided into portions, scanned separately, and labeled appropriately for easier/faster access. For requests for copies of the application, refer people to website or have them make their written request to Western Region. Region will obtain copies from applicant attorney instead of making copies or having public make copies from dept. files. In addition to standard municipal RAFNM conditions, any approval should include retaining use of existing surface water rights. Water bearing zone information is needed to process the application but not needed as a condition if approved (wells downstream of ground water tributary to Boise River per amended Appl Memo 59). Most likely this application will be resolved with a hearing.

Based on prior IMAP advertising experience, I don't expect any traffic on this one at other regional offices so did not think it necessary to give them a heads up.

File includes cover sheets about dealing with requests for copies plus about how it's scanned. Those sheets will be kept on top left side of file (on top of the application) so can't miss them.

Well, here we go with M3.

Steve



M3 scan list.doc (25
KB)