

RECEIVED

JUL 19 2005

DEPARTMENT OF
WATER RESOURCES

Jeffrey C. Fereday (Idaho State Bar # 2719)
Michael C. Creamer (Idaho State Bar # 4030)
GIVENS PURSLEY LLP
601 Bannock Street, Suite 200
P.O. Box 2720
Boise, ID 83701-2720
Telephone: (208) 388-1200
Facsimile: (208) 388-1300

Attorneys for Idaho Ground Water Appropriators, Inc.

**BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO**

IN THE MATTER OF DISTRIBUTION OF
WATER TO WATER RIGHT NOS.
36-02356A, 36-07210 AND 36-07427

**IGWA'S PETITION FOR
RECONSIDERATION OF ORDER
APPROVING IGWA SUBSTITUTE
CURTAILMENT PLAN
(BLUE LAKES DELIVERY CALL)**

Idaho Ground Water Appropriators, Inc. ("IGWA"), through its counsel Givens Pursley LLP and on behalf of its ground water district members, Magic Valley Ground Water District ("MVGWD") and North Snake Ground Water District ("NSGWD") (collectively the "Ground Water Districts"), hereby petitions for reconsideration of the Director's July 6, 2005 *Order Approving IGWA Substitute Curtailment Plan* ("July 6 Order"). The points on which the Ground Water Districts seek reconsideration, and the grounds therefore, are set forth below.

1. Quantification of Total Qualifying Conversion and Curtailment Acres.

The Ground Water Districts request that the Department reconsider its calculations of the total number of acres on which ground water use has been curtailed by voluntary curtailment and by conversions. As the Department knows, there is no prescribed

method for documenting or reviewing proposals for providing replacement water filed in response to the Director's delivery call orders. Nor are there any established procedures or standards for voluntary or substitute curtailment plans in response to such orders. There is no approved format for documentation, and no guideline informing Ground Water Districts about what information they should maintain and provide to the Department. Neither is there a basis for anticipating the range of issues that the Department staff may deem relevant in its review of Ground Water District submittals. And of course, in the context of this contested case, there has been little if any communication between the administrator and the regulated community concerning the gaps that inevitably exist between what has been provided as documentation and what might be expected.

The July 6 Order notes several instances in which Department staff made assumptions concerning actual, on-the-ground irrigation water use by Ground Water District members. These include assumptions as to whether and to what extent surface water already may be appurtenant to, and actually used on conversion acres, and the extent to which ground water use should be treated as supplemental on those acres.

The Order also imposes significant reductions in the number of submitted acres that are to receive credit for curtailment in 2005, but it does not identify the grounds for the reductions with respect to specific lands. As a result, Ground Water Districts cannot evaluate whether the Department's assumptions are correct; nor can they determine whether additional information could be provided that would result in the non-recognized acres being recognized.

The Ground Water Districts therefore respectfully request that the Department reconsider the July 6 Order's determinations of recognized acres and direct the Water District 130 Watermaster to consult with the Ground Water District staff concerning each of the non-

recognized acres. We ask that the Department refrain from finalizing the total number of recognized or qualifying acres until that consultation has been completed.

2. Non-recognition of credit for canal seepage.

The July 6th Order incorrectly fails to recognize credit for the incidental recharge benefits of seepage losses of water delivered to conversions (and to the Sandy Pipeline Ponds) through North Side Canal Company canals. The Ground Water Districts acknowledge that full credit for seepage cannot be confirmed until the total quantity of water actually delivered is known. The Ground Water Districts disagree, however, that credit should be recognized only for “on-field seepage,” or that 18% is necessarily the appropriate level of on-field seepage credit that should be recognized for surface water deliveries to converted acres.

In addition, if the law of conservation of mass has validity, then the difference between the total amount of water diverted into the Canal for the Ground Water Districts’ benefit and the consumptive use of that water resulting from in-transit evaporation and on-field evapotranspiration must be credited to incidental recharge, unless the Department has reason to believe that the North Side Canal Company is not delivering Ground Water District water to the conversion acres or the Sandy Pipeline Ponds. The Ground Water Districts believe that North Side Canal Company has faithfully and competently made these deliveries.


3. Potential Curtailment Prior to Consultation with the Watermaster.

The July 6 Order determines that all wells serving conversion acres must be curtailed for the remainder of the season unless the Watermaster allows ground water irrigation of the conversion acres as set forth in section 2 at Page 9. Section 2 requires the ground water user and the North Snake Ground Water District to submit a joint request to the Department requesting the ability to continue irrigating with ground water and explaining in detail how water will be

measured using means of control approved by the Watermaster and the Department. These requests and supporting information are required to be submitted to the Department by July 15, 2005. On July 14th, the Ground Water Districts requested that the Department extend the July 15th deadline to July 29th because there was insufficient time to collect the necessary information and consultation with the Watermaster would be required to ensure that the desired documentation was obtained and provided. For the same reasons set out with respect to the Department's determinations of qualifying curtailment and conversion acres—that is, uncertainty about what information the Department requires and how the Department views the information that was provided—there should be no curtailment of ground water diversion for supplemental use on the conversion acres unless the NSGWD and its affected members can consult with the Watermaster to ensure that the full set of relevant facts are considered.

DATED this 19th day of July 2005.

GIVENS PURSLEY LLP

By: 
Michael C. Creamer
Jeffrey C. Fereday
Attorneys for Idaho Ground Water Appropriators, Inc.

CERTIFICATE OF SERVICE

I hereby certify that on this 19th day of July 2005, I served a true and correct copy of the foregoing by delivering the same to each of the following individuals by the method indicated below, addressed as follows:

Mr. Karl J. Dreher	<input type="checkbox"/>	U.S. Mail
Director	<input type="checkbox"/>	Facsimile
Idaho Department of Water Resources	<input type="checkbox"/>	Overnight Mail
322 East Front Street	<input checked="" type="checkbox"/>	Hand Delivery
P.O. Box 83720	<input type="checkbox"/>	E-mail
Boise, ID 83720-0098		

Gregory Kaslo	<input checked="" type="checkbox"/>	U.S. Mail
Blue Lakes Trout Farm	<input type="checkbox"/>	Facsimile
P.O. Box 1237	<input type="checkbox"/>	Overnight Mail
Twin Falls, ID 83303-1237	<input type="checkbox"/>	Hand Delivery
	<input type="checkbox"/>	E-mail

Daniel V. Steenson, Esq.	<input checked="" type="checkbox"/>	U.S. Mail
Ringert Clark, Chartered	<input type="checkbox"/>	Facsimile
455 S. Third Street	<input type="checkbox"/>	Overnight Mail
P.O. Box 2773	<input type="checkbox"/>	Hand Delivery
Boise, ID 83701-2773	<input type="checkbox"/>	E-mail

Roger D. Ling, Esq.	<input checked="" type="checkbox"/>	U.S. Mail
Ling, Robinson & Walker	<input type="checkbox"/>	Facsimile
615 H St.	<input type="checkbox"/>	Overnight Mail
P.O. Box 396	<input type="checkbox"/>	Hand Delivery
Rupert, ID 83350-0396	<input type="checkbox"/>	E-mail

Michael S. Gilmore, Esq.	<input checked="" type="checkbox"/>	U.S. Mail
Deputy Attorney General	<input type="checkbox"/>	Facsimile
Civil Litigation Division	<input type="checkbox"/>	Overnight Mail
Office of the Attorney General	<input type="checkbox"/>	Hand Delivery
Len B. Jordan Bldg., Lower Level	<input type="checkbox"/>	E-mail
P.O. Box 83720		
Boise, ID 83720-0010		

James C. Tucker, Esq.	<input checked="" type="checkbox"/>	U.S. Mail
Idaho Power Company	<input type="checkbox"/>	Facsimile
1221 West Idaho P.O. Box 70	<input type="checkbox"/>	Overnight Mail
Boise, ID 83707	<input type="checkbox"/>	Hand Delivery
	<input type="checkbox"/>	E-mail

James S. Lochhead, Esq.
Adam T. Devoe, Esq.
Brownstein Hyatt & Farber, P.C.
410 17th Street
Twenty-Second Floor
Denver, CO 80202


U.S. Mail
 Facsimile
 Overnight Mail
 Hand Delivery
 E-mail

Cindy Yenter
Watermaster – Water District 130
Idaho Department of Water Resources
Southern Regional Office
1341 Fillmore Street, Suite 200
Twin Falls, ID 83301-3380

U.S. Mail
 Facsimile
 Overnight Mail
 Hand Delivery
 E-mail

Frank Erwin
Watermaster – Water District 36
2628 South 975 East
Hagerman, ID 83332

U.S. Mail
 Facsimile
 Overnight Mail
 Hand Delivery
 E-mail



Michael C. Creamer
Jeffrey C. Fereday