Minidoka North Side Pumping Division

Part II

Hydrologic Data of Individual Wells

Annual Pump Report August 1, 1963

Well No. and Group No.		Low Pumping Depth 1962	Low Pumping Depth 1963	1963 Distance from Bowl*	1963 Low Static Depth	c.f.s. 1963 Peak Period Q	c.f.s. 1963 High	c.f.s. 1963 Low	1962 Peak Period Q c.f.s.	Wire to Water Efficiency 1963	Wire to Water Efficiency 1962	Remarks
1A823	3	254.2	251.5	+ 18.5	248.3	9.60	9.74	9.60	9.72	76.60	77.5	
1B823	3	253.3	251.5	+ 18.5	250.0	4.04	4.30	4.04	3.97	71.45	70.7	
1C823	3	229.9	227.5	+ 12.5	221.1	7.36	7.70	7.36	7.43	74.87	76.9	
1A824	3	184.2	184.4	+ 15.6	180.2	7.74	7.90	7.64	7.54	72.87	72.9	
1A921	6	339.9	338.0	+ 22.0	333.4	7.36	7.60	7.36	7.07	78.96	76.9	
2A823	3	232.4	231.9	+ 18.1	230.1	5.20	5.40	5.20	5.20	76.90	79.2	
2A824	3	174.3	174.3	+ 15.7	173.7	1.90	1.96	1.90	1.90	69.07	69.0	
2A923	4	154.7	155.5	+ 24.8	154.7	1.80	2.00	1.80	1.85	72.14	69.7	
2A1021		373.7	380.1	+ 29.9	343.2	4.83	4.84	4.83	4.7	65.25	65.3	
3A824	2	201.3	201.7	+ 18.3	197.9	9.12	9.56	9.12	8.80	80.10	80.9	
3B824	2	198.3	198.7	+ 21.3	198.7	3.94	4.75	3.94	4.30	73.80	70.8	
3A825	7	224.9	226.1	+ 13.9	220.9	6.82	7.59	6.82	7.42	74.44	78.5	
3B825	7	223.4	224.9	+ 25.1	216.9	7.94	8.06	7.94	5.40	66.93	71.4	
3C825	7	222.6	224.2	+ 15.8	217.4	6.11	6.18	5.84	6.25	74.72	75.5	
3D825	7	223.3	224.5	+ 5.5	213.9	2.91	3.02	2.91	2.80	71.03	67.6	
3E825	7	215.2	216.6	+ 3.4	216.0	4.06	4.15	4.06	4.11	72.50	72.6	
3A921	6	314.0	314.6	+ 15.4	313.1	2.45	2.52	2.38	2.38	68.07	70.5	
3B921	6	317.4	311.8	+ 18.2	310.2	7.43	7.78	7.42	7.48	71.37	73.76	
3C921	5		318.0*	+ 12.0 *	317.0 *	7.90	7.97	7.78	7.90			Airline plugged
3A922	5	238.0	237.4	+ 12.6	234.9	8.80	8.80	8.70	8.95	73.47	75.0	
3B922	5	234.8	234.3	+ 5.7	234.2	3.62	4.46	3.62	4.60	56.3	73.0	
3A923	4	172.9	178.8	+ 21.2	158.4	5.00	5.42	5.00	4.00	75.84	74.5	
3B923	4	155.7	156.2	+ 3.8	151.8	2.20	2.24	2.20	2.20	77.47	76.9	
3A1022	4	284.7	283.0	+ 7.0	279.5	3.86	4.01	3.86	3.86	69.51	70.4	
4A823	4	250.9	249.0	+ 21.0	247.0	9.95	9.96	9.90	10.30	73.84	77.3	
4B823	4	248.9	247.9	+ 22.1	247.3	4.22	4.44	4.22	4.09	72.47	69.1	
4A824	2	205.8	206.0	+ 14.0	193.2	9.24	9.48	9.24	9.20	71.71	72.1	
4B824	1	210.3	212.0	+ 18.0	204.8	9.24	9.47	9.24	9.10	75.26	69.9	
4C824	5	216.8	219.4	+ 20.6	206.4	4.42	4.71	4.30	3.90	74.97	66.7	
5B823	4	260.9	258.8	+ 21.2	251.9	6.78	6.90	6.78	6.94	70.98	74.3	
5C823	4	255.6	255.0	+ 5.0	253.3	2.92	3.00	2.92	3.11	69.23	72.7	
5A825	7		208.7	+ 21.3	207.6	11.13	11.14	10.98	11.00	74.85		
5B825	7	207.6	210.7	+ 19.3	207.8	4.66	5.22	4.66	5.10	66.41	67.5	

Minidoka North Side Pumping Division

Part II — Hydrologic Data of Individual Wells — Annual Pump Report — August 1, 1963

Well No. and Group No.		Low Pumping Depth 1962	Low Pumping Depth 1963	1963 Distance from Bowlat	1963 Low Static Depth	c.f.s. 1963 Peak Period Q	c.f.s. 1963 High	c.f.s. 1963 Low	1962 Peak Period Q c.f.s.	Wire to Water Efficiency 1963	Wire to Water Efficiency 1962	Remarks
6A824	1	242.8	240.6	+ 10.4	238.2	10.40	10.93	10.20	10.39	71.08	68.3	
6B824	4	243.4	241.0	+ 19.0	234.6	5.75	5.87	5.66	5.57	74.17	72.2	
6C824	5	208.9	208.8	+ 21.2	206.0	2.00	2.10	1.96	1.96	74.83	74.3	
6A825	7	176.4	175.2	+ 24.8	175.0	6.50	6.67	6.18	6.20	65.82	64.5	
6B825	7	177.6	175.6	+ 24.4	175.3	2.52	3.05	2.52	3.04	70.34	72.0	
6A923	1	186.6	186.5	+ 13.5	185.1	9.40	9.55	9.40	9.34	72.42	70.2	
6B923	4	166.9	166.2	+ 13.8	164.3	4.22	4.24	4.14	4.30	75.14	76.3	
7B824	1	188.2	185.4	+ 19.6	183.2	7.38	7.64	7.38	7.38	61.28	63.08	
7A922	5	291.7	293.6	+ 6.4	281.6	8.27	8.25	8.27	8.06	68.90	66.7	
7B922	5	293.9	294.2	+ 15.8	293.8	8.08	8.23	8.08	8.37	71.66	73.6	
8A823	1	247.1	246.2	+ 8.8	245.8	9.38	9.48	9.38	9.32	74.59	75.9	
8A824	1	188.4	188.2	+ 13.8	183.2	7.65	7.78	7.49	7.40	64.20	60.0	
9A922	5	272.3	281.2	- 1.2	257.8	7.36	8.02	7.36	5.38	70.04	70.0	
9B922	5		290.0*	+ 20.0 *	268.0*	4.76	5.00	4.74	4.28			No airline
10A823	3	219.1	218.6	+ 21.4	217.8	3.72	3.90	3.72	3.7	69.02	69.7	
10B823	3	231.0	230.1	+ 9.9	228.5	1.68	1.77	1.68	1.68	71.28	70.2	
10A824	1	181.9	182.0	+ 8.0	180.8	9.45	9.64	9.45	9.3	75.10	71.2	
10B824	1	168.0	168.3	+ 11.7	167.4	5.90	5.99	5.71	5.78	74.16	71.3	
10C824	5	172.1	172.9	+ 27.1	172.3	5.61	5.90	5.61	4.30	69.74	62.5	
10A922	5	232.1	235.5	+ 14.5	225.2	4.06	4.13	4.06	3.35	73.04	68.4	
11A824	1	179.6	179.8	+ 15.2	179.8	6.98	6.98	6.73	7.11	65.49	66.0	
11B824	2	178.6	178.8	+ 21.2	178.8	3.73	3.96	3.73	3.74	70.90	72.0	
11C824	2	171.7	172.0	+ 8.0	171.4	5.80	5.92	5.79	5.9	70.10	71.8	
11A825	7	185.4	185.0	+ 5.0	181.4	6.10	6.23	6.10	6.44	69.76	71.7	
11B922	4	226.7	226.6	+ 13.4	214.0	4.30	4.64	3.82	4.48	69.17	67.5	
11C922	4	209.7	207.1	+ 22.9	206.5	5.02	5.02	4.79	4.68	68.10	65.7	
12A823	3		227.7	+ 22.3	255.0	9.08	9.82	9.08	9.20	73.04		
12B823	3	228.6	226.6	+ 23.4	224.7	3.06	3.13	3.06	3.04	75.42	79.3	
12C823	3	218.7	218.8	+ 21.2	215.8	9.68	9.70	9.30	9.66	71.43	72.4	
12D823	3	220.8	221.2	+ 8.8	215.2	3.58	3.79	3.58	3.92	79.28	73.2	
12A824	3	162.4	163.1	+ 26.9	159.7	6.10	6.21	5.89	6.00	71.14	59.1	
12A825	7	199.9	200.7	+ 19.3	199.9	10.15	10.50	10.15	10.20	69.86	81.4	
12B825	7	201.2	202.8	+ 7.2	197.8	4.10	4.65	4.10	4.18	75.73	75.2	

Minidoka North Side Pumping Division

Part II — Hydrologic Data of Individual Wells — Annual Pump Report — August 1, 1963

Well No. and Group No.		Low Pumping Depth 1962	Low Pumping Depth 1963	1963 Distance from Bowlet	1963 Low Static Depth	c.f.s. 1963 Peak Period Q	c.f.s. 1963 High	c.f.s. 1963 Low	c.f.s. 1962 Peak Period Q c.f.s.	Wire to Water Efficiency 1963	Wire to Water Efficiency 1962	Remarks
13A824	2	169.0	169.0	+ 31.0	168.8	12.32	12.36	12.12	9.22	72.42	71.5	
13B824	2	168.0	168.9	+ 11.1	168.9	4.96	5.05	4.80	5.0	70.39	72.3	
13A825	5	166.0	167.3	+ 22.7	164.3	2.90	2.97	2.90	2.9	60.52	61.1	
14A823	3	214.6	213.5	+ 26.5	213.1	6.94	6.86	6.86	7.10	67.88	72.7	
14B823	3	215.9	215.0	+ 5.0	212.6	2.88	2.88	2.72	2.67	71.03	67.1	
14A824	1	146.2	147.2	+ 12.8	247.2	8.30	8.60	8.30	8.30	67.33	68.8	
14C825	7	173.9	175.2	+ 4.8	175.0	1.90	2.10	1.90	2.00	67.26	68.6	
15A823	3	222.6	224.0	+ 26.0	223.1	9.22	9.54	9.22	9.10	75.32	74.3	
15B823	3	227.1	228.3	+ 31.7	223.3	4.38	4.38	4.30	4.28	74.32	70.2	
15D823	4	209.0	207.8	+ 22.2	205.2	2.30	2.31	2.30	2.23	73.81	75.0	
15A824	1	162.8	163.1	+ 6.9	162.2	5.96	6.25	5.96	6.10	72.91	73.7	
15A825	5	168.3	167.0	+ 23.0	164.3	10.96	10.96	10.70	10.00	70.78	79.8	
15B825	5	164.3	164.8	+ 15.2	163.6	3.96	4.10	3.96	4.10	68.16	68.4	
15A922	5	282.1	286.9	+ 13.1	257.7	2.08	2.16	2.06	2.24	70.72	73.1	
15B922	5	242.7	242.0	+ 88.0	227.0	2.16	2.72	2.16	1.19	56.87	69.3	
17A823	4	222.1	221.0	+ 19.0	212.8	5.44	5.53	5.40	5.52	73.64	75.9	
17B823	4	217.8	208.7	+ 31.3	205.0	2.92	2.92	2.88	2.90	76.48	73.5	
17C823	1	240.0	236.9	+ 23.1	236.4	2.17	2.22	2.17	2.22	68.78	71.2	
17A825	5	146.5	146.2	+ 13.8	145.3	6.80	6.91	6.80	6.70	74.53	75.3	
18A824	1	201.4	199.4	+ 12.6	193.8	9.54	9.81	9.54	9.68	68.32	69.5	
18A922	5	262.0	262.1	+ 17.9	261.1	6.46	6.72	6.46	6.58	69.24	70.5	
18B922	5	261.2	261.4	+ 18.6	260.3	2.13	2.27	2.13	1.95	63.17	56.3	
19A823	4	232.7	231.2	+ 18.8	227.4	7.60	7.65	7.40	6.50	71.47	74.2	
19B823	4	229.6	227.6	+ 22.4	226.9	3.60	4.06	3.60	3.09	73.24	68.8	
19A825	2	136.3	136.4	+ 23.6	131.7	10.24	10.41	10.24	9.86	73.18	70.4	
19B825	2	136.7	136.9	+ 23.1	133.9	5.12	5.40	5.12	5.20	72.10	76.0	
19C825	3	141.0	141.2	+ 18.8	139.6	7.50	7.62	7.40	7.34	70.41	72.6	
19D825	3	141.8	141.8	+ 18.2	140.5	3.12	3.17	2.91	3.30	70.14	72.1	
19A922	6	310.8	311.3	+ 8.7	309.7	4.27	4.33	4.27	4.20	72.10	70.5	
20A922	5	269.0	267.9	+ 22.1	261.3	6.90	7.14	6.90	5.88	70.88	71.5	
21A823	4	206.5	205.2	+ 14.8	203.2	7.60	8.03	7.50	7.30	75.90	75.0	
21A824	1	169.4	169.8	+ 12.2	153.8	7.96	8.00	7.92	8.26	59.70	58.5	
21B824	2	165.8	166.2	+ 13.8	159.8	7.22	7.45	7.20	7.09	72.07	69.5	

Minidoka North Side Pumping Division

Part II — Hydrologic Data of Individual Wells — Annual Pump Report - August 1, 1963

Well No. and Group No.		Low Pumping Depth 1962	Low Pumping Depth 1963	1963 Distance from Bowlst	1963 Low Static Depth	c.f.s. 1963 Peak Period Q	c.f.s. 1963 High	c.f.s. 1963 Low	c.f.s. 1962 Peak Period Q c.f.s.	Wire to Water Efficiency 1963	Wire to Water Efficiency 1962	Remarks
21A825	5	140.4	141.2	+ 18.8	137.8	9.35	9.65	9.35	9.34	68.10*	69.7	WH meter in error
22A724	7	215.3	215.4	+ 4.6	215.0	2.67	2.67	2.67	2.52	74.16	77.2	
22B724	7	230.9	228.4	+ 21.6	221.0	6.61	6.76	6.61	6.64	74.30	73.0	
22C724	7	208.0	209.6	+ 20.4	209.0	6.40	6.56	6.40	4.78	67.89	75.5	
22A821	6	317.2	316.9	+ 23.1	315.8	6.70	6.80	6.69	6.70	75.70	73.6	
22A823	4	205.0	208.0*	+ 22.0 *	206.0 *	5.60	5.82	5.60	5.60		72.5	Airline broken off
22A824	2	152.4	155.8	+ 24.2	246.6	7.03	7.03	6.50	4.50	71.39	78.1	
22A922	5	278.7	260.2	+ 39.8	247.2	2.20	2.31	2.20	2.20	65.12	71.1	
23A724	7	217.2	218.2	+ 21.8	217.0	4.83	4.93	4.83	4.83	74.46	74.3	
23A823	4	214.1	231.3	- 1.3	214.0	6.70	6.90	6.70	5.70	72.70	73.3	Possible cave in 7/24/
23B823	4	212.3	212.8	+ 17.2	211.6	2.70	2.80	2.60	3.00	72.99	66.7	
23A824	2	156.3	156.4	+ 23.6	152.8	10.50	10.70	10.20	10.50	75.08	74.1	
23A825	5	177.2	178.4	+ 21.6	171.9	6.75	6.82	6.75	6.72	76.32	77.9	
23B825	5	173.6	174.6	+ 5.4	171.6	6.70	6.96	6.70	6.63	73.58	70.6	
24A821	6		326.0*	+ 4.0 *	321.4	1.83	1.96	1.83	1.90			Airline out of water
24A823	3	178.6	176.5	+ 23.5	166.9	9.44	9.86	9.44	9.63	74.93	75.9	
24B823	3	160.5	164.5	+ 15.5	162.5	6.55	6.74	6.55	4.89	69.14	71.3	
24C823	1		149.0*	+ 29.0 *	151.0 *	7.50	7.50	7.36	7.20			No Airline
24A825	5	168.4	167.8	+ 22.2	163.2	5.56	5.64	5.54	4.20	70.78	70.9	
25A823	3	157.6	156.6	+ 23.4	153.3	3.36	3.52	3.36	3.40	69.09	70.0	
26A724	7	207.1	204.3	+ 25.7	201.7	5.83	6.36	5.83	5.96	71.79	75.7	
26B724	7	198.1	200.4	+ 9.6	200.1	2.62	2.90	2.62	2.67	72.31	72.4	
26A821	6	347.1	345.8	+ 24.2	338.8	5.28	5.36	4.93	5.17	72.56	73.0	
26B821	6	357.3	353.0*	+ 17.0 *	343.0 *	7.12	7.12	6.69	6.70		76.0	Airline plugged
26A823	4		166.0*	+ 24.0 *	170.0 *	3.84	4.04	3.84	3.99			Airline leaks
26A824	2	133.3	134.0	+ 26.0	133.2	10.02	10.16	10.02	7.70	68.46	70.0	
27A725	7	212.8	219.6	+ 20.4	219.4	1.96	2.03	1.96	1.91	72.32	64.1	
27A823	1	204.0	204.1	+ 25.9	199.0	5.20	5.60	5.20	5.00	67.83	70.3	
27B823	4	183.0	182.1	+ 17.9	181.3	4.00	4.64	4.00	4.40	72.89	70.6	
27C823	1		202.2	+ 13.8	192.6	4.40	4.70	4.40	3.30	70.43		
28A724	7	226.9	227.4	+ 2.6	225.4	6.90	7.12	6.90	6.70	75.47	72.7	
28B724	7	225.7	225.4	+ 4.6	225.4	3.38	3.68	3.38	3.25	70.28	75.1	
28A823	4	199.7	198.6	+ 21.4	295.9	10.87	10.90	10.70	10.80	73.55	74.0	

Minidoka North Side Pumping Division

Part II — Hydrologic Data of Individual Wells — Annual Pump Report - August 1, 1963

Well No. and Group No.		Low Pumping Depth 1962	Low Pumping Depth 1963	1963 Distance from Bowlet	1963 Low Static Depth	c.f.s. 1963 Peak Period Q	c.f.s. 1963 High	c.f.s. 1963 Low	c.f.s. 1962 Peak Period Q c.f.s.	Wire to Water Efficiency 1963	Wire to Water Efficiency 1962	Remarks
28B823	4	198.2	196.3	+ 23.7	195.4	6.47	6.60	6.47	6.64	65.30	67.0	
28C823	4	189.7	189.5*	+ 20.5 *	188.0*	5.50	5.70	5.10	5.20		72.7	Airline not calibrate
28A922	6		263.5	+ 16.5	255.3	2.70	2.90	2.70	1.74	69.11	65.6	
29A725	7	251.0	252.7	+ 17.3	252.4	4.54	4.62	4.54	4.59	73.44	72.6	
29A823	4	208.4	204.5	+ 15.5	203.0	9.92	10.10	9.92	8.12	69.34	76.9	
29B823	4	207.3	206.0	+ 14.0	201.9	3.88	4.20	3.88	3.73	69.58	66.2	
29A824	3	135.4	133.5	+ 6.5	132.8	5.30	5.36	5.30	5.30	77.1	77.1	
30A724	3	266.3	264.6	+ 15.4	260.4	7.87	8.12	7.62	7.71	72.63	72.5	
30B724	3	262.9	261.9	+ 18.1	259.5	4.02	4.34	4.02	3.99	74.16	69.7	
30A725	7	239.9	241.5	+ 18.5	248.9	7.40	7.46	7.40	7.04	73.25	67.1	
30A822	6	297.9	299.5	+ 20.5	293.9	3.66	3.92	3.60	3.73	72.60	74.0	
30A824	3	159.2	159.9	+ 20.1	152.5	5.80	6.11	5.80	5.99	73.13	70.9	
30B824	3	137.0	137.9	+ 22.1	137.1	3.31	3.42	3.06	3.40	74.46	73.8	
30A922	6	301.4	296.6	+ 33.4	277.6	6.96	7.16	6.35	7.00	68.32	71.0	
31A724	2	254.5	255.4	+ 4.6	253.0	4.24	4.30	4.24	4.19	72.18	71.1	
31A725	7	194.4	194.9	+ 25.1	194.5	4.80	5.06	4.75	4.80	70.55	71.5	
31A823	4	189.5	188.5	+ 21.5	186.5	6.82	7.12	6.82	6.69	71.73	70.4	
31A824	3	173.6	172.6	+ 27.4	172.3	9.43	9.54	9.43	9.40	73.30	74.1	
31B824	3	174.6	174.0	+ 26.0	173.7	4.24	4.34	4.24	4.07	75.34	68.4	
32A724	2	226.3	225.7	+ 14.3	217.9	7.87	8.89	7.87	8.70	76.86	75.5	
32B724	2	233.8	221.1	+ 28.9	217.7	5.17	5.70	5.17	3.48	70.91	66.5	
32A725	7	196.1	198.0*	+ 22.0 *	195.0*	4.58	4.68	4.56	4.66		73.7	Airline leaks
33A724	2	217.3	218.0	+ 22.0	216.8	5.91	6.53	5.91	6.30	75.00	74.1	
33B724	7	222.0	222.5	+ 17.5	221.1	3.89	4.59	3.84	3.54	70.05	71.9	
33A725	7	216.6	217.8	+ 12.2	216.4	6.55	6.69	6.46	6.66	67.99	69.7	
33B922	6	275.5	276.4	+ 13.6	264.1	6.05	6.50	6.05	5.91	74.99	73.6	
33C922	6	264.7	265.1	+ 24.9	261.7	2.94	3.54	2.94	3.44	63.76	68.9	
34A723	3	248.4	248.8	+ 21.2	242.8	7.55	7.58	7.55	7.58	67.51	68.0	
34B723	3	246.7	246.9	+ 13.1	243.9	2.94	3.12	2.94	3.14	74.47	63.4	
34A724	2	202.7	203.3	+ 16.7	202.1	6.77	7.01	6.77	6.96	70.62	71.8	
34A725	7	229.9	230.0	+ 10.0	220.7	6.34	6.58	6.25	6.09	71.19	68.3	
34A823	4	158.1	158.6	+ 21.4	153.9	4.20	4.41	4.20	4.20	72.40	75.1	
35A724	2	210.7	211.6	+ 8.4	204.8	8.65	8.94	8.65	7.07	72.52	73.8	

Minidoka North Side Pumping Division

Part II — Hydrologic Data of Individual Wells — Annual Pump Report - August 1, 1963

Well No. and Group No.		Low Pumping Depth 1962	Low Pumping Depth 1963	1963 Distance from Bowlet	1963 Low Static Depth	c.f.s. 1963 Peak Period Q	c.f.s. 1963 High	c.f.s. 1963 Low	c.f.s. 1962 Peak Period Q c.f.s.	Wire to Water Efficiency 1963	Wire to Water Efficiency 1962	Remarks
35B724	2	204.6	204.5	+ 15.5	203.7	3.42	3.79	3.42	3.46	74.6	74.3	
35A821	6		323.0*	+ 17.0 *	317.0*	4.60	4.60	4.46	4.57			Airline plugged
35B821	6		312.0*	+ 28.0 *	318.8	5.50	5.64	5.50	5.78			Airline out of water
35C821	6	335.3	334.7	+ 25.3	332.8	6.57	6.57	6.57	5.13	75.1	68.6	
35D821	6	324.6	325.1	+ 4.9	321.8	5.60	5.66	5.58	5.59	71.6	65.8	
35A822	4	216.1	214.4	+ 5.6	212.0	9.18	9.50	9.18	9.09	74.49	74.9	
35B822	4	217.2	215.7	+ 4.3	210.9	4.10	4.28	4.10	4.18	73.71	74.5	
35C822	5	253.4	251.2	+ 8.8	245.4	2.38	2.50	2.38	2.31	71.42	70.9	
35A823	4		155.0*	+ 25.0 *	157.0*	6.94	7.24	6.94	7.30			No airline
35B823	4	155.1	153.9	+ 26.1	153.7	1.88	1.96	1.88	1.90	70.26	66.7	
35C823	4	160.8	161.5	+ 18.5	155.1	3.73	3.92	3.73	3.86	72.89	69.0	
35D823	4	152.8	153.5	+ 36.5	152.8	1.68	1.77	1.68	1.68	69.88	69.9	

* Estimated figures

August 1, 1964

Minidoka North Side Pumping Division

Part II

Hydrologic Data of Individual Wells

Annual Pump Report

Well No. and Group No.	Low Pumping Depth 1963	Low Pumping Depth 1964	1964 Distance from Bowls	1964 Low Static Depth	c.f.s. 1964 Peak Period Q	c.f.s. 1964 High	c.f.s. 1964 Low	c.f.s. 1963 Peak Period Q c.f.s.	Wire to Water Efficiency 1964	Wire to Water Efficiency 1963	Remarks
1A823	3:251.5	252.3	+ 17.7	249.6	9.6	10.4	9.5	9.60	76.87	76.60	
1B823	3:251.5	252.1	+ 17.9	250.3	4.2	4.4	4.0	4.04	77.05	71.45	
1C823	3:227.5	229.2	+ 10.8	222.5	7.4	7.6	7.4	7.36	72.59	74.87	
1A824	3:184.4	184.7	+ 15.3	180.5	7.8	7.8	7.6	7.74	73.59	72.87	
1A921	6:338.0	340.6	+ 19.4	336.0	7.1	7.4	7.1	7.36	73.82	78.96	
2A823	3:231.9	230.4	+ 19.6	228.4	5.2	5.2	5.2	5.20	76.62	76.90	
2A824	3:174.3	174.8	+ 15.2	174.1	1.9	2.0	1.9	1.90	69.46	69.07	
2A923	4:155.5	154.8	+ 25.2	153.8	2.5	2.6	2.5	1.80	71.66	72.14	
2A1021		378.0*	+ 32.0 *	347.7	4.8	5.5	4.8	4.83	*64.72	65.25	Airline out of water w/pump on
3A824	2:201.7	202.7	+ 17.3	199.1	9.2	9.2	9.0	9.12	79.35	80.10	
3B824	2:198.7	199.7	+ 20.3	199.4	4.3	4.5	4.3	3.94	68.89	73.80	
3A825	7:226.1	226.1	+ 13.9	221.7	7.0	7.4	7.0	6.82	74.50	74.44	
3B825	7:224.9	225.2	+ 24.8	217.1	7.9	8.1	7.9	7.94	68.92	66.93	
3C825	7:224.2	223.6	+ 16.4	215.8	6.0	6.1	6.0	6.11	72.51	74.72	
3D825	7:224.5	215.2	+ 34.8	213.6	3.9	3.9	3.9	2.91	65.90	71.03	
3E825	7:216.6	216.4	+ 3.6	215.7	4.0	4.1	4.0	4.06	72.16	72.50	
3A921	6:314.6	316.0	+ 14.0	314.5	2.4	2.5	2.4	2.45	69.53	68.07	
3B921	6:311.8	313.0	+ 17.0	311.2	7.3	7.5	7.3	7.43	71.91	71.37	
3C921	5:318.0*	319.0*	+ 11.0	318.0*	8.0	8.0	7.8	7.90			Airline plugged
3A922	5:237.4	239.8	+ 10.2	237.1	8.8	8.8	8.8	8.80	74.98	73.47	
3B922	5:234.3	238.5	+ 21.5	237.8	6.0	6.3	6.0	3.62	70.84	56.30	
3A923	4:178.8	177.9	+ 22.1	158.8	4.9	5.2	4.4	5.00	72.74	75.84	
3B923	4:156.2	156.3	+ 3.7	151.9	2.2	2.2	2.2	2.20	76.11	77.47	
3A1022	4:283.0	289.3	+ 0.7	285.3	3.9	4.0	3.9	3.86	72.19	69.51	
4A823	4:249.0	247.7	+ 22.3	245.5	9.8	9.9	9.8	9.95	73.62	73.84	
4B823	4:247.9	246.6	+ 23.4	245.6	4.4	4.4	4.4	4.22	73.99	72.47	
4A824	2:206.0	208.4	+ 11.6	194.2	9.2	9.5	9.1	9.24	72.46	71.71	
4B824	1:212.0	211.8	+ 18.2	204.9	9.2	9.4	9.2	9.24	78.27	75.26	
4C824	5:219.4	218.9	+ 21.1	206.8	4.5	4.6	4.4	4.42	76.58	74.97	
5B823	4:258.8	258.2	+ 21.8	250.4	6.6	7.0	6.6	6.78	73.06	70.98	
5C823	4:255.0	253.7	+ 6.3	251.6	3.2	3.2	3.0	2.92	72.27	69.23	
5A825	7:208.7	207.6	+ 22.4	207.6	11.0	11.1	11.0	11.13	74.34	74.85	
5B825	7:210.7	210.2	+ 19.8	207.4	4.8	5.2	4.8	4.66	67.37	66.41	

Minidoka North Side Pumping Division

Annual Pump Report

Part II — Hydrologic Data of Individual Wells

Well No. and Group No.	Low Pumping Depth 1963	Low Pumping Depth 1964	1964 Distance from Bowl±	1964 Low Static Depth	c.f.s. 1964 Peak Period Q	c.f.s. 1964 High	c.f.s. 1964 Low	c.f.s. 1963 Peak Period Q: c.f.s.	Wire to Water Efficiency 1964	Wire to Water Efficiency 1963	Remarks
6A824	1:240.6	241.8	+ 9.2	239.6	10.5	10.7	9.9	10.40	68.95	71.08	
6B824	4:241.0	241.1	+ 18.9	234.7	5.7	5.8	5.7	5.75	71.30	74.17	
6C824	5:208.8	207.6	+ 22.4	204.6	2.0	2.0	1.7	2.00	68.87	74.83	
6A825	7:175.2	176.1	+ 23.9	175.7	6.4	7.0	6.4	6.50	65.66	65.82	
6B825	7:175.6	176.3	+ 23.7	176.0	2.8	2.9	2.7	2.52	67.27	70.34	
6A923	1:186.5	188.0	+ 12.0	186.8	9.0	9.2	9.1	9.40	69.15	72.42	
6B923	4:166.2	169.3	+ 10.7	167.7	4.2	4.2	4.2	4.22	76.13	75.14	
7B824	1:185.4	186.2	+ 18.8	184.0	9.2	9.6	9.2	7.38	64.50	61.28	
7A922	5:293.6	314.8	+ 5.2	291.7	9.0	9.5	9.0	8.27	69.14	68.98	
7B922	5:294.2	295.8	+ 14.2	295.1	8.1	8.2	8.1	8.08	70.93	71.66	
8A823	1:246.2	247.6	+ 7.4	247.0	9.4	9.7	9.4	9.38	77.16	74.59	
8A824	1:188.2	189.9	+ 12.1	184.3	7.6	7.9	7.6	7.65	64.16	64.20	
9A922	5:281.2	273.8	+ 16.2	268.1	8.0	8.2	7.9	7.36	73.92	70.04	
9B922	5:290.0*	295.0*	+ 15.0 *	275.0*	4.4	4.7	4.4	4.76			No airline
10A823	3:218.6	217.1	+ 22.9	216.4	3.8	3.9	3.8	3.72		69.02	
10B823	3:230.1	228.6	+ 11.4	227.2	1.7	1.8	1.7	1.68	71.83	71.28	
10A824	1:182.0	182.8	+ 7.2	181.8	9.4	9.7	9.3	9.45	75.00	75.10	
10B824	1:168.3	169.0	+ 11.0	168.4	6.0	6.1	5.9	5.90	73.51	74.16	
10C824	5:172.9	173.8	+ 26.2	173.0	5.2	5.7	5.2	5.61	71.79	69.74	
10A922	5:235.5	235.4	+ 14.6	224.9	4.0	4.2	4.0	4.06	72.73	73.04	
11A824	1:179.8	181.4	+ 13.6	181.0	10.7	11.3	10.4	6.98	67.83	65.49	
11B824	2:178.8	180.1	+ 19.9	179.8	4.0	4.1	3.9	3.73	74.49	70.90	
11C824	2:172.0	173.2	+ 6.8	172.3	5.7	5.9	5.3	5.80	72.57	70.10	
11A825	7:185.0	187.9	+ 2.1	183.0	6.0	6.3	6.0	6.10	72.03	69.76	
11B922	4:226.6	233.2	+ 6.8	221.2	4.5	4.6	4.5	4.30	70.41	69.17	
11C922	4:207.1	210.8	+ 19.2	208.5	4.8	4.8	4.8	5.02	68.95	68.10	
12A823	3:227.7	230.0	+ 20.0	227.5	8.7	9.4	8.7	9.08	70.14	73.04	
12B823	3:226.6	229.2	+ 20.8	227.2	3.0	3.3	3.0	3.06	79.56	75.42	
12C823	3:218.8	216.4	+ 23.6	213.6	9.5	9.8	9.4	9.68	70.41	71.43	
12D823	3:221.2	217.7	+ 12.3	213.1	3.8	3.8	3.8	3.58	73.64	79.28	
12A824	3:163.1	163.5	+ 26.5	159.7	6.2	6.2	5.9	6.10	71.62	71.14	
12A825	7:200.7	200.4	+ 19.6	199.5	10.0	10.4	10.0	10.15	72.89	69.86	
12B825	7:202.8	201.9	+ 8.1	197.0	4.7	4.7	4.2	4.10	69.49	75.73	

Minidoka North Side Pumping Division

Annual Pump Report

Part II

Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1963	Low Pumping Depth 1964	1964 Distance from Bowls±	1964 Low Static Depth	c.f.s. 1964 Peak Period Q	c.f.s. 1964 High	c.f.s. 1964 Low	c.f.s. 1963 Peak Period Q: c.f.s.	Wire to Water Efficiency 1964	Wire to Water Efficiency 1963	Remarks
13A824	2	169.0	168.3	+ 31.7	167.7	12.4	12.4	11.9	12.32	72.71	72.42	
13B824	2	168.9	168.0	+ 12.0	167.6	4.8	5.2	4.7	4.96	71.47	70.39	
13A825	5	167.3	168.0	+ 22.0	165.4	2.9	3.0	2.9	2.90	62.43	60.52	
14A823	3	213.5	212.3	+ 27.7	211.9	7.2	7.3	6.8	6.94	73.16	67.88	
14B823	3	215.0	213.8	+ 6.2	211.4	2.9	2.9	2.7	2.88	74.21	71.03	
14A824	1	147.2	147.6	+ 12.4	146.5	8.6	8.9	8.6	8.30	69.43	67.33	
14C825	7	175.2	174.5	+ 25.5	174.3	2.8	2.9	2.8	1.90	79.19	67.26	
15A823	3	224.0	225.3	+ 24.7	224.4	9.2	9.5	9.1	9.22	77.39	75.32	
15B823	3	228.3	230.0*	+ 30.0 *	224.3	4.3	4.3	4.3	4.38	72.93*	74.32	Airline out of water w/pump on
15D823	4	207.8	206.3	+ 23.7	203.6	2.3	2.3	2.3	2.30	72.62	73.81	
15A824	1	163.1	163.2	+ 6.8	162.2	6.0	6.2	6.0	5.96	73.38	72.91	
15A825	5	167.0	168.0*	+ 22.0 *	165.0	10.9	11.1	10.7	10.96	71.44*	70.78	Airline leaks
15B825	5	164.8	164.5	+ 15.5	163.5	4.0	4.2	4.0	3.96	68.99	68.16	
15A922	5	286.9	287.6	+ 12.4	262.6	2.0	2.0	2.0	2.08	65.56	70.72	
15B922	5	242.0	242.7	+ 87.3	231.8	2.2	2.3	2.2	2.16	57.01	56.87	
17A823	4	221.0	211.4	+ 28.6	210.0	6.6	6.7	6.5	5.44	73.36	73.64	
17B823	4	208.7	217.0	+ 23.0	202.2	2.9	2.9	2.9	2.92	70.03	76.48	
17C823	1	236.9	236.9	+ 23.1	234.9	2.1	2.1	2.1	2.17	66.81	68.78	
17A825	5	146.2	145.3	+ 14.7	144.5	6.6	7.0	6.6	6.80	74.37	74.53	
18A824	1	199.4	200.8	+ 11.2	194.8	9.6	9.8	9.6	9.54	68.38	68.32	
18A922	5	262.1	264.3	+ 15.7	263.2	6.4	6.4	6.4	6.46	69.24	69.24	
18B922	5	261.4	263.5	+ 16.5	262.0	1.9	2.0	1.9	2.13	61.75	63.17	
19A823	4	231.2	231.5	+ 18.5	227.2	7.5	7.8	7.5	7.60	73.24	71.47	
19B823	4	227.6	227.8	+ 22.2	227.1	3.7	3.7	3.7	3.60	66.69	73.24	
19A825	2	136.4	136.4	+ 23.6	131.5	9.8	9.8	9.3	10.24	70.01	73.18	
19B825	2	136.9	136.3	+ 23.7	133.4	5.4	5.5	5.2	5.12	74.80	72.10	
19C825	3	141.2	142.1	+ 17.9	140.5	7.5	7.8	7.5	7.50	71.88	70.41	
19D825	3	141.8	142.5	+ 17.5	140.4	3.1	3.3	3.1	3.12	68.85	70.14	
19A922	6	311.3	313.5	+ 6.5	312.1	4.2	4.3	4.2	4.27	71.77	72.10	
20A922	5	267.9	269.9	+ 20.1	262.6	6.8	6.9	6.8	6.90	67.49	70.88	
21A823	4	205.2	205.7	+ 14.3	203.3	7.6	8.0	7.0	7.60	76.78	75.90	
21A824	1	169.8	153.9	+ 28.1	151.9	11.7	11.8	11.4	7.96	66.97	59.70	
21B824	2	166.2	165.9	+ 14.1	159.6	7.1	7.3	7.1	7.22	71.60	72.07	

Minidoka North Side Pumping Division

Part II — Hydrologic Data of Individual Wells — Annual Pump Report — August 1, 1964

Well No. and Group No.		Low Pumping Depth 1963	Low Pumping Depth 1964	1964 Distance from Bowls±	1964 Low Static Depth	c.f.s. 1964 Peak Period Q	c.f.s. 1964 High	c.f.s. 1964 Low	c.f.s. 1963 Peak Period Q c.f.s.	Wire to Water Efficiency 1964	Wire to Water Efficiency 1963	Remarks
21A825	5	141.2	140.3	+ 19.7	137.1	9.2	9.6	9.2	9.35	65.93	68.10*	
22A724	7	215.4	215.7	+ 4.3	215.0	2.5	2.7	2.5	2.67	74.15	74.16	
22B724	7	228.4	229.0	+ 21.0	223.0	6.5	6.5	6.5	6.61	71.08	74.30	
22C724	7	209.6	208.4	+ 21.6	207.7	6.6	6.6	6.4	6.40	69.13	67.89	
22A821	6	316.9	317.9	+ 22.1	316.5	6.7	6.8	6.6	6.70	76.04	75.70	
22A823	4	208.0*	209.0*	+ 21.0 *	209.0 *	5.6	5.9	5.3	5.60			No airline
22A824	2	155.8	156.7	+ 23.3	147.4	7.0	7.1	7.0	7.03	73.00	71.39	
22A922	5	260.2	260.0	+ 40.0	249.3	2.2	2.3	2.2	2.20	68.70	65.12	
23A724	7	218.2	216.9	+ 23.1	215.8	4.7	5.1	4.7	4.83	72.22	74.46	
23A823	4	231.3	213.9	+ 16.1	211.9	6.9	6.9	6.1	6.70	74.44	72.70	
23B823	4	212.8	213.1	+ 16.9	211.9	2.6	2.9	2.6	2.70	68.83	72.99	
23A824	2	156.4	157.1	+ 22.9	153.1	10.4	10.6	10.4	10.50	73.66	75.08	
23A825	5	178.4	177.6	+ 22.4	171.7	6.8	6.9	6.7	6.75	74.41	76.32	
23B825	5	174.6	174.5	+ 5.5	171.2	6.5	6.9	6.5	6.70	73.45	73.58	
24A821	6	326.0*	326.0*	+ 4.0*	321.6	1.9	2.0	1.9	1.83			Airline out of water w/ pump off
24A823	3	176.5	174.8	+ 25.2	165.9	9.5	9.7	9.5	9.44	76.21	74.93	
24B823	3	164.5	163.7	+ 16.3	161.8	6.6	6.7	6.6	6.55	65.61	69.14	
24C823	1	149.0*	156.0*	+ 24.0*	153.0 *	7.6	7.7	7.6	7.50			No airline
24A825	5	167.8	168.4	+ 21.6	163.8	5.5	5.6	5.5	5.56	69.59	70.78	
25A823	3	156.6	157.9	+ 22.1	153.9	3.4	3.5	3.3	3.36	68.18	69.09	
26A724	7	204.3	204.9	+ 25.1	202.3	5.7	5.9	5.7	5.83	72.23	71.79	
26B724	7	200.4	201.0	+ 9.0	200.6	2.8	2.9	2.8	2.62	77.06	72.31	
26A821	6	345.8	346.0	+ 24.0	339.5	5.2	5.3	5.2	5.28	71.44	72.56	
26B821	6	353.0*	354.0*	+ 16.0	344.0	7.0	7.1	6.8	7.12			Airline plugged
26A823	4	166.0*	166.0*	+ 24.0*	170.0 *	3.9	3.9	3.8	3.84			Airline leaks
26A824	2	134.0	135.2	+ 24.8	134.4	10.0	10.0	10.0	10.02	69.30	68.46	
27A725	7	219.6	219.1	+ 20.9	218.9	1.9	1.9	1.9	1.96	70.37	72.32	
27A823	1	204.1	204.7	+ 25.3	199.3	5.4	5.6	5.3	5.20	70.53	67.83	
27B823	4	182.1	182.6	+ 17.4	181.4	4.4	4.7	4.4	4.00	72.21	72.89	
27C823	1	202.2	204.2	+ 11.8	195.3	4.0	4.4	4.0	4.40	71.54	70.43	
28A724	7	227.4	228.0*	+ 22.0*	226.0 *	6.8	7.1	6.8	6.90		75.47	Airline plugged
28B724	7	225.4	225.3	+ 4.7	234.5	3.2	3.6	3.1	3.38	78.04	70.28	
28A823	4	198.6	198.9	+ 21.1	196.4	10.6	10.9	10.6	10.87	74.24	73.55	

Minidoka North Side Pumping Division

Part II — Hydrologic Data of Individual Wells — Annual Pump Report August 1, 1964

Well No. and Group No.	Low Pumping Depth 1963	Low Pumping Depth 1964	1964 Distance from Bowlst	1964 Low Static Depth	c.f.s. 1964 Peak Period Q	c.f.s. 1964 High	c.f.s. 1964 Low	c.f.s. 1963 Peak Period Q c.f.s.	Wire to Water Efficiency 1964	Wire to Water Efficiency 1963	Remarks
28B823 4	196.3	197.0*	+ 23.0*	196.0*	6.5	6.6	6.4	6.47		65.30	Airline plugged
28C823 4	189.5*	193.2	+ 16.8	192.8	5.5	5.7	5.5	5.50	72.62		
28A922 6	263.5	267.5	+ 12.5	257.5	2.7	2.8	2.7	2.70	72.41	69.11	
29A725 7	252.7	253.0	+ 17.0	252.5	4.6	4.6	4.6	4.54	73.66	73.44	
29A823 4	204.5	205.6	+ 14.4	203.6	10.0	10.0	9.6	9.92	69.96	69.34	
29B823 4	206.0	206.5	+ 13.5	202.7	3.6	4.2	3.6	3.88	64.93	69.58	
29A824 3	133.5	134.9	+ 5.1	134.3	5.2	5.4	5.2	5.30	77.81	77.10	
30A724 3	264.6	265.0	+ 15.0	260.1	7.8	7.9	7.8	7.87	73.66	72.63	
30B724 3	261.9	261.8	+ 18.2	259.5	3.9	4.2	3.9	4.02	70.31	74.16	
30A725 7	241.5	241.6	+ 18.4	239.0	7.3	7.4	7.3	7.40		73.25	
30A822 6	299.5	300.5	+ 19.5	294.8	3.8	3.9	3.8	3.66	76.23	72.60	
30A824 3	159.9	159.6	+ 20.4	152.4	5.9	6.0	5.9	5.80	72.73	73.13	
30B824 3	137.9	137.9	+ 22.1	137.0	3.4	3.5	3.4	3.31		74.46	
30A922 6	296.6	300.3	+ 29.7	284.8	7.0	7.0	6.9	6.96	67.20	68.32	
31A724 2	255.4	258.0*	+ 22.0 *	254.0*	4.1	4.7	4.1	4.24		72.18	Airline not calibrate
31A725 7	194.9	195.4	+ 24.6	195.2	4.7	4.8	4.5	4.80	71.36	70.55	
31A823 4	188.5	189.0	+ 21.0	187.0	6.7	7.0	6.7	6.82	72.18	71.73	
31A824 3	172.6	174.3	+ 25.7	173.9	9.4	9.5	9.3	9.43	71.35	73.30	
31B824 3	174.0	173.5	+ 26.5	175.0	4.0	4.2	4.0	4.24	70.39	75.34	
32A724 2	225.7	227.7	+ 12.3	219.6	8.9	8.9	8.6	7.87	76.50	76.86	
32B724 2	221.1	222.6	+ 17.4	218.8	4.9	5.5	4.9	5.17	71.44	70.91	
32A725 7	198.0*	199.0*	+ 21.0 *	196.0*	4.5	4.7	4.5	4.58			Airline leaks
33A724 2	218.0	217.0	+ 23.0	215.6	6.3	6.3	6.2	5.91	71.89	75.00	
33B724 7	222.5	220.8	+ 19.2	219.1	3.8	3.9	3.8	3.89	68.13	70.05	
33A725 7	217.8	216.6	+ 13.4	215.5	6.5	7.0	6.4	6.55	72.69	67.99	
33B922 6	276.4	278.0*	+ 12.0 *	265.7	6.0	6.1	6.0	6.05	76.71	74.99	Airline out of water w/pump on
33C922 6	265.1	266.5	+ 23.5	265.1	3.3	3.6	3.3	2.94	66.58	63.76	
34A723 3	248.8	245.7	+ 24.3	240.0	7.5	7.7	7.2	7.55	66.53	67.51	
34B723 3	246.9	244.9	+ 15.1	241.9	3.0	3.0	2.9	2.94	68.59	74.47	
34A724 2	203.3	202.3	+ 17.7	201.1	6.7	6.9	6.7	6.77	70.81	70.62	
34A725 7	230.0	230.4	+ 9.6	221.1	6.3	6.5	6.3	6.34	71.86	71.19	
34A823 4	158.6	158.6	+ 21.4	153.6	4.1	4.4	4.1	4.20	74.81	72.40	
35A724 2	211.6	212.9	+ 7.1	204.8	8.6	8.8	8.4	8.65	70.14	72.52	

Minidoka North Side Pumping Division

Part II

Hydrologic Data of Individual Wells

Annual Pump Report August 1, 1964

Well No. and Group No.	Low Pumping Depth 1963	Low Pumping Depth 1964	1964 Distance from Bowl*	1964 Low Static Depth	c.f.s. 1964 Peak Period Q	c.f.s. 1964 High	c.f.s. 1964 Low	c.f.s. 1963 Peak Period Q: c.f.s.	Wire to Water Efficiency 1964	Wire to Water Efficiency 1963	Remarks
35B724 2	204.5	204.6	+ 15.4	203.7	3.5	3.7	3.5	3.42	78.52	74.60	
35A821 6	323.0*	318.7	+ 21.3	314.2	5.6	5.7	5.4	4.60	70.94		
35B821 6	328.0*	329.0	+ 11.0*	319.6	5.6	5.6	5.4	5.50			Airline out of water w/pump on
35C821 6	334.7	335.6	+ 24.5	333.7	6.6	6.6	6.5	6.57	74.71	75.10	
35D821 6	325.1	326.5	+ 3.5	323.1	5.5	5.7	5.5	5.60	74.47	71.60	
35A822 4	214.4	215.6	+ 4.5	211.8	9.4	9.6	9.4	9.18	78.30	74.49	
35B822 4	215.7	216.5	+ 3.5	211.3	4.2	4.3	4.2	4.10	73.87	73.71	
35C822 5	251.2	252.4	+ 7.6	245.8	2.4	2.4	2.4	2.38	73.53	71.42	
35A823 4	155.0*	171.8	+ 7.2	156.7	8.4	8.7	8.4	6.94	72.42		
35B823 4	153.9	155.1	+ 24.9	154.8	1.9	2.0	1.9	1.88	69.92	70.26	
35C823 4	161.5	161.3	+ 18.7	154.9	3.8	3.9	3.8	3.73	77.23	72.89	
35D823 4	153.5	152.8	+ 37.2	151.9	1.7	1.7	1.7	1.68	69.50	69.88	

* Estimated figures

Minidoka North Side Pumping Division

Annual Pump Report - August, 1965

Part II — Hydrologic Data of Individual Wells

Well No. and Group No.	Low Pumping Depth 1964	Low Pumping Depth 1965	1965 Distance from Bowl*	1965 Low Static Depth	c.f.s. 1965 Peak Period Q	c.f.s. 1965 High	c.f.s. 1965 Low	c.f.s. 1964 Peak Period Q c.f.s.	Wire to Water Efficiency 1965	Wire to Water Efficiency 1964	Remarks
1A823	3 252.3	252.9	+ 17.1	249.0	9.5	10.6	9.5	9.6	75.68	76.87	
1B823	3 252.1	253.6	+ 16.4	249.9	6.1	6.7	6.1	4.2	68.92	77.05	
1C823	3 229.2	229.5	+ 10.5	222.8	7.2	7.5	7.2	7.4	72.03	72.59	
1A824	3 184.7	183.0	+ 17.0	179.8	7.3	7.9	7.3	7.8	70.68	73.59	
1A921	6 340.6	341.9	+ 18.1	337.3	7.1	7.4	7.0	7.1	74.00	73.82	
2A823	3 230.4	232.5	+ 17.5	230.8	5.2	5.3	5.2	5.2	74.96	76.62	
2A824	3 174.8	175.6	+ 14.4	175.4	1.8	1.9	1.8	1.9	68.00	69.46	
2A923	4 154.8	154.3	+ 25.7	153.2	2.5	2.5	2.5	2.5	76.28	71.66	
2A1021	*378.0	376.1	+ 33.9	347.1	5.4	5.6	5.4	4.8	71.55	*64.72	
3A824	2 202.7	202.1	+ 17.9	198.2	9.1	9.1	8.6	9.2	78.80	79.35	
3B824	2 199.7	199.1	+ 20.9	199.0	4.3	4.6	4.3	4.3	69.74	68.89	
3A825	7 226.1	225.5	+ 14.5	220.8	6.9	7.4	6.9	7.0	72.74	74.50	
3B825	7 225.2	224.4	+ 25.6	216.8	7.8	8.1	7.8	7.9	68.72	68.92	
3C825	7 223.6	224.2	+ 15.8	217.4	5.9	6.2	5.9	6.0	73.90	72.51	
3D825	7 215.2	216.8	+ 33.2	215.0	3.9	4.0	3.9	3.9	68.30	65.90	
3E825	7 216.4	220.2	+ 19.8	219.8	4.0	4.1	4.0	4.0	73.21	72.16	
3A921	6 316.0	316.7	+ 13.3	314.9	2.4	2.5	2.4	2.4	63.85	69.53	
3B921	6 313.0	313.0	+ 17.0	311.3	7.2	7.5	7.2	7.3	69.13	71.91	
3C921	5 *319.0	321.0	+ 9.0 *	318.2	7.7	8.0	7.7	8.0			Airline plugged
3A922	5 239.8	241.2	+ 8.8	238.3	8.5	8.8	8.5	8.8	73.46	74.98	
3B922	5 238.5	239.9	+ 20.1	239.2	6.0	6.2	6.0	6.0	70.61	70.84	
3A923	4 177.9	176.3	+ 23.7	157.9	4.9	5.0	4.9	4.9	73.53	72.74	
3B923	4 156.3	155.4	+ 4.6	151.4	2.2	2.2	2.2	2.2	74.93	76.11	
3A1022	4 289.3	289.7	+ 20.3	285.9	3.8	3.9	3.8	3.9	71.31	72.19	
4A823	4 247.7	250.3	+ 19.7	247.8	9.8	10.1	9.8	9.8	75.46	73.62	
4B823	4 246.6	248.8	+ 21.2	247.5	4.3	4.5	4.3	4.4	72.00	73.99	
4A824	2 208.4	208.7	+ 11.3	194.1	9.0	9.5	9.0	9.2	73.39	72.46	
4B824	1 211.8	211.4	+ 18.6	205.0	9.5	9.6	9.3	9.2	76.32	78.27	
4C824	5 218.9	217.7	+ 22.3	205.5	4.4	4.4	4.3	4.5	76.75	76.58	
5B823	4 258.2	260.4	+ 19.6	252.6	6.8	6.9	6.7	6.6	71.84	73.06	
5C823	4 253.7	256.2	+ 3.8	254.2	3.0	3.1	3.0	3.2	70.41	72.27	
5A825	7 207.6	208.3	+ 21.7	207.0	10.9	11.4	10.9	11.0	75.99	74.34	
5B825	7 210.2	210.8	+ 19.2	207.3	4.9	5.3	4.9	4.8	68.96	67.37	

Minidoka North Side Pumping Division

Annual Pump Report - August, 1965

Part II — Hydrologic Data of Individual Wells — Page 2 of 6

Well No. and Group No.	Low Pumping Depth 1964	Low Pumping Depth 1965	1965 Distance from Bowlst	1965 Low Static Depth	c.f.s. 1965 Peak Period Q	c.f.s. 1965 High	c.f.s. 1965 Low	c.f.s. 1964 Peak Period Q c.f.s.	Wire to Water Efficiency 1965	Wire to Water Efficiency 1964	Remarks
6A824 1	241.8	242.0	+ 9.0	239.8	10.4	10.9	10.2	10.5	68.52	68.95	
6B824 4	241.1	244.3	+ 15.7	237.2	5.5	5.8	5.5	5.7	72.18	71.30	
6C824 5	207.6	207.6	+ 22.4	204.6	1.9	2.0	1.9	2.0	67.86	68.87	
6A825 7	176.1	176.7	+ 23.3	176.1	6.5	6.7	6.5	6.4	67.01	65.66	
6B825 7	176.3	176.9	+ 23.1	176.6	2.8	3.1	2.8	2.8	66.52	67.27	
6A923 1	188.0	187.4	+ 12.6	186.2	9.1	9.5	9.1	9.0	70.93	69.15	
6B923 4	169.3	168.8	+ 11.2	167.0	4.2	4.3	4.2	4.2	76.59	76.13	
7B824 1	186.2	186.1	+ 18.9	184.3	9.2	9.7	8.8	9.2	63.40	64.50	
7A922 5	314.8	315.0*	+ 5.0 *	293.0 *	9.3	9.3	9.2	9.0		69.14	Airline plugged
7B922 5	295.8	296.8	+ 13.2	296.1	8.0	8.3	7.9	8.1	71.82	70.93	
8A823 1	247.6	247.3	+ 7.7	246.7	9.3	9.5	9.3	9.4	73.99	77.16	
8A824 1	189.9	189.6	+ 12.4	184.0	7.4	7.7	7.3	7.6	61.45	64.16	
9A922 5	273.8	271.9	+ 18.1	267.1	7.9	8.2	7.9	8.0	72.91	73.92	
9B922 5	295.0*	298.0*	+ 12.0 *	278.0 *	4.4	5.0	4.3	4.4			No airline
10A823 3	217.1	219.4	+ 20.6	218.7	3.7	3.8	3.7	3.8	68.68		
10B823 3	228.6	231.2	+ 8.8	229.6	1.7	1.8	1.7	1.7	68.86	71.83	
10A824 1	182.8	183.0*	+ 7.0 *	182.0 *	9.4	9.6	9.4	9.4		75.00	Airline plugged
10B824 1	169.0	168.0	+ 12.0	167.6	5.9	6.0	5.4	6.1	72.83	73.51	
10C824 5	173.8	172.7	+ 27.3	172.1	5.8	5.9	5.8	5.2	78.68	71.79	
10A922 5	235.4	237.0	+ 13.0	227.0	3.9	4.2	3.9	4.0	72.74	72.73	
11A824 1	181.4	180.5	+ 14.5	180.3	10.2	10.8	10.2	10.7	70.12	67.83	
11B824 2	180.1	179.4	+ 20.6	179.2	3.8	3.9	3.8	4.0	80.48	74.49	
11C824 2	173.2	172.8	+ 7.2	172.0	5.6	5.8	5.6	5.7	68.15	72.57	
11A825 7	187.9	184.5	+ 15.5	181.2	6.4	6.5	6.2	6.0	72.79	72.03	
11B922 4	233.2	230.2	+ 9.8	220.7	4.3	4.6	4.3	4.5	68.22	70.41	
11C922 4	210.8	210.3	+ 19.7	209.8	4.6	4.9	4.6	4.8	69.99	68.95	
12A823 3	230.0	229.2	+ 20.8	226.5	8.7	9.1	8.6	8.7	70.93	70.14	
12B823 3	229.2	228.3	+ 21.7	225.7	2.8	3.0	2.8	3.0	69.75	79.56	
12C823 3	216.4	218.8	+ 21.2	215.7	9.6	9.8	9.6	9.5	70.80	70.41	
12D823 3	217.7	220.8	+ 9.2	215.1	3.7	3.9	3.7	3.8	72.99	73.64	
12A824 3	163.5	162.7	+ 27.3	159.3	6.0	6.3	6.0	6.2	69.88	71.62	
12A825 7	200.4	200.7	+ 19.3	199.7	10.0	10.4	10.0	10.0	71.06	72.89	
12B825 7	201.9	202.0	+ 8.0	197.6	4.3	4.6	4.3	4.7	72.23	69.49	

Minidoka North Side Pumping Division

Annual Pump Report - August, 1965

Part II — Hydrologic Data of Individual Wells

Well No. and Group No.	Low Pumping Depth 1964	Low Pumping Depth 1965	Distance from Powlet	1965 Low Static Depth	c.f.s. 1965 Peak Period Q	c.f.s. 1965 High	c.f.s. 1965 Low	c.f.s. 1964 Peak Period Q: c.f.s.	Wire to Water Efficiency 1965	Wire to Water Efficiency 1964	Remarks
13A824 2	168.3	168.7	+ 31.3	168.4	11.9	12.1	11.9	12.4	70.20	72.71	
13B824 2	168.0	168.6	+ 11.4	168.0	4.9	5.6	4.9	4.8	77.27	71.47	
13A825 5	168.0	167.15	+ 22.85	164.55	2.9	2.9	2.8	2.9	60.10	62.43	
14A823 3	212.3	214.6	+ 25.4	214.4	7.2	7.4	7.1	7.2	75.21	73.16	
14B823 3	213.8	215.9	+ 4.1	213.6	2.7	2.8	2.7	2.9	73.67	74.21	
14A824 1	147.6	146.6	+ 13.4	145.6	8.4	8.7	8.4	8.6	69.82	69.43	
14C825 7	174.5	172.7	+ 27.3	172.6	2.8	2.9	2.8	2.8	65.57	79.19	
15A823 3	225.3	224.9	+ 25.1	224.0	9.3	9.4	9.3	9.2	78.52	77.39	
15B823 3	230.0*	229.0	+ 31.0	224.8	4.0	4.3	4.0	4.3	68.38	72.93*	
15D823 4	206.3	208.5	+ 21.5	206.1	2.2	2.3	2.2	2.3	73.48	72.62	
15A824 1	163.2	162.4	+ 7.6	161.5	6.0	6.2	6.0	6.0	72.91	73.38	
15A825 5	168.0*	166.5	+ 23.5	164.4	10.9	11.2	10.7	10.9	72.70	71.44*	
15B825 5	164.5	164.6	+ 15.4	163.3	4.1	4.2	4.0	4.0	68.90	68.99	
15A922 5	287.6	279.6	+ 20.4	260.2	2.0	2.1	2.0	2.0	67.88	65.56	
15B922 5	242.7	242.0	+ 88.0	236.0	2.3	2.7	2.4	2.2	59.12	57.01	
17A823 4	211.4	213.1	+ 26.9	212.0	6.6	6.8	6.6	6.6	74.40	73.36	
17B823 4	217.0	208.8	+ 31.2	205.0	2.8	3.0	2.8	2.9	70.79	70.03	
17C823 1	236.9	239.0	+ 21.0	237.2	2.1	2.2	2.1	2.1	67.56	66.81	
17A825 5	145.3	143.8	+ 16.2	142.0	8.8	9.6	8.8	6.6	69.73	74.37	
18A824 1	200.8	200.38	+ 11.62	194.48	9.5	9.6	9.4	9.6	67.83	68.38	
18A922 5	264.3	265.8	+ 14.2	264.3	6.5	6.5	6.2	6.4	71.60	69.24	
18B922 5	263.5	265.5	+ 14.5	264.9	2.8	3.0	2.8	1.9	62.76	61.75	
19A823 4	231.5	231.7	+ 18.3	227.6	7.8	8.0	7.9	7.5	73.68	73.24	
19B823 4	227.8	228.4	+ 21.6	227.5	3.5	4.0	3.5	3.7	76.70	66.69	
19A825 2	136.4	136.3	+ 23.7	131.6	10.4	10.5	10.3	9.8	71.09	70.01	
19B825 2	136.3	137.0	+ 23.0	133.9	5.1	5.5	5.1	5.4	68.36	74.80	
19C825 3	142.1	141.4	+ 18.6	139.4	7.5	7.8	7.5	7.5	71.92	71.88	
19D825 3	142.5	135.0*	+ 25.0 *	140.0 *	7.0	7.0	6.7	3.1		68.85	Not calibrated correctly
19A922 6	313.5	314.5	+ 5.5	312.9	4.0	4.3	4.0	4.2	70.08	71.77	
20A922 5	269.9	276.3	+ 33.7	267.5	6.8	6.9	6.5	6.8	67.73	67.49	
21A823 4	205.7	206.0	+ 14.0	203.9	7.5	7.9	7.5	7.6	76.74	76.78	
21A824 1	153.9	152.2	+ 29.8	151.0	11.0	11.4	11.0	11.7	66.32	66.97	
21B824 2	165.9	165.6	+ 14.4	158.9	7.3	7.5	7.2	7.1	73.40	71.60	

Part II — Hydrologic Data of Individual Wells

Well No. and Group No.	Low Pumping Depth 1964	Low Pumping Depth 1965	1965 Distance from Bowlet	1965 Low Static Depth	c.f.s. 1965 Peak Period Q	c.f.s. 1965 High	c.f.s. 1965 Low	c.f.s. 1964 Peak Period Q c.f.s.	Wire to Water Efficiency 1965	Wire to Water Efficiency 1964	Remarks
21A825	140.3	140.6	+ 19.4	137.4	9.3	9.5	9.2	9.2	66.63	65.93	
22A724	215.7	216.0*	+ 4.0 *	215.0*	2.5	2.7	2.5	2.5		74.15	Airline plugged
22B724	229.0	230.4	+ 19.6	221.8	6.7	6.8	6.6	6.5	75.49	71.08	
22C724	208.4	209.4	+ 20.6	208.9	6.5	6.6	6.5	6.6	67.93	69.13	
22A821	317.9	318.8	+ 21.2	317.4	6.4	6.7	6.4	6.7	72.33	76.04	
22A823	209.0*	209.0*	+ 21.0 *	208.0*	5.6	5.9	5.6	5.6			No airline
22A824	156.7	155.9	+ 24.1	146.7	6.9	7.0	6.7	7.0	79.26	73.00	
22A922	260.0	261.0	+ 39.0	249.6	2.1	2.2	2.1	2.2	63.27	68.70	
23A724	216.9	217.8	+ 22.2	216.6	4.7	4.8	4.7	4.7	71.90	72.22	
23A823	213.9	214.3	+ 15.7	212.7	6.5	6.6	6.4	6.9	73.23	74.44	
23B823	213.1	213.8	+ 16.2	212.1	2.9	2.9	2.8	2.6	71.34	68.83	
23A824	157.1	156.6	+ 23.4	153.0	10.5	10.8	10.3	10.4	74.96	73.66	
23A825	177.6	179.2	+ 20.8	171.5	7.7	7.8	7.7	6.8	72.35	74.41	
23B825	174.5	173.9	+ 26.1	169.8	8.0	8.1	7.9	6.5	71.08	73.45	
24A821	326.0*	328.4	+ 21.6	323.9	1.9	2.0	1.9	1.9	69.46		
24A823	174.8	175.0*	+ 25.0 *	166.0*	9.4	9.7	9.4	9.5		76.21	Airline leaks
24B823	163.7	163.3	+ 16.7	161.1	6.7	6.9	6.7	6.6	72.92	65.61	
24C823	156.0*	156.0*	+ 24.0 *	153.0*	7.5	7.5	7.5	7.6			No airline
24A825	168.4	167.6	+ 22.4	163.2	5.4	5.6	5.4	5.5	70.21	69.59	
25A823	157.9	157.8	+ 22.2	153.8	3.4	3.6	3.4	3.4	70.67	68.18	
26A724	204.9	207.6	+ 22.4	205.3	6.6	6.8	6.5	5.7	73.06	72.23	
26B724	201.0	200.2	+ 9.8	200.0	2.7	2.8	2.7	2.8	74.81	77.06	
26A821	346.0	347.2	+ 22.8	339.8	4.9	5.0	4.9	5.2	68.76	71.44	
26B821	354.0*	354.0*	+ 16.0 *	344.0*	7.0	7.1	6.7	7.0			Airline plugged
26A823	166.0*	168.0*	+ 22.0 *	164.0*	3.9	4.0	3.9	3.9			Airline leaks
26A824	135.2	134.2	+ 25.8	133.5	9.9	10.0	9.9	10.0	68.03	69.30	
27A725	219.1	219.7	+ 20.3	219.4	1.9	2.0	1.9	1.9	70.91	70.37	
27A823	204.7	204.9	+ 25.1	199.7	5.3	5.7	5.3	5.4	70.21	70.53	
27B823	182.6	182.9	+ 17.1	181.8	3.8	4.2	3.8	4.4	71.77	72.01	
27C823	204.2	204.7	+ 11.3	195.8	4.6	4.8	4.6	4.0	72.55	71.54	
28A724	228.0*	228.0*	+ 22.0*	226.0*	6.8	6.9	6.7	6.8			Airline plugged
28B724	225.3	226.2	+ 23.8	225.2	3.2	3.6	3.1	3.2	69.54	78.04	
28A823	198.9	202.0	+ 18.0	196.6	10.4	11.1	10.4	10.6	77.30	74.24	

Minidoka North Side Pumping Division

Annual Pump Report - August, 1965

Part II — Hydrologic Data of Individual Wells — Page 5 of 6

Well No. and Group No.	Low Pumping Depth 1964	Low Pumping Depth 1965	1965 Distance from Bowlsr	1965 Low Static Depth	c.f.s. 1965 Peak Period Q	c.f.s. 1965 High	c.f.s. 1965 Low	c.f.s. 1964 Peak Period Q: c.f.s.	Wire to Water Efficiency 1965	Wire to Water Efficiency 1964	Remarks
28B823 4	197.0*	198.2	+ 21.8	197.1	6.1	6.5	6.1	6.5	63.66		
28C823 4	193.2	193.8	+ 16.2	192.4	5.5	5.6	5.5	5.5	72.05	72.62	
28A922 6	267.5	268.5	+ 11.5	258.3	2.7	2.9	2.7	2.7	71.81	72.41	
29A725 7	253.0	252.4	+ 17.6	252.1	4.4	4.6	4.4	4.6	72.44	73.66	
29A823 4	205.6	205.4	+ 14.6	203.6	10.0	10.1	9.8	10.0	68.70	69.96	
29B823 4	206.5	206.7	+ 13.3	203.3	4.0	4.3	3.9	3.6	71.36	64.93	
29A824 3	134.9	134.1	+ 5.9	133.2	5.2	5.4	5.2	5.2	77.04	77.81	
30A724 3	265.0	267.1	+ 12.9	262.7	7.8	8.2	7.8	7.8	74.78	73.66	
30B724 3	261.8	266.4	+ 13.6	262.1	5.4	5.5	5.0	3.9	69.92	70.31	
30A725 7	241.6	241.1	+ 18.9	238.3	7.4	7.5	7.3	7.3			
30A822 6	300.5	301.4	+ 18.6	295.6	3.6	4.0	3.6	3.8	72.07	76.23	
30A824 3	159.6	159.0	+ 21.0	151.7	5.9	6.1	5.9	5.9		72.73	No watt hour meter
30B824 3	137.9	137.1	+ 22.9	136.1	3.3	3.4	3.3	3.4	71.92		
30A922 6	300.3	301.5	+ 28.5	287.2	6.9	7.1	6.9	7.0	68.41	67.20	
31A724 2	258.0*	258.0*	+ 22.0*	254.0*	4.1	4.3	4.1	4.1			Airline not calibrated
31A725 7	195.4	194.6	+ 25.4	194.4	4.5	4.7	4.5	4.7	67.81	71.36	
31A823 4	189.0	189.7	+ 20.3	187.7	6.9	7.1	6.9	6.7	72.47	72.18	
31A824 3	174.3	173.1	+ 26.9	172.7	9.3	9.4	9.3	9.4	73.11	71.35	
31B824 3	173.5	174.3	+ 25.7	174.1	4.2	4.3	4.1	4.0	69.27	70.39	
32A724 2	227.7	227.1	+ 12.9	218.7	8.6	8.8	8.6	8.9	75.28	76.50	
32B724 2	222.6	221.8	+ 18.2	217.9	5.2	5.8	5.2	4.9	71.23	71.44	
32A725 7	199.0*	199.0*	+ 21.0*	196.0*	4.5	4.7	4.5	4.5			Airline leaks
33A724 2	217.0	218.0	+ 22.0	216.6	6.3	6.6	6.3	6.3	74.73	71.89	
33B724 7	220.8	222.45	+ 17.55	221.15	3.7	4.2	3.7	3.8	69.68	68.13	
33A725 7	216.6	217.1	+ 12.9	216.0	6.5	6.7	6.3	6.5	70.07	72.69	
33B922 6	278.0*	281.0*	+ 9.0*	268.6	6.1	6.1	6.0	6.0		76.71	Airline out of water w/pump on
33C922 6	266.5	269.6	+ 20.4	267.8	3.2	3.4	3.2	3.3	65.50	66.58	
34A723 3	245.7	248.7	+ 21.3	242.4	7.4	7.5	7.4	7.5	66.33	66.53	
34B723 3	244.9	247.1	+ 12.9	244.3	3.0	3.0	2.9	3.0	71.16	68.59	
34A724 2	202.3	200.1	+ 19.9	198.5	8.2	8.5	7.9	6.7	74.04	70.81	
34A725 7	230.4	230.9	+ 9.1	221.4	6.3	6.4	6.3	6.3	73.57	71.86	
34A823 4	158.6	157.1	+ 22.9	152.6	4.1	4.3	4.1	4.1	77.33	74.81	
35A724 2	212.9	214.3	+ 5.7	205.9	8.7	8.8	8.4	8.6	74.57	70.14	

Minidoka North Side Pumping Division

Annual Pump Report - August, 1965

Part II — Hydrologic Data of Individual Wells — Page 6 of 6

Well No. and Group No.		Low Pumping Depth 1964	Low Pumping Depth 1965	1965 Distance from Bowlst	1965 Low Static Depth	c.f.s. 1965 Peak Period Q	c.f.s. 1965 High	c.f.s. 1965 Low	c.f.s. 1964 Peak Period Q c.f.s.	Wire to Water Efficiency 1965	Wire to Water Efficiency 1964	Remarks
35B724	2	204.6	204.8	+ 15.2	203.8	3.4	3.8	3.4	3.5	69.74	78.52	
35A821	6	318.7	318.9	+ 21.1	315.0	5.4	5.7	5.4	5.6	72.62	70.94	
35B821	6	329.0*	328.0*	+ 12.0*	318.8	5.4	5.8	5.3	5.6			Airline out of water w/pump on
35C821	6	335.6	336.0	+ 24.0	334.5	6.5	6.6	6.5	6.6	74.64	74.71	
35D821	6	326.5	324.8	+ 25.2	322.6	5.8	6.2	5.8	5.5	73.13	74.47	
35A822	4	215.6	216.0	+ 4.0	214.4	9.4	9.6	9.4	9.4	77.44	78.30	
35B822	4	216.5	215.2	+ 24.8	210.6	4.9	5.3	4.8	4.2	71.74	73.87	
35C822	5	252.4	253.2	+ 6.8	246.3	2.4	2.4	2.4	2.4	72.16	73.53	
35A823	4	171.8	170.6	+ 9.4	155.6	8.3	8.4	8.3	8.4	70.66	72.42	
35B823	4	155.1	154.6	+ 25.4	154.3	1.9	1.9	1.9	1.9	68.26	69.92	
35C823	4	161.3	160.3	+ 19.7	153.9	3.7	3.9	3.7	3.8	72.86	77.23	
35D823	4	152.8	152.4	+ 37.6	151.6	1.7	1.7	1.7	1.7	69.31	69.50	

* Estimated figures

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1965	Low Pumping Depth 1966	Distance from Bowls ±	1965 Low Static Depth	c.f.s. 1966 Peak Period Q	c.f.s. 1966 High	c.f.s. 1966 Low	c.f.s. 1965 Peak Period Q c.f.s.	Wire To Water Efficiency 1966	Wire To Water Efficiency 1965	Remarks
1A823	3	252.9	253.0	+ 17.0	249.3	9.8	9.9	9.8	9.5	77.61	75.68	
1B823	3	253.6	253.3	+ 16.7	250.5	6.1	6.7	6.1	6.1	66.40	68.92	
1C823	3	229.5	230.0	+ 10.0	223.6	7.4	7.6	7.4	7.2	72.57	72.03	
1A824	3	183.0	181.6	+ 18.4	178.8	7.5	8.0	7.5	7.3	70.55	70.68	
1A921	6	341.9	341.7	+ 18.3	337.5	7.1	7.4	7.1	7.1	75.26	74.00	
2A823	3	232.5	231.8	+ 18.2	230.2	5.2	5.5	5.2	5.2	76.16	74.96	
2A824	3	175.6	173.2	+ 17.7	172.6	2.0	2.1	2.0	1.8	65.67	68.00	
2A923	4	154.3	155.3	+ 24.7	154.5	2.5	2.6	2.5	2.5	74.51	76.28	
2A1021	6	376.1	376.7	+ 33.3	346.9	5.4	5.5	5.4	5.4	73.63	71.55	
3A824	2	202.1	200.8	+ 19.2	197.1	9.3	9.4	9.3	9.1	80.29	78.80	
3B824	2	199.1	198.0	+ 22.0	197.8	4.1	4.6	4.1	4.3	65.70	69.14	
3A825	7	225.5	224.5	+ 15.5	220.3	7.5	8.0	7.5	6.9	76.13	72.14	
3B825	7	224.4	223.1	+ 26.9	216.1	7.3	7.8	7.3	7.8	70.07	68.12	
3C825	7	224.2	223.2	+ 16.8	215.8	6.0	6.2	6.0	5.9	75.83	73.90	
3D825	7	216.8	216.9	+ 33.1	215.9	4.1	4.3	4.1	3.9	71.36	68.30	
3E825	7	220.2	219.3	+ 20.7	218.3	4.7	4.9	4.7	4.0	70.60	73.21	
3A921	6	316.7	316.0	+ 14.0	314.6	2.4	2.4	2.4	2.4	71.70	63.85	
3B921	6	313.0	312.8	+ 17.2	310.9	7.2	7.4	7.2	7.2		69.13	w/h meter in error
3C921	5	321.0*	321.0*	+ 9.0 *	318.0 *	7.9	8.0	7.9	7.7			airline plugged
3A922	5	241.2	239.9	+ 10.1	237.5	8.7	9.1	8.7	8.5	73.38	73.46	
3B922	5	239.9	238.6	+ 21.4	238.2	6.0	6.1	6.0	6.0	73.50	70.61	
3A923	4	176.3	175.9	+ 24.1	165.9	5.0	5.1	5.0	4.9	73.15	73.53	
3B923	4	155.4	155.9	+ 4.1	151.7	2.2	2.4	2.2	2.2	78.13	74.93	
3A1022	4	289.7	290.7	+ 19.3	287.7	3.7	3.9	3.7	3.8	70.27	71.31	
4A823	4	250.3	249.7	+ 20.3	247.7	10.0	10.2	10.0	9.8	74.41	75.46	
4B823	4	248.8	248.2	+ 21.8	247.2	4.0	4.3	4.0	4.3	69.21	72.00	
4A824	2	208.7	205.2	+ 14.8	193.2	9.3	9.5	9.3	9.0	73.59	73.39	
4B824	1	211.4	207.6	+ 22.4	204.2	9.1	9.4	9.1	9.5	75.85	76.32	
4C824	5	217.7	213.8	+ 26.2	205.0	4.1	4.4	4.1	4.4	70.99	76.75	
5B823	4	260.4	260.0	+ 20.0	252.0	6.8	6.9	6.8	6.8	70.80	71.84	
5C823	4	256.2	255.8	+ 4.2	253.8	3.0	3.1	3.0	3.0	69.15	70.41	
5A825	7	208.3	206.6	+ 23.4	205.3 *	11.1	11.4	11.1	10.9		75.99	airline plugged
5B825	7	210.8	209.6	+ 20.4	206.5	4.7	5.1	4.7	4.9	68.85	68.96	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2

Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1965	Low Pumping Depth 1966	Distance from Bowls ±	1965 Low Static Depth	c.f.s. 1966 Peak Period Q	c.f.s. 1966 High	c.f.s. 1966 Low	c.f.s. 1965 Peak Period Q c.f.s.	Wire To Water Efficiency 1966	Wire To Water Efficiency 1965	Remarks
6A824	1	242.0	240.6*	+ 10.4	238.4 *	10.4	10.6	10.4	10.4		68.52	airline leaks
6B824	4	244.3	242.8	+ 17.2	236.1	5.6	5.8	5.5	5.5	73.54	72.18	
6C824	5	207.6	207.5	+ 22.5	205.3	1.9	2.0	1.9	1.9	71.20	67.86	
6A825	7	176.7	175.4	+ 24.6	174.9	6.3	6.5	6.3	6.5	65.25	67.01	
6B825	7	176.9	175.8	+ 24.2	175.4	2.8	3.0	2.8	2.8	66.33	66.52	
6A923	1	187.4	187.7	+ 12.3	186.5	9.2	9.6	9.2	9.1	72.55	70.93	
6B923	4	168.8	169.3	+ 10.7	167.3	4.2	4.4	4.2	4.2	77.00	76.59	
7B824	1	186.1	186.2	+ 18.8	184.3	9.2	9.5	9.2	9.2	64.23	63.40	
7A922	5	315.0*	315.0*	+ 5.0 *	293.0 *	8.8	9.3	8.8	9.3			airline plugged
7B922	5	296.8	295.6	+ 14.4	295.6	7.8	8.1	7.8	8.0	67.61	71.82	
8A823	1	247.3	247.2	+ 7.8	246.2	9.3	9.7	9.3	9.3	74.58	73.99	
8A824	1	189.6	188.8	+ 13.2	183.2	7.4	7.9	7.4	7.4	64.67	61.45	
9A922	5	271.9	268.5	+ 21.5	265.5	7.9	8.0	7.9	7.9	70.45	72.91	
9B922	5	298.0*	298.0*	+ 12.0 *	278.8 *	4.3	4.8	4.3	4.4			no airline
10A823	3	219.4	218.7	+ 21.3	218.1	3.7	3.9	3.7	3.7	69.04	68.68	
10B823	3	231.2	230.4	+ 9.6	229.0	1.7	1.8	1.7	1.7	74.76	68.86	
10A824	1	183.0*	181.0*	+ 9.0 *	180.0 *	9.4	9.5	9.4	9.4			Airline plugged
10B824	1	168.0	167.0*	+ 13.0 *	169.0 *	5.9	6.1	5.9	5.9		72.83	airline plugged
10C824	5	172.7	171.7	+ 28.3	171.1	5.6	5.8	5.6	5.8	80.31	78.68	
10A922	5	237.0	235.8	+ 14.2	226.4	4.0	4.1	4.0	3.9	70.99	72.74	
11A824	1	180.5	179.1*	+ 15.9 *	178.9 *	10.7	11.1	10.7	10.2	75.36	70.12	airline leaks
11B824	2	179.4	179.2	+ 20.8	179.1	3.9	4.2	3.9	3.8	74.95	80.48	
11C824	2	172.8	171.4	+ 8.6	170.8	5.9	6.0	5.9	5.6	65.11	68.15	
11A825	7	184.5	184.3	+ 15.7	181.3	6.1	6.1	6.1	6.4	67.85	72.79	
11B922	4	230.2	228.2	+ 11.8	217.6	4.6	4.8	4.6	4.3	69.13	68.22	
11C922	4	210.3	208.9	+ 21.1	208.5	4.6	5.0	4.6	4.6	66.16	69.92	
12A823	3	229.2	228.6	+ 21.4	226.4	8.2	8.7	8.2	8.7	72.78	70.93	
12B823	3	228.3	226.4	+ 23.6	223.8 *	2.8	3.4	2.8	2.8		69.75	airline plugged
12C823	3	218.8	217.4	+ 22.6	214.4	9.5	9.8	9.5	9.6	70.01	70.80	
12D823	3	220.8	216.2	+ 13.8	210.5 *	3.5	3.9	3.5	3.7		72.99	airline leaks
12A824	3	162.7	161.4	+ 28.6	158.2	6.1	6.3	6.1	6.0	71.20	69.88	
12A825	7	200.7	199.7	+ 20.3	198.5	10.2	10.8	10.2	10.0	71.76	71.06	
12B825	7	202.0	198.6	+ 11.4	188.8	7.6	8.0	7.6	4.3	65.97	72.23	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 — Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1965	Low Pumping Depth 1966	Distance from Bowls ±	1965 Low Static Depth	c.f.s. 1966 Peak Period Q	c.f.s. 1966 High	c.f.s. 1966 Low	c.f.s. 1965 Peak Period Q c.f.s.	Wire To Water Efficiency 1966	Wire To Water Efficiency 1965	Remarks
13A824	2	168.7	167.7	+ 32.3	167.3	11.9	12.1	11.9	11.9	68.95	70.20	
13B824	2	168.6	167.4	+ 12.6	167.2	5.1	5.3	5.1	4.9	73.94	77.27	
13A825	5	167.15	165.75	+ 24.25	164.75	2.9	3.0	2.9	2.9	60.77	60.10	
14A823	3	214.6	213.5	+ 26.5	213.5	7.1	7.2	7.1	7.2	72.72	75.21	
14B823	3	215.9	215.0	+ 5.0	213.0	2.3	2.3	2.3	2.7	69.80	73.67	
14A824	1	146.6	145.6	+ 14.4	144.6	8.6	8.9	8.6	8.4	68.54	69.82	
14C825	7	172.7	173.4	+ 26.6	172.4	2.8	2.9	2.8	2.8	66.01	65.57	
15A823	3	224.9	223.7	+ 26.3	222.7	10.0	10.4	10.0	9.3	73.24	78.52	
15B823	3	229.0	229.8	+ 30.2	225.0	4.5	4.7	4.5	4.0	69.59	68.38	
15D823	4	208.5	208.1	+ 21.9	206.1	2.2	2.4	2.2	2.2	72.83	73.48	
15A824	1	162.4	161.7	+ 8.3	160.9	6.1	6.4	6.1	6.0	74.98	72.91	
15A825	5	166.5	167.0	+ 23.0	166.0	10.9	11.2	10.9	10.9	73.23	72.70	
15B825	5	164.6	165.3	+ 14.7	163.1	3.8	4.2	3.8	4.1	64.44	68.90	
15A922	5	279.6	278.5	+ 21.5	257.9	2.0	2.1	2.0	2.0	68.50	67.88	
15B922	5	242.0	242.0	+ 88.0	236.0 *	2.3	2.4	2.3	2.3		59.12	airline leaks
17A823	4	213.1	213.0	+ 27.0	212.0	6.7	6.8	6.7	6.6	72.85	74.40	
17B823	4	208.8	208.3	+ 31.7	205.3	2.9	3.0	2.9	2.8	69.30	70.79	
17C823	1	239.0	238.8	+ 21.2	237.2	2.2	2.2	2.2	2.1	68.20	67.56	
17A825	5	143.8	142.6	+ 17.4	141.2	9.3	9.5	9.3	8.8	64.53	69.73	
18A824	1	200.38	201.08	+ 10.92	195.08	9.6	9.8	9.6	9.5	68.48	67.83	
18A922	5	265.8	265.3	+ 14.7	264.1	6.5	6.5	6.5	6.5	71.70	71.60	
18B922	5	265.5	264.7	+ 15.3	263.7	2.9	3.0	2.9	2.8	69.37	62.76	
19A823	4	231.7	231.5	+ 18.5	227.5	7.1	7.1	6.4	7.8	67.42	73.68	
19B823	4	228.4	229.1	+ 20.9	229.1	3.9	3.9	3.9	3.5	72.77	76.70	
19A825	2	136.3	135.1	+ 24.9	130.7	10.3	10.9	10.3	10.4	70.42	71.09	
19B825	2	137.0	135.7	+ 24.3	132.7	5.0	5.1	5.0	5.1	68.25	68.36	
19C825	3	141.4	140.4	+ 19.6	138.8	7.6	7.7	7.6	7.5	70.85	71.92	
19D825	3	135.0*	140.4*	+ 19.6 *	134.4 *	6.8	7.0	6.8	7.0	72.48*		not calibrated
19A922	6	314.5	315.4	+ 4.6	313.0	5.2	5.2	5.1	4.0	73.85	70.08	
20A922	5	276.3	273.9	+ 36.1	266.5	6.8	7.0	6.7	6.8	68.42	67.73	
21A823	4	206.0	206.3	+ 13.7	204.1	7.8	8.0	7.7	7.5	74.85	76.74	
21A824	1	152.2	153.9	+ 28.1	151.1	11.1	11.2	11.1	11.0	67.09	66.32	
21B824	2	165.6	163.6	+ 16.4	156.5	7.2	7.4	7.2	7.3	70.39	73.40	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1965	Low Pumping Depth 1966	Distance from Bowls ±	1965 Low Static Depth	c.f.s. 1966 Peak Period Q	c.f.s. 1966 High	c.f.s. 1966 Low	c.f.s. 1965 Peak Period Q c.f.s.	Wire To Water Efficiency 1966	Wire To Water Efficiency 1965	Remarks
21A825	5	140.6	140.1	+ 19.9	138.0	9.3	9.4	9.2	9.3	65.69	66.63	
22A724	7	216.0*	213.7	+ 6.3	213.3	2.5	2.7	2.5	2.5	76.38		
22B724	7	230.4	226.5	+ 23.5	221.0	6.5	6.9	6.5	6.7	70.99	75.49	
22C724	7	209.4	208.0	+ 22.0	207.4	6.4	6.5	6.4	6.5	64.88	67.93	
22A821	6	318.8	318.2	+ 21.8	317.2	6.4	6.6	6.2	6.4	74.83	72.33	
22A823	4	209.0*	208.0*	+ 21.0 *	208.0*	5.7	5.8	5.3	5.6			airline broke off
22A824	2	155.9	154.2	+ 25.8	145.7	6.8	6.9	6.8	6.9		70.26	W/H meter in error
22A922	5	261.0	260.6	+ 39.4	249.6	2.1	2.2	2.1	2.1	61.24	63.27	
23A724	7	217.8	216.4	+ 23.6	215.4	4.7	5.0	4.7	4.7	73.18	71.90	
23A823	4	214.3	214.1	+ 15.9	213.1	6.8	7.0	6.8	6.5	74.21	73.23	
23B823	4	213.8	213.7	+ 16.3	212.3	2.4	2.4	2.4	2.9	64.33	71.34	
23A824	2	156.6	155.5	+ 24.5	151.6	10.4	10.6	10.3	10.5	72.69	74.96	
23A825	5	179.2	177.7	+ 22.3	171.3	8.0	8.1	8.0	7.7	74.38	72.35	
23B825	5	173.9	173.1	+ 26.9	170.1	8.0	8.1	8.0	8.0	69.87	71.08	
24A821	6	328.4	327.5	+ 22.5	325.5	1.8	1.9	1.8	1.9	70.17	69.46	
24A823	3	175.0*	275.8*	+ 24.2 *	173.8*	9.5	9.6	9.5	9.4			airline leaks
24B823	3	163.3	164.1	+ 15.9	162.1	6.8	6.9	6.5	6.7	68.96	72.92	
24C823	1	156.0*	156.0*	+ 24.0 *	153.0*	7.6	7.6	7.4	7.5			no airline
24A825	5	167.6	166.3	+ 23.7	162.0	5.5	5.6	5.5	5.4	68.20	70.21	
25A823	3	157.8	158.0	+ 22.0	154.3	3.4	3.7	3.4	3.4	68.83	70.67	
26A724	7	207.6	206.6	+ 23.4	204.2	6.4	6.6	6.4	6.6	69.52	73.06	
26B724	7	200.2	198.8	+ 11.2	198.2	2.6	2.7	2.6	2.7	73.57	74.81	
26A824	6	347.2	346.2	+ 23.8	338.9	5.1	5.5	5.0	4.9	69.56	68.76	
26B821	6	354.0*	355.0*	+ 15.0 *	355.0*	6.7	7.1	6.7	7.0			airline plugged
26A823	4	168.0*	168.0*	+ 22.0 *	164.0*	3.9	4.0	3.9	3.9	67.51		airline leaks
26A824	2	134.2	133.2	+ 26.8	132.4	9.9	10.1	9.9	9.9	69.08	68.03	
27A725	7	219.7	218.4	+ 21.6	218.0	2.5	2.6	2.5	1.9	68.22	70.91	
27A823	1	204.9	208.5	+ 21.5	202.5	5.4	5.5	5.4	5.3	70.43	70.21	
27B823	4	182.9	182.4	+ 17.6	180.0	4.0	4.1	4.0	3.8	73.65	71.77	
27C823	1	204.7	204.4	+ 11.5	195.5	4.6	4.8	4.6	4.6	73.81	72.55	
28A724	7	228.0*	227.5*	+ 22.5 *	225.5*	6.7	7.0	6.7	6.8			airline plugged
28B724	7	226.2	225.0	+ 25.0	224.4	3.5	3.8	3.1	3.2	72.82	69.54	
28A823	4	202.0	199.1	+ 20.9	196.9	10.5	11.0	10.6	10.4	75.86	77.30	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 — Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1965	Low Pumping Depth 1966	Distance from Bowls ±	1965 Low Static Depth	c.f.s. 1966 Peak Period Q	c.f.s. 1966 High	c.f.s. 1966 Low	c.f.s. 1965 Peak Period Q c.f.s.	Wire To Water Efficiency 1966	Wire To Water Efficiency 1965	Remarks
28B823	4	198.2	198.0	+ 22.0	197.6	6.2	6.4	6.1	6.1	63.55	63.66	
28C823	4	193.8	194.0	+ 16.0	193.0	5.4	5.6	5.4	5.5	70.02	72.05	
28A922	6	268.5	269.3	+ 10.7	259.3	2.6	2.7	2.6	2.7	70.83	71.81	
29A725	7	252.4	250.8	+ 19.2	250.6	4.5	4.6	4.5	4.4	71.64	72.44	
29A823	4	205.4	205.4	+ 14.6	203.8	9.8	10.0	9.8	10.0	69.13	68.70	
29B823	4	206.7	207.3	+ 12.7	205.3	3.9	4.2	3.9	4.0	69.84	71.36	
29A824	3	134.1	133.9	+ 6.1	133.5	5.3	5.5	5.2	5.2	80.43	77.04	
30A724	3	267.1	265.7	+ 14.3	261.4	7.8	8.0	7.4	7.8	74.35	74.78	
30B724	3	266.4	264.3	+ 15.7	261.5	5.0	5.4	4.9	5.4	68.08	69.92	
30A725	7	241.1	239.3	+ 20.7	237.1	7.4	7.5	7.4	7.4	72.48		
30A822	6	301.4	300.9	+ 19.1	296.3	3.8	3.9	3.7	3.6	77.20	72.07	
30A824	3	159.0	159.0	+ 21.0	151.4	5.9	6.0	5.9	5.9	71.53		
30B824	3	137.1	137.3	+ 22.7	136.1	3.4	3.5	3.3	3.3	71.95	71.92	
30A922	6	301.5	300.5*	+ 29.5 *	286.2 *	6.9	7.0	6.9	6.9		68.41	airline plugged
31A724	2	258.0*	253.5	+ 26.5	250.3	4.2	4.5	4.2	4.1	70.72		
31A725	7	194.6	194.7	+ 25.3	194.5	4.5	4.7	4.5	4.5	69.59	67.81	
31A823	4	189.7	189.5	+ 20.5	187.7	6.9	7.2	6.9	6.9	73.08	72.47	
31A824	3	173.1	172.7	+ 27.3	172.3	9.3	9.4	9.3	9.3	72.84	73.11	
31B824	3	174.3	174.1	+ 25.9	173.9	4.0	4.2	4.0	4.2	68.18	69.27	
32A724	2	227.1	227.2	+ 12.8	218.2	8.4	8.4	8.4	8.6	72.67	75.28	
32B724	2	221.8	221.2	+ 18.8	217.8	5.4	5.4	5.4	5.2	70.22	71.23	
32A725	7	199.0*	196.5	+ 23.5	194.8	4.6	4.8	4.6	4.5	72.13		
33A724	2	218.0	216.8	+ 23.2	215.4	6.5	6.7	6.5	6.3	75.36	74.73	
33B724	7	222.45	223.5	+ 16.5	221.5	4.4	4.8	4.4	3.7	61.40	69.68	
33A725	7	217.1	217.6	+ 12.4	216.4	6.4	6.7	6.4	6.5	67.64	70.07	
33B922	6	281.0*	281.5*	+ 8.5 *	269.1	5.9	5.9	5.9	6.1			airline out of water w/ pump on
33C922	6	269.6	270.1	+ 19.9	268.3	3.7	3.7	3.7	3.2	76.81	65.50	
34A723	3	248.7	247.8	+ 22.2	242.2	7.4	7.7	7.4	7.4	69.33	66.33	
34B723	3	247.1	246.3	+ 13.7	243.3	3.0	3.0	3.0	3.0	71.30	71.16	
34A724	2	200.1	199.9	+ 20.1	198.3	8.3	8.4	7.9	8.2	74.09	74.04	
34A725	7	230.9	229.7	+ 10.3	220.0	6.3	6.4	5.9	6.3	74.09	73.57	
34A823	4	157.1	158.4	+ 21.6	154.4	4.3	4.4	4.3	4.1	72.67	77.33	
35A724	2	214.3	210.5	+ 9.5	204.3	8.5	8.6	8.5	8.7	72.25	74.57	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1965	Low Pumping Depth 1966	Distance from Bowls ±	1965 Low Static Depth	c.f.s. 1966 Peak Period Q	c.f.s. 1966 High	c.f.s. 1966 Low	c.f.s. 1965 Peak Period Q c.f.s.	Wire To Water Efficiency 1966	Wire To Water Efficiency 1965	Remarks
35B724	2	204.8	204.0	+ 16.0	202.5	3.8	3.9	3.8	3.4	73.62	69.74	
35A821	6	318.9	318.1	+ 21.9	314.2	5.5	5.7	5.4	5.4	72.59	72.62	
35B821	6	328.0*	327.0*	+ 13.0 *	323.1 *	5.7	5.8	5.6	5.4			airline out of water
35C821	6	336.0	335.1	+ 24.9	333.7	6.3	6.4	6.3	6.5	78.52	74.64	
35D821	6	324.8	323.8	+ 26.2	322.0	5.7	6.0	5.7	5.8	73.85	73.13	
35A822	4	216.0	215.6	+ 4.4	213.7	9.4	9.6	9.4	9.4	77.08	77.44	
35B822	4	215.2	214.2	+ 25.8	210.2	5.0	5.5	5.0	4.9	73.45	71.74	
35C822	5	253.2	252.8	+ 7.2	246.8	2.4	2.4	2.4	2.4	72.18	72.16	
35A823	4	170.6	170.0	+ 10.0	155.4	8.3	8.6	8.3	8.3	67.63	70.66	
35B823	4	154.6	154.8	+ 25.2	154.2	1.9	2.0	1.9	1.9	68.76	68.26	
35C823	4	160.3	160.2	+ 19.8	154.0	3.7	4.0	3.7	3.7	72.72	72.86	
35D823	4	152.4	151.9	+ 38.1	151.9	1.7	1.8	1.7	1.7	70.05	69.31	

* Estimated figures

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1966	Low Pumping Depth 1967	Distance from Bowls ±	1967 Low Static Depth	c.f.s. 1967 Peak Period Q	c.f.s. 1967 High	c.f.s. 1967 Low	c.f.s. 1966 Peak Period Q c.f.s.	Wire To Water Efficiency 1967	Wire To Water Efficiency 1966	Remarks
1A823	3	253.0	253.1	+ 16.9	249.3	9.8	10.1	9.8	9.8	76.80	77.61	
1B823	3	253.3	253.6	+ 16.4	250.6	6.6	6.8	6.6	6.1	74.93	66.40	
1C823	3	230.0	230.1	+ 9.9	223.7	7.6	7.7	7.6	7.4	74.62	72.57	
1A824	3	181.6	181.2	+ 18.8	178.8	7.6	7.9	7.6	7.5	72.85	70.55	
1A921	6	341.7	341.4	+ 18.6	337.0	6.9	7.4	6.8	7.1	72.90	75.26	
2A823	3	231.8	231.2	+ 18.8	229.8	5.2	5.4	5.2	5.2	75.90	76.16	
2A824	3	173.2	173.4	+ 16.6	173.0	2.0	2.1	2.0	2.0	66.89	65.67	
2A923	4	155.3	153.8	+ 26.2	152.8	2.5	2.5	2.5	2.5	71.40	74.51	
2A1021	6	376.7	371.7	+ 38.3	347.1	5.4	5.5	5.4	5.4	74.55	73.63	
3A824	2	200.8	200.7	+ 19.3	197.5	8.9	9.3	8.8	9.3	76.55	80.29	
3B824	2	198.0	199.1	+ 20.9	199.1	4.5	4.6	4.4	4.1	71.50	65.70	
3A825	7	224.5	223.7	+ 16.3	219.5	7.4	7.5	7.4	7.5	78.80	76.13	
3B825	7	223.1	222.7	+ 27.3	215.5	7.7	7.8	7.7	7.3	67.98	70.07	
3C825	7	223.2	222.2	+ 17.8	215.6	6.0	6.2	5.9	6.0	72.04	75.83	
3D825	7	216.9	215.9	+ 34.1	213.5	3.9	4.0	3.9	4.1	68.76	71.36	
3E825	7	219.3	218.7	+ 21.3	218.3	4.8	4.9	4.8	4.7	69.70	70.60	
3A921	6	316.0	315.7	+ 14.3	314.5	2.4	2.5	2.4	2.4	72.94	71.70	
3B921	6	312.8	312.8	+ 17.2	311.2	7.2	7.3	7.1	7.2	69.07		W/H Meter in error
3C921	5	321.0*	319.8*	+ 10.2 *	316.8 *	7.8	8.0	7.7	7.9			Airline plugged
3A922	5	239.9	239.3	+ 10.7	236.9	8.8	8.9	8.8	8.7	73.67	73.38	
3B922	5	238.6	240.8	+ 19.2	240.4	6.0	6.1	6.0	6.0	72.43	73.50	
3A923	4	175.9	175.4*	+ 24.6 *	165.4 *	4.9	5.3	4.9	5.0		73.15	Airline plugged
3B923	4	155.9	155.1	+ 4.9	150.9	2.2	2.2	2.2	2.2	77.61	78.13	
3A1022	4	290.7	290.7	+ 19.3	287.7	3.7	3.8	3.7	3.7	70.29	70.27	
4A823	4	249.7	248.7	+ 21.3	247.1	9.9	10.0	9.9	10.0	74.65	74.41	
4B823	4	248.2	247.6	+ 22.4	246.6	4.3	4.4	4.3	4.0	75.54	69.21	
4A824	2	205.2	205.8	+ 14.2	194.2	9.1	9.3	8.9	9.3	73.14	73.59	
4B824	1	207.6	211.0	+ 19.0	204.2	9.1	9.5	9.1	9.1	74.07	75.85	
4C824	5	213.8	213.4	+ 26.6	203.8	4.2	4.3	4.2	4.1	70.28	70.99	
5B823	4	260.0	260.0	+ 20.0	252.0	6.8	6.9	6.8	6.8	70.34	70.80	
5C823	4	255.8	255.5	+ 24.5	252.9	4.3	4.4	4.2	3.0	68.87	69.15	
5A825	7	206.6	206.3	+ 23.7 *	205.0 *	11.0	11.1	11.0	11.1			Airline plugged
5B825	7	209.6	209.6	+ 20.4	206.2	5.1	5.3	5.1	4.7	68.35	68.85	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1966	Low Pumping Depth 1967	Distance from Bowls ±	1967 Low Static Depth	c.f.s. 1967 Peak Period Q	c.f.s. 1967 High	c.f.s. 1967 Low	c.f.s. 1966 Peak Period Q c.f.s.	Wire To Water Efficiency 1967	Wire To Water Efficiency 1966	Remarks
6A824	1	240.6*	241.6	+ 9.4	239.0	10.3	10.6	10.2	10.4	68.28		Airline leaks
6B824	4	242.8	241.9	+ 18.1	235.3	5.5	5.8	5.5	5.6	70.34	73.54	
6C824	5	207.5	207.8	+ 22.2	205.8	1.9	1.9	1.8	1.9	69.80	71.20	
6A825	7	175.4	174.9	+ 25.1	174.5	6.4	6.6	6.3	6.3	68.04	65.25	
6B825	7	175.8	175.4	+ 24.6	175.0	3.0	3.1	3.0	2.8	70.91	66.33	
6A923	1	187.7	187.1	+ 12.9	186.1	9.3	9.5	9.3	9.2	72.25	72.55	
6B923	4	169.3	169.1	+ 10.9	167.5	4.2	4.2	4.1	4.2	76.52	77.00	
7B824	1	186.2	185.3	+ 19.7	183.3	9.2	9.6	9.2	9.2	65.13	64.23	
7A922	5	315.0*	315.3*	+ 4.7 *	293.3 *	9.3	9.6	9.3	8.8			Airline plugged
7B922	5	295.6	295.4	+ 14.6	294.8	8.2	8.4	8.2	7.8	71.82	67.61	
8A823	1	247.2	246.2	+ 8.8	245.8	9.3	9.6	9.3	9.3	75.79	74.58	
8A824	1	188.8	188.2	+ 13.8	183.4	7.2	7.7	7.2	7.4	62.39	64.67	
9A922	5	268.5	270.1	+ 19.9	267.1	7.8	7.9	7.8	7.9	70.71	70.45	
9B922	5	298.0*	299.0*	+ 11.0 *	279.0 *	4.4	4.8	4.4	4.3			No airline
10A823	3	218.7	218.3	+ 21.7	217.7	3.7	4.0	3.7	3.7	70.89	69.04	
10B823	3	230.4	228.7	+ 11.3	226.3	2.1	2.2	2.1	1.7	65.28	74.76	
10A824	1	181.0*	182.0*	+ 8.0 *	181.0 *	9.3	9.5	9.3	9.4			Airline plugged
10B824	1	167.0*	168.0*	+ 12.0	167.0 *	5.8	5.9	5.8	5.9			Airline plugged
10C824	5	171.7	173.3	+ 26.7	172.3	5.4	5.7	5.4	5.6	70.86	80.31	
10A922	5	235.8	235.4	+ 14.6	226.4	4.0	4.1	4.0	4.0	71.79	70.99	
11A824	1	179.1*	181.0*	+ 15.0 *	180.0	10.8	11.4	10.7	10.7	67.98	75.36	Airline leaks
11B824	2	179.2	180.2	+ 19.8	179.8	4.0	4.2	4.0	3.9	77.64	74.95	
11C824	2	171.4	175.3	+ 4.7	173.3	5.8	5.9	5.7	5.9	69.79	65.11	
11A825	7	184.3	183.3	+ 16.7	180.3	6.0	6.1	6.0	6.1	70.78	67.85	
11B922	4	228.2	224.6	+ 15.4	215.2	4.2	4.4	4.2	4.6	62.98	69.13	
11C922	4	208.9	208.3	+ 21.7	208.3	4.7	5.0	4.7	4.6	71.01	66.16	
12A823	3	228.6	228.5	+ 21.5	226.3	8.4	8.7	8.4	8.2	71.08	72.78	
12B823	3	226.4	226.4*	+ 23.6 *	223.8 *	3.1	3.3	3.1	2.8			Airline plugged
12C823	3	217.4	216.8	+ 23.2	214.4	9.5	9.8	9.5	9.5	70.56	70.01	
12D823	3	216.2	216.0*	+ 14.0 *	210.3 *	3.8	4.0	3.8	3.5			Airline plugged
12A824	3	161.4	161.4	+ 28.6	158.2	6.1	6.2	6.1	6.1	69.37	71.20	
12A825	7	199.7	199.3	+ 20.7	198.5	10.0	10.4	10.0	10.2	72.00	71.76	
12B825	7	198.6	200.4	+ 9.6	189.2	7.8	8.0	7.8	7.6	68.40	65.97	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1966	Low Pumping Depth 1967	Distance from Bowls ±	1967 Low Static Depth	c.f.s. 1967 Peak Period Q	c.f.s. 1967 High	c.f.s. 1967 Low	c.f.s. 1966 Peak Period Q c.f.s.	Wire To Water Efficiency 1967	Wire To Water Efficiency 1966	Remarks
13A824	2	167.7	167.3	+ 32.7	167.1	11.8	12.0	11.7	11.9	70.73	68.95	
13B824	2	167.4	167.2	+ 12.8	166.8	5.0	5.3	5.0	5.1	71.11	73.94	
13A825	5	165.75	165.15	+ 24.85	163.35	2.9	3.0	2.9	2.9	62.15	60.77	
14A823	3	213.5	212.9	+ 27.1	212.9	7.2	7.4	7.2	7.1	74.12	72.72	
14B823	3	215.0	214.6	+ 5.4	212.2	2.7	3.0	2.7	2.3	75.75	69.80	
14A824	1	145.6	148.8	+ 11.2	147.8	8.3	8.5	8.3	8.6	67.62	68.54	
14C825	7	173.4	171.4	+ 28.6	171.4	2.8	2.8	2.8	2.8	67.74	66.01	
15A823	3	223.7	223.0*	+ 27.0 *	222.0 *	9.8	9.9	9.8	10.0		73.24	No airline
15B823	3	229.8	229.0	+ 31.0	224.2	4.4	4.6	4.4	4.5	67.95	69.59	
15D823	4	208.1	207.3	+ 22.7	205.1	2.3	2.3	2.3	2.2	74.26	72.83	
15A824	1	161.7	161.1	+ 8.9	160.3	6.0	6.0	6.0	6.1	70.39	74.98	
15A825	5	167.0	166.0	+ 24.0	164.0	10.8	11.1	10.8	10.9	71.45	73.23	
15B825	5	165.3	164.3	+ 15.7	162.5	4.1	4.2	4.1	3.8	69.71	64.44	
15A922	5	278.5	280.9	+ 19.1	259.9	1.9	2.1	1.9	2.0	70.37	68.50	
15B922	5	242.0	243.2*	+ 86.8 *	237.2 *	2.5	2.6	2.5	2.3			Airline plugged
17A823	4	213.0	212.2	+ 27.9	211.4	6.5	6.7	6.5	6.7	70.18	72.85	
17B823	4	208.3	207.7	+ 32.3	204.7	2.9	3.3	2.9	2.9	78.99	69.30	
17C823	1	238.8	238.2	+ 21.8	236.6	2.1	2.2	2.1	2.2		68.20	W/H Meter in error
17A825	5	142.6	142.6	+ 17.4	141.4	9.2	9.5	9.2	9.3	67.66	64.53	
18A824	1	201.08	201.08	+ 10.92	194.68	9.7	9.9	9.7	9.6	69.97	68.48	
18A922	5	265.3	264.9	+ 15.1	263.7	6.4	6.6	6.4	6.5	70.65	71.70	
18B922	5	264.7	264.7	+ 15.3	263.7	2.8	2.9	2.8	2.9	65.10	69.37	
19A823	4	231.5	230.9	+ 19.1	227.3	7.4	7.4	7.3	7.1	69.09	67.42	
19B823	4	229.1	228.1	+ 21.9	228.1	3.8	3.8	3.7	3.9	68.81	72.77	
19A825	2	135.1	134.7	+ 25.3	130.5	10.3	10.5	10.2	10.3	70.82	70.42	
19B825	2	135.7	135.7	+ 24.3	132.7	5.1	5.6	5.1	5.0	73.58	68.25	
19C825	3	140.4	140.4	+ 19.6	138.8	7.4	7.6	7.2	7.6	70.58	70.85	
19D825	3	140.4*	140.0*	+ 20.0	134.0	6.6	6.7	6.4	6.8	72.04	72.48	
19A922	6	315.4	318.0	+ 2.0	316.0	4.6	4.8	4.6	5.2	71.89	73.85	
20A922	5	273.9	273.5	+ 36.5	267.9	6.8	6.9	6.8	6.8	68.45	68.42	
21A823	4	206.3	205.3	+ 14.7	203.3	7.8	7.9	7.8	7.8	74.23	74.85	
21A824	1	153.9	157.9	+ 24.1	155.9	11.0	11.2	11.0	11.1	68.74	67.09	
21B824	2	163.6	162.6	+ 17.4	156.2	7.2	7.3	7.1	7.2	69.57	70.39	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1966	Low Pumping Depth 1967	Distance from Bowls ±	1967 Low Static Depth	c.f.s. 1967 Peak Period Q	c.f.s. 1967 High	c.f.s. 1967 Low	c.f.s. 1966 Peak Period Q c.f.s.	Wire To Water Efficiency 1967	Wire To Water Efficiency 1966	Remarks
21A825	5	140.1	139.4	+ 20.6	136.4	9.2	9.4	9.2	9.3	66.50	65.69	
22A724	7	213.7	214.0*	+ 6.0 *	213.6 *	2.4	2.4	2.4	2.5		76.38	Airline plugged
22B724	7	226.5	227.4	+ 22.6	222.0	6.5	6.6	6.4	6.5		70.99	No meter
22C724	7	208.0	208.0	+ 22.0	207.7	6.4	6.5	6.4	6.4	64.95	64.88	
22A821	6	318.2	318.2	+ 21.8	317.2	6.4	6.7	6.4	6.4	74.77	74.88	
22A823	4	208.0*	207.6*	+ 22.4	207.6 *	5.5	5.6	5.4	5.7			No airline
22A824	2	154.2	158.7	+ 21.3	152.7	6.8	7.0	6.8	6.8	71.39		W/H Meter in error
22A922	5	260.6	261.6	+ 38.4	250.6	2.1	2.2	2.1	2.1	61.23	61.24	
23A724	7	216.4	220.0	+ 20.0	219.0	5.4	5.4	5.3	4.7	70.52	73.18	
23A823	4	214.1	213.5	+ 16.5	212.1	6.8	7.0	6.6	6.8	72.59	74.21	
23B823	4	213.7	212.9	+ 17.1	211.7	2.8	2.9	2.8	2.4	73.95	64.33	
23A824	2	155.5	158.1	+ 21.9	155.1	10.3	10.6	10.2	10.4	71.89	72.69	
23A825	5	177.7	177.1	+ 22.9	169.7	7.9	8.0	7.8	8.0		74.38	W/H Meter in error
23B825	5	173.1	172.3	+ 27.7	168.9	8.0	8.1	8.0	8.0		69.87	W/H Meter in error
24A821	6	327.5	327.1	+ 22.9	323.3	1.8	1.9	1.8	1.8	74.32	70.17	
24A823	3	175.8*	173.0*	+ 27.0 *	171.0 *	9.6	9.7	9.6	9.5	79.26		
24B823	3	164.1	162.7	+ 17.3	160.9	6.7	6.7	6.7	6.8	71.10	68.96	
24C823	1	156.0*	156.0*	+ 24.0 *	153.0 *	7.5	7.8	7.5	7.6			No Airline
24A825	5	166.0	166.5	+ 73.5	162.6	5.5	5.6	5.5	5.5	69.42	68.20	
25A823	3	158.0	156.8	+ 23.2	153.6	3.4	3.6	3.4	3.4	67.46	68.83	
26A724	7	206.6	206.7	+ 23.3	204.7	6.5	6.8	6.5	6.4	72.83	69.52	
26B724	7	198.8	198.2	+ 11.8	198.2	2.6	2.7	2.6	2.6	74.36	73.57	
26A821	6	346.2	346.2	+ 23.8	339.0	5.1	5.3	4.9	5.1	74.63	69.56	
26B821	6	355.0*	355.0*	+ 15.0 *	340.0 *	6.7	7.0	6.6	6.7			Airline plugged
26A823	4	168.0*	168.0*	+ 22.0 *	164.0 *	3.9	4.0	3.9	3.9	66.03	67.51	
26A824	2	133.2	133.2	+ 26.8	132.4	9.8	10.1	9.8	9.9	69.30	69.08	
27A725	7	218.4	218.4	+ 21.6	218.0	2.4	2.4	2.4	2.5	66.44	68.22	
27A823	1	208.5	202.7	+ 27.3	198.5	5.3	5.6	5.3	5.4	64.71	70.43	
27B823	4	182.4	182.0	+ 18.0	181.4	3.7	4.2	3.7	4.0	68.37	73.65	
27C823	1	204.4	203.6	+ 12.4	195.0	4.7	4.8	4.6	4.6	72.89	73.81	
28A724	7	227.5*	228.0*	+ 22.0	226.0 *	6.6	6.7	6.6	6.7			Airline plugged
28B724	7	225.0	225.4	+ 24.6	225.0	3.5	3.6	3.5	3.5	73.62	72.82	
28A823	4	199.1	199.1	+ 20.9	196.0	10.6	10.9	10.6	10.5	74.72	75.86	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1966	Low Pumping Depth 1967	Distance from Bowls ±	1967 Low Static Depth	c.f.s. 1967 Peak Period Q	c.f.s. 1967 High	c.f.s. 1967 Low	c.f.s. 1966 Peak Period Q c.f.s.	Wire To Water Efficiency 1967	Wire To Water Efficiency 1966	Remarks
28B823	4	198.0	197.6	+ 22.4	196.6	6.4	6.4	6.1	6.2	65.32	63.55	
28C823	4	194.0	193.0	+ 27.0	192.0	5.4	5.6	5.2	5.4	72.40	70.02	
28A922	6	269.3	265.3	+ 14.7	254.3	2.6	2.7	2.6	2.6	69.04	70.83	
29A725	7	250.8	250.4	+ 19.6	250.2	4.5	4.6	4.4	4.5	71.65	71.64	
29A823	4	205.4	206.6	+ 13.4	204.8	9.8	10.0	9.8	9.8	68.61	69.13	
29B823	4	207.3	206.3	+ 13.7	205.3	4.1	4.2	4.1	3.9	73.46	69.84	
29A824	3	133.9	133.5	+ 6.5	132.5	5.3	5.4	5.3	5.3	75.69	80.43	
30A724	3	265.7	265.1	+ 14.9	261.1	7.6	7.8	7.5	7.8	73.96	74.35	
30B724	3	264.3	264.6	+ 15.4	261.2	5.5	5.6	5.4	5.0	71.30	68.08	
30A725	7	239.3	239.5	+ 20.5	237.3	7.3	7.4	7.3	7.4	72.72	72.48	
30A822	6	300.9	300.3	+ 19.7	295.7	3.6	3.9	3.6	3.8	77.73	77.20	
30A824	3	159.0	158.6	+ 21.4	151.2	5.9	6.1	5.9	5.9	69.76	71.53	
30B824	3	137.3	136.9	+ 23.1	135.5	3.4	3.4	3.3	3.4	71.80	71.95	
30A922	6	300.5*	300.5*	+ 29.5 *	286.2 *	6.9	7.1	6.5	6.9			Airline plugged
31A724	2	253.5	253.0	+ 27.0	250.4	4.2	4.3	4.2	4.2	71.42	70.72	
31A725	7	194.7	193.9	+ 26.1	193.5	4.5	4.6	4.5	4.5	71.34	69.59	
31A823	4	189.5	189.1	+ 20.9	187.1	6.9	7.0	6.8	6.9	74.52	73.08	
31A824	3	172.7	172.1	+ 27.9	171.7	9.3	9.4	9.2	9.3	70.98	72.84	
31B824	3	174.1	177.2	+ 22.8	176.2	4.2	4.5	4.2	4.0	73.25	68.18	
32A724	2	227.2	225.9	+ 14.1	217.7	8.5	8.7	8.5	8.4	74.39	72.67	
32B724	2	221.2	221.1	+ 18.9	217.1	5.4	5.5	5.4	5.4	70.70	70.22	
32A725	7	196.5	195.9	+ 24.1	194.5	4.6	4.7	4.6	4.6	70.94	72.13	
33A724	2	216.8	216.4	+ 23.6	215.2	6.3	6.4	5.8	6.5	77.26	75.36	
33B724	7	223.5	223.2	+ 16.8	221.2	4.8	4.9	4.8	4.4	67.37	61.40	
33A725	7	217.6	217.6*	+ 12.4 *	216.4 *	6.4	6.6	6.4	6.4		67.64	Airline leaks
33B922	6	281.5*	281.2*	+ 8.8 *	268.8 *	5.8	5.9	5.8	5.9			Airline out of water w/pump on
33C922	6	270.1	269.7	+ 20.3	268.3	3.4	3.5	3.4	3.7	69.37	76.81	
34A723	3	247.8	246.2	+ 23.8	241.6	7.4	7.4	7.4	7.4	65.87	69.33	
34B723	3	246.3	245.5	+ 14.5	242.9	3.0	3.2	3.0	3.0	76.25	71.30	
34A724	2	199.9	199.3	+ 20.7	198.3	8.2	8.4	8.2	8.3	73.20	74.09	
34A725	7	229.7	229.3	+ 10.7	220.1	6.2	6.4	6.2	6.3	71.96	74.09	
34A823	4	158.4	158.0	+ 22.0	154.0	4.3	4.4	4.3	4.3	77.20	72.67	
35A724	2	210.5	209.9	+ 10.1	204.3	8.4	8.6	8.2	8.5	72.09	72.25	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth		Distance from Bowls ±	1967 Low Static Depth	c.f.s. 1967 Peak Period Q	c.f.s. 1967 High	c.f.s. 1967 Low	c.f.s. 1966 Peak Period Q c.f.s.	Wire To Water Efficiency		Remarks
		1966	1967							1967	1966	
35B724	2	204.0	203.8	+ 16.2	203.2	3.8	3.8	3.6	3.8	75.64	73.62	
35A821	6	318.1	318.2	+ 21.8	314.6	5.5	5.7	5.4	5.5	71.41	72.59	
35B821	6	327.0*	327.0*	+ 13.0 *	323.1 *	5.6	5.8	5.6	5.7			Airline out of water
35C821	6	335.1	335.1	+ 24.9	333.7	6.6	6.7	6.4	6.3	76.45	78.52	
35D821	6	323.8	323.6	+ 26.4	321.6	6.0	6.4	6.0	5.7	72.72	73.85	
35A822	4	215.6	215.4	+ 4.6	212.8	9.4	9.6	9.3	9.4	76.86	77.08	
35B822	4	214.2	213.4	+ 26.6	210.4	5.1	5.2	5.0	5.0	73.45	73.45	
35C822	5	252.8	252.0	+ 8.0	248.6	2.4	2.4	2.4	2.4	73.15	72.18	
35A823	4	170.0	169.5	+ 10.5	154.9	8.3	8.4	8.3	8.3	69.11	67.63	
35B823	4	154.8	154.1	+ 25.9	153.7	1.9	2.0	1.8	1.9	69.45	68.76	
35C823	4	160.2	159.7	+ 20.3	153.3	3.7	3.9	3.7	3.7	72.58	72.72	
35D823	4	151.9	151.8	+ 38.2	151.2	1.7	1.7	1.7	1.7	69.84	70.05	

* ESTIMATED FIGURES

September 23, 1968

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1967	Low Pumping Depth 1968	Distance from Bowls ±	1968 Low Static Depth	c.f.s. 1968 Peak Period Q	c.f.s. 1968 High	c.f.s. 1968 Low	c.f.s. 1967 Peak Period Q c.f.s.	Wire To Water Efficiency 1968	Wire To Water Efficiency 1967	Remarks
1A823	3	253.1	253.7	+ 16.3	249.5	9.8	10.1	9.8	9.8	79.49	76.80	
1B823	3	253.6	253.6	+ 16.4	250.6	6.6	6.7	6.6	6.6	75.84	74.93	
1C823	3	230.1	230.1	+ 9.9	223.1	7.6	7.6	7.3	7.6	73.88	74.62	
1A824	3	181.2	181.8	+ 18.2	178.8	7.6	7.7	7.6	7.6	70.81	72.85	
1A921	6	341.4	340.2	+ 19.8	335.8	6.9	7.4	6.6	6.9	72.72	72.90	
2A823	3	231.2	232.2	+ 17.8	230.2	5.2	5.2	5.2	5.2	74.10	75.90	
2A824	3	173.4	173.9	+ 16.1	173.3	2.0	2.1	2.0	2.0	67.72	66.89	
2A923	4	153.8	154.0	+ 26.0	152.8	2.5	2.5	2.5	2.5	71.42	71.40	
2A1021	6	371.7	373.1	+ 36.9	347.1	5.4	5.5	5.4	5.4	69.98	74.55	
3A824	2	200.7	201.4	+ 18.6	197.7	8.9	9.2	8.8	8.9	80.12	76.55	
3B824	2	199.1	198.4	+ 21.6	198.1	4.6	4.7	4.5	4.5	72.65	71.50	
3A825	7	223.7	224.1	+ 15.9	219.5	7.3	7.4	7.3	7.4	78.27	78.80	
3B825	7	222.7	222.9	+ 27.1	215.9	7.6	7.8	7.6	7.7	69.30	67.98	
3C825	7	222.2	222.9	+ 17.1	214.7	6.0	6.2	6.0	6.0	72.90	72.04	
3D825	7	215.9	216.0	+ 34.0	214.2	3.9	4.1	3.9	3.9	70.06	68.76	
3E825	7	218.7	219.7	+ 20.3	217.9	4.8	4.8	4.7	4.8	70.50	69.70	
3A921	6	315.7	317.1	+ 12.9	315.1	2.4	2.4	2.3	2.4	70.62	72.94	
3B921	6	312.8	312.2	+ 17.0	310.2	7.2	7.4	7.1	7.2	70.40	69.07	
3C921	5	*319.8	*320.0	* + 10.0	* 317.0	7.7	7.8	7.5	7.8			Airline plugged
3A922	5	239.3	241.5	+ 8.5	238.7	8.5	8.7	8.5	8.8	73.10	73.67	
3B922	5	240.8	245.6	+ 14.4	244.6	5.9	6.0	5.9	6.0	74.82	72.43	
3A923	4	*175.4	*175.0	* + 25.0	* 165.0	4.9	5.0	4.8	4.9			Airline plugged
3B923	4	155.1	154.9	+ 5.1	149.3	2.2	2.3	2.2	2.2	77.73	77.61	
3A1022	4	290.7	293.7	+ 10.3	288.9	3.7	3.8	3.7	3.7	69.64	70.29	
4A823	4	248.7	246.5	+ 23.5	242.0	9.9	10.3	9.9	9.9	79.66	74.65	
4B823	4	247.6	254.3	+ 15.7	252.4	4.4	4.6	4.4	4.3	79.18	75.54	
4A824	2	205.8	207.2	+ 12.8	193.6	9.1	9.4	9.1	9.1	73.02	73.14	
4B824	1	211.0	210.7	+ 19.3	204.6	9.1	9.2	9.1	9.1	74.30	74.07	
4C824	5	213.4	216.7	+ 23.3	205.8	4.4	4.5	4.3	4.2	81.89	70.28	
5B823	4	260.0	*261.0	*+ 19.0	*253.0	6.8	6.9	6.8	6.8		70.34	Airline plugged
5C823	4	255.5	255.8	+ 24.2	252.7	4.4	4.5	4.4	4.3	71.58	68.87	
5A825	7	*206.3	*209.0	*+ 21.0	*206.0	10.9	11.0	10.7	11.0			Airline plugged
5B825	7	209.6	209.8	+ 20.2	206.0	5.2	5.2	5.2	5.1	68.97	68.35	

September 23, 1968

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1967	Low Pumping Depth 1968	Distance from Bowls ±	1968 Low Static Depth	c.f.s. 1968 Peak Period Q	c.f.s. 1968 High	c.f.s. 1968 Low	c.f.s. 1967 Peak Period Q c.f.s.	Wire To Water Efficiency 1968	Wire To Water Efficiency 1967	Remarks
6A824	1	241.6	242.8	+ 8.2	240.4	10.5	10.9	10.5	10.3	68.98	68.28	
6B824	4	241.9	249.0	+ 11.0	240.2	6.2	6.4	6.2	5.5	87.32	70.34	
6C824	5	207.8	208.1	* + 21.9	*205.0	1.9	1.9	1.9	1.9	70.05	69.80	
6A825	7	174.9	175.6	+ 24.4	175.4	6.5	6.6	6.3	6.4	68.18	68.04	
6B825	7	175.4	176.0	+ 24.0	175.7	3.0	3.2	2.9	3.0	76.25	70.91	
6A923	1	187.1	187.6	+ 12.4	185.4	9.1	9.1	9.1	9.3	70.20	72.25	
6B923	4	169.1	167.9	+ 12.1	166.7	5.4	5.6	5.4	4.2	73.33	76.52	
7B824	1	185.3	186.7	+ 18.3	184.7	9.2	9.6	9.1	9.2	64.83	65.13	
7A922	5	*315.3	*319.0	*+ 1.0	*297.0	9.1	9.3	9.1	9.3			Airline plugged
7B922	5	295.4	297.7	+ 12.3	297.0	8.1	8.3	7.9	8.2	72.84	71.82	
8A823	1	246.2	247.4	+ 7.6	246.6	9.3	9.7	9.3	9.3	75.26	75.79	
8A824	1	188.2	189.0	+ 13.0	183.6	7.6	7.9	7.5	7.2	64.09	62.39	
9A922	5	270.1	273.7	+ 16.3	268.5	7.7	7.9	7.6	7.8	68.78	70.71	
9B922	5	*299.0	*300.0	*+ 10.0	*275.0	3.9	4.8	3.9	4.4			No airline
10A823	3	218.3	219.3	+ 20.7	218.3	3.7	3.8	3.7	3.7	66.13	70.89	
10B823	3	228.7	229.9	+ 10.1	227.1	2.1	2.2	2.1	2.1	66.25	65.28	
10A824	1	*182.0	*182.0	* + 8.0	*181.0	9.3	9.6	9.3	9.3			Airline plugged
10B824	1	*168.0	*168.0	* + 12.0	*167.0	6.7	6.9	6.7	5.8			Airline plugged
10C824	5	173.3	172.3	+ 27.7	171.1	5.5	5.6	5.5	5.4	69.81	70.86	
10A922	5	235.4	237.2	+ 12.8	224.4	4.0	4.1	4.0	4.0	73.72	71.79	
11A824	1	*181.0	180.3	+ 14.7	179.7	10.7	11.6	10.5	10.8	65.67	67.98	
11B824	2	180.2	179.2	+ 20.8	179.0	4.0	4.2	3.9	4.0	81.10	77.64	
11C824	2	175.3	176.5	+ 3.5	175.6	5.8	6.1	5.8	5.8	73.90	69.79	
11A825	7	183.3	183.8	+ 16.2	180.8	6.0	6.2	6.0	6.0	68.49	70.78	
11B922	4	224.6	233.4	+ 6.6	220.2	4.2	4.6	4.1	4.2	68.34	62.98	
11C922	4	*208.3	*220.0	* + 10.0	*219.0	4.8	5.1	4.8	4.7		71.01	Airline leaks
12A823	3	228.5	228.9	+ 21.1	226.5	8.4	8.8	8.2	8.4	70.86	71.08	
12B823	3	*226.4	*229.0	* + 21.0	*227.0	3.0	3.2	2.9	3.1			Airline plugged
12C823	3	216.8	218.4	+ 21.6	215.6	9.5	9.8	9.5	9.5	71.48	70.56	
12D823	3	*216.0	219.6	+ 10.4	214.8	3.8	3.8	3.7	3.8	75.97		
12A824	3	161.4	161.6	+ 28.4	158.2	6.1	6.2	6.1	6.1	70.51	69.37	
12A825	7	199.3	200.0	+ 20.0	199.1	9.9	10.4	9.9	10.0	68.72	72.00	
12B825	7	200.4	213.3	- 3.3	202.8	7.7	8.0	7.7	7.8	72.63	68.40	

September 23, 1968

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1967	Low Pumping Depth 1968	Distance from Bowls ±	1968 Low Static Depth	c.f.s. 1968 Peak Period Q	c.f.s. 1968 High	c.f.s. 1968 Low	c.f.s. 1967 Peak Period Q c.f.s.	Wire To Water Efficiency 1968	Wire To Water Efficiency 1967	Remarks
13A824	2	167.3	167.5	+ 32.5	167.1	11.8	12.0	11.7	11.8	68.79	70.73	
13B824	2	167.2	167.4	+ 12.6	167.2	5.0	5.4	5.0	5.0	70.81	71.11	
13A825	5	165.2	166.2	+ 23.8	163.7	2.9	3.0	2.9	2.9	62.69	62.15	
14A823	3	212.9	214.1	+ 25.9	213.9	7.2	7.2	7.1	7.2	74.32	74.12	
14B823	3	214.6	215.6	+ 4.4	212.4	2.7	2.8	2.7	2.7	73.36	75.75	
14A824	1	148.8	146.3	+ 13.7	145.3	8.3	8.5	8.2	8.3	67.82	67.62	
14C825	7	171.4	172.0	+ 28.0	172.0	2.8	2.9	2.7	2.8	67.04	67.74	
15A823	3	*223.0	*224.0	* + 26.0	* 223.0	9.9	10.0	9.9	9.8			No airline
15B823	3	229.0	229.9	+ 30.1	223.2	4.5	4.7	4.5	4.4	77.84	67.95	
15D823	4	207.3	206.9	+ 23.1	203.5	2.3	2.4	2.2	2.3	72.19	74.26	
15A824	1	161.1	163.2	+ 6.8	161.2	6.0	6.1	6.0	6.0	72.31	70.39	
15A825	5	166.0	164.6	+ 25.4	163.9	10.9	11.0	10.9	10.8	74.00	71.45	
15B825	5	164.3	163.6	+ 16.4	161.4	4.0	4.1	4.0	4.1	69.89	69.71	
15A922	5	280.9	*282.0	* + 18.0	*261.0	1.9	2.1	1.9	1.9		70.37	Airline leaks
15B922	5	*243.2	*246.0	* + 84.0	*236.0	2.2	2.4	2.1	2.5			Airline plugged
17A823	4	212.2	212.8	+ 27.2	211.6	6.6	6.8	6.6	6.5	72.42	70.18	
17B823	4	207.7	208.3	+ 31.7	204.3	2.8	2.9	2.7	2.9	81.20	78.99	
17C823	1	238.2	239.0	+ 21.0	236.6	2.1	2.2	2.1	2.1	67.69		
17A825	5	142.6	142.7	+ 17.3	141.1	9.2	9.3	9.1	9.2	67.20	67.66	
18A824	1	201.08	199.9	+ 12.1	195.1	8.6	9.6	8.4	9.7	64.64	69.97	
18A922	5	264.9	266.3	+ 13.7	265.3	6.4	6.5	6.3	6.4	72.45	70.65	
18B922	5	264.7	265.7	+ 14.3	264.9	2.8	2.9	2.7	2.8	65.93	65.10	
19A823	4	230.9	231.1	+ 18.9	227.1	7.5	7.7	7.5	7.4	70.83	69.09	
19B823	4	228.1	228.1	+ 21.9	228.1	3.8	4.1	3.8	3.8	75.29	68.81	
19A825	2	134.7	135.4	+ 24.6	130.8	10.3	10.4	10.2	10.3	73.39	70.82	
19B825	2	135.7	136.0	+ 24.0	133.0	5.2	5.4	5.2	5.1	74.63	73.58	
19C825	3	140.4	140.5	+ 19.5	138.9	7.2	7.5	7.1	7.4		70.58	Meter burned out
19D825	3	*140.0	154.9	+ 5.1	150.1	6.8	6.9	6.6	6.6		72.04	Meter burned out
19A922	6	318.0	319.6	+ .4	317.0	4.6	4.8	4.6	4.6	71.38	71.89	
20A922	5	273.5	*277.0	* + 33.0	* 270.0	6.6	6.9	6.6	6.8		68.45	Airline leaks
21A823	4	205.3	204.7	+ 15.3	202.5	7.8	7.9	7.7	7.8	76.04	74.23	
21A824	1	157.9	152.5	+ 29.5	150.7	10.8	11.0	10.7	11.0	65.90	68.74	
21B824	2	162.6	163.8	+ 16.2	161.8	7.2	7.3	7.2	7.2	71.85	69.57	

September 23, 1968

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2

Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1967	Low Pumping Depth 1968	Distance from Bowls ±	1968 Low Static Depth	c.f.s. 1968 Peak Period Q	c.f.s. 1968 High	c.f.s. 1968 Low	c.f.s. 1967 Peak Period Q c.f.s.	Wire To Water Efficiency 1968	Wire To Water Efficiency 1967	Remarks
21A825	5	139.4	139.3	+ 20.7	136.5	9.1	9.2	9.1	9.2	64.37	66.50	
22A724	7	*214.0	*217.0	*+ 3.0	* 216.0	2.4	2.5	2.4	2.4			Airline plugged
22B724	7	227.4	228.6	+ 21.4	221.4	6.5	6.7	6.5	6.5	73.99		
22C724	7	208.0	209.2	+ 20.8	208.3	6.4	6.6	6.3	6.4	64.67	64.95	
22A821	6	318.2	*319.0	*+ 21.0	*317.0	6.4	6.6	6.4	6.4		74.77	No Airline
22A823	4	*207.6	209.8	+ 20.2	208.0	7.1	7.2	6.9	5.5	68.91		
22A824	2	158.7	154.8	+ 25.2	146.3	6.8	7.1	6.7	6.8	70.14	71.39	
22A922	5	261.6	*262.0	*+ 38.0	*251.0	2.0	2.2	2.0	2.1		61.23	Airline plugged
23A724	7	220.0	219.6	+ 20.4	218.0	5.4	5.5	5.4	5.4	73.21	70.52	
23A823	4	213.5	213.9	+ 16.1	212.5	6.8	6.8	6.8	6.8	72.35	72.59	
23B823	4	212.9	213.7	+ 16.3	211.7	2.8	2.8	2.8	2.8	75.72	73.95	
23A824	2	158.1	155.9	+ 24.1	152.3	10.4	10.8	10.4	10.3	76.21	71.89	
23A825	5	177.1	177.7	+ 22.3	170.3	7.7	8.0	7.7	7.9			Meter in error
23B825	5	172.3	172.7	+ 27.3	169.1	7.8	8.0	7.6	8.0			Meter in error
24A821	6	327.1	328.9	+ 21.1	321.3	1.8	1.9	1.8	1.8	71.65	74.32	
24A823	3	*173.0	*174.0	*+ 26.0	*171.0	9.6	9.8	9.6	9.6		79.26	Air line leaks
24B823	3	162.7	163.1	+ 16.9	161.1	6.8	6.9	6.8	6.7	72.94	71.10	
24C823	1	*156.0	*158.0	*+ 22.0	*155.0	7.5	7.8	7.5	7.5			No airline
24A825	5	166.5	166.6	+ 23.4	162.0	5.4	5.6	5.4	5.5	67.48	69.42	
25A823	3	156.8	157.6	+ 22.4	153.8	3.4	3.5	3.4	3.4	69.00	67.46	
26A724	7	206.7	207.2	+ 22.8	205.0	6.3	6.6	6.3	6.5	68.51	72.83	
26B724	7	198.2	199.5	+ 10.5	199.3	2.6	2.8	2.6	2.6	74.48	74.36	
26A821	6	346.2	345.8	+ 24.2	338.5	5.1	5.1	4.8	5.1	71.38	74.63	
26B821	6	*355.0	355.0	*+ 15.0	*340.0	6.8	6.9	6.8	6.7			Airline plugged
26A823	4	*168.0	153.8	+ 36.2	148.2	3.9	3.9	3.9	3.9	68.21	66.03	
26A824	2	133.2	133.0	+ 27.0	132.4	10.0	10.2	10.0	9.8	70.46	69.30	
27A725	7	218.4	218.2	+ 21.8	217.6	2.4	2.5	2.4	2.4	69.93	66.44	
27A823	1	202.7	203.4	+ 26.6	198.6	5.3	5.6	5.1	5.3	69.62	64.71	
27B823	4	182.0	182.6	+ 17.4	182.0	3.9	4.2	3.9	3.7	71.00	68.37	
27C823	1	203.6	203.5	+ 12.5	194.5	4.6	4.8	4.5	4.7	69.06	72.89	
28A724	7	*228.0	*227.0	*+ 23.0	*225.0	6.5	6.8	6.5	6.6			Airline plugged
28B724	7	225.4	225.4	+ 24.6	224.4	3.6	3.6	3.5	3.5	69.97	73.62	
28A823	4	199.1	198.7	+ 21.3	196.9	10.6	10.9	10.6	10.6	75.70	74.72	

September 23, 1968

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1967	Low Pumping Depth 1968	Distance from Bowls ±	1968 Low Static Depth	c.f.s. 1968 Peak Period Q	c.f.s. 1968 High	c.f.s. 1968 Low	c.f.s. 1967 Peak Period Q c.f.s.	Wire To Water Efficiency 1968	Wire To Water Efficiency 1967	Remarks
28B823	4	197.6	*198.0	*+ 22.0	*196.0	6.4	6.6	6.3	6.4		65.32	Airline plugged
28C823	4	193.0	193.8	+ 16.2	191.0	5.4	5.7	5.4	5.4	74.56	72.40	
28A922	6	265.3	268.9	+ 11.1	258.3	2.6	2.7	2.6	2.6	68.50	69.04	
29A725	7	250.4	251.4	+ 18.6	251.0	4.5	4.6	4.5	4.5	73.86	71.65	
29A823	4	206.6	205.4	+ 14.6	203.6	9.9	10.1	9.9	9.8	70.15	68.61	
29B823	4	206.3	205.3	+ 14.7	203.3	3.9	4.1	3.9	4.1	70.09	73.46	
29A824	3	133.5	133.7	+ 6.3	133.1	5.3	5.3	5.2	5.3	75.52	75.69	
30A724	3	265.1	266.7	+ 13.3	262.3	7.5	7.9	7.5	7.6	73.43	73.96	
30B724	3	264.6	265.8	+ 14.2	261.8	5.5	5.6	5.5	5.5	72.10	71.30	
30A725	7	239.5	240.5	+ 19.5	237.5	7.3	7.5	7.3	7.3	72.42	72.72	
30A822	6	300.3	296.3	+ 23.7	290.7	3.6	3.7	3.5	3.6	72.22	77.73	
30A824	3	158.6	159.8	+ 20.2	151.2	5.9	6.0	5.9	5.9	71.72	69.76	
30B824	3	136.9	147.4	+ 12.6	146.6	3.3	3.4	3.3	3.4	76.95	71.80	
30A922	6	*300.5	*303.0	*+ 27.0	*288.0	6.6	6.7	6.2	6.9			Airline leaks
31A724	2	253.0	254.4	+ 25.6	250.6	4.2	4.3	4.2	4.2	70.59	71.42	
31A725	7	193.9	194.0	+ 26.0	193.4	4.4	4.5	4.4	4.5	66.96	71.34	
31A823	4	189.1	189.5	+ 20.5	177.7	6.7	6.8	6.6	6.9	71.72	74.52	
31A824	3	172.1	172.9	+ 27.1	171.7	9.3	9.5	9.3	9.3	74.00	70.98	
31B824	3	177.2	175.0	+ 25.0	173.8	4.2	4.4	4.2	4.2	74.87	73.25	
32A724	2	225.9	227.1	+ 12.9	218.7	8.5	8.7	8.5	8.5	76.77	74.39	
32B724	2	221.1	221.7	+ 18.3	217.5	5.4	5.5	5.4	5.4	71.79	70.70	
32A725	7	195.9	196.1	+ 23.9	194.3	4.6	5.1	4.6	4.6	69.28	70.94	
33A724	2	216.4	217.2	+ 22.8	215.8	6.2	6.3	6.0	6.3	76.46	77.26	
33B724	7	223.2	224.2	+ 15.8	221.0	4.3	4.6	4.1	4.8	69.92	67.37	
33A725	7	*217.6	218.1	+ 11.9	216.1	7.0	7.1	7.0	6.4	71.48		
33B922	6	*281.2	*284.0	*+ 6.0	* 272.0	5.7	5.9	5.7	5.8			Airline out of water with pump on
33C922	6	269.7	273.1	+ 16.9	271.1	3.4	3.6	3.4	3.4	71.44	69.37	
34A723	3	246.2	248.1	+ 21.9	242.8	7.4	7.5	7.4	7.4	66.71	65.87	
34B723	3	245.5	246.8	+ 13.2	243.3	3.0	3.1	3.0	3.0	75.72	76.25	
34A724	2	199.3	199.9	+ 20.1	198.1	8.0	8.1	7.8	8.2		73.20	Meter broken
34A725	7	229.3	229.5	+ 10.5	220.3	6.2	6.4	6.2	6.2	71.21	71.96	
34A823	4	158.0	157.6	+ 22.4	152.4	4.3	4.5	4.3	4.3	74.44	77.20	
35A724	2	209.9	212.7	+ 7.3	205.3	8.5	8.6	8.5	8.4	73.59	72.09	

September 23, 1968

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well No. and Group No.		Low Pumping Depth 1967	Low Pumping Depth 1968	Distance from Bowls ±	1968 Low Static Depth	c.f.s. 1968 Peak Period Q	c.f.s. 1968 High	c.f.s. 1968 Low	c.f.s. 1967 Peak Period Q c.f.s.	Wire To Water Efficiency 1968	Wire To Water Efficiency 1967	Remarks
35B724	2	203.8	204.6	+ 15.4	204.0	3.8	4.0	3.8	3.8	79.35	75.64	
35A821	6	318.2	334.6	+ 5.4	331.2	5.4	5.8	5.1	5.5	69.15	71.41	
35B821	6	*327.0	327.4	+ 12.6	320.7	5.5	5.8	5.5	5.6	74.44		
35C821	6	335.1	336.5	+ 23.5	335.4	6.5	6.7	6.4	6.6	74.81	76.45	
35D821	6	323.6	324.0	+ 26.0	321.6	5.8	5.9	5.6	6.0	70.86	72.72	
35A822	4	215.4	216.1	+ 3.9	213.1	9.6	9.7	9.6	9.4	78.45	76.86	
35B822	4	213.4	214.3	+ 25.7	210.7	5.1	5.1	5.0	5.1	76.11	73.45	
35C822	5	252.0	252.8	+ 7.2	245.2	2.4	2.4	2.4	2.4	74.25	73.15	
35A823	4	169.5	170.3	+ 9.7	155.3	8.3	8.4	8.3	8.3	68.55	69.11	
35B823	4	154.1	154.5	+ 25.5	154.1	1.9	2.0	1.9	1.9	70.76	69.45	
35C823	4	159.7	163.1	+ 16.9	151.1	3.7	3.8	3.7	3.7	75.40	72.58	
35D823	4	151.8	152.2	+ 37.8	151.4	1.7	1.7	1.7	1.7	70.73	69.84	

* Estimated Figures

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1968	Low Pumping Depth 1969	Distance from Bowls ±	1969 Low Static Depth	c.f.s. Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1968 Peak Period Q	Remarks
1A823	3	253.7	253.0	+ 17.0	249.4	9.9	10.1	9.8	9.8	
1B823	3	253.6	253.1	+ 16.9	250.1	6.5	6.6	6.4	6.6	
1C823	3	230.1	229.9	+ 10.1	222.9	7.3	7.4	7.1	7.6	
1A824	3	181.8	* 181.2	+ 18.8	* 178.8	7.6	7.9	7.6	7.6	Air line broken
1A921	6	340.2	341.0	+ 19.0	336.2	7.0	7.3	6.8	6.9	
2A823	3	232.2	231.0	+ 19.0	229.0	5.3	5.4	5.3	5.2	
2A824	3	173.9	173.7	+ 16.3	173.1	2.0	2.1	2.0	2.0	
2A923	4	154.0	153.0	+ 27.0	151.6	2.5	2.6	2.5	2.5	
2A1021	6	373.1	376.5	+ 33.5	346.8	5.4	5.5	5.4	5.4	
3A824	2	201.4	201.3	+ 18.7	197.5	9.1	9.3	9.1	8.9	
3B824	2	198.4	198.3	+ 21.7	198.1	4.6	4.7	4.3	4.6	
3A825	7	224.1	223.9	+ 16.1	219.0	7.2	7.2	7.2	7.3	
3B825	7	222.9	223.1	+ 26.9	216.0	7.7	7.9	7.6	7.6	
3C825	7	222.9	223.0	+ 17.0	216.6	6.0	6.2	6.0	6.0	
3D825	7	216.0	215.9	+ 34.1	213.5	4.0	4.2	4.0	3.9	
3F825	7	219.7	218.6	+ 21.4	218.0	4.8	4.9	4.8	4.8	
3A921	6	317.1	315.9	+ 14.1	314.5	2.4	2.4	2.4	2.4	
3B921	6	312.2	312.7	+ 17.3	311.0	7.2	7.3	6.8	7.2	
3C921	5	* 320.0	* 320.5	*+ 9.5	* 317.5	7.7	7.8	7.5	7.7	Air line leaks
3A922	5	241.5	240.7	+ 9.3	237.9	8.7	8.9	8.7	8.5	
3B922	5	245.6	244.2	+ 15.8	243.8	5.9	6.0	5.9	5.9	
3A923	4	* 175.0	* 174.5	* + 25.5	* 164.5	4.9	5.0	4.4	4.9	Air line plugged
3B923	4	154.9	154.5	+ 5.5	149.3	2.2	2.2	2.2	2.2	
3A1022	4	293.7	292.6	+ 17.4	288.2	3.8	3.9	3.8	3.7	
4A823	4	246.5	248.7	+ 21.3	246.5	9.9	10.2	9.8	9.9	
4B823	4	254.3	247.2	+ 22.8	246.2	4.3	4.6	4.2	4.4	
4A824	2	207.2	206.8	+ 13.2	193.4	9.2	9.4	9.2	9.1	
4B824	1	210.7	209.8	+ 20.2	204.2	9.1	9.2	9.1	9.1	
4C824	5	216.7	214.4	+ 25.6	205.2	4.3	4.5	4.2	4.4	
5B823	4	* 261.0	* 259.7	*+ 20.3	* 251.6	6.8	7.0	6.8	6.8	
5C823	4	255.8	254.5	+ 25.5	251.3	4.5	4.5	4.5	4.4	Air line plugged
5A825	7	* 209.0	* 209.0	*+ 21.0	* 205.7	11.1	11.1	11.1	10.9	
5B825	7	209.8	209.7	+ 20.3	205.7	5.1	5.3	5.0	5.2	Air line plugged

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1968	Low Pumping Depth 1969	Distance from Bowls ±	1969 Low Static Depth	c.f.s. Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1968 Peak Period Q	Remarks
6A824	1	242.8	242.3	+ 8.7	239.9	10.7	11.0	10.7	10.5	
6B824	4	249.0	248.0	+ 12.0	239.2	6.3	6.4	6.2	6.2	
6C824	5	208.1	* 207.1	* + 22.9	* 204.0	2.0	2.0	2.0	1.9	Air line leaks
6A825	7	175.6	175.1	+ 24.9	174.7	6.3	6.4	6.2	6.5	
6B825	7	176.0	175.6	+ 24.4	175.4	3.0	3.1	2.9	3.0	
6A923	1	187.6	187.1	+ 12.9	185.7	9.1	9.3	9.1	9.1	
6B923	4	167.9	168.4	+ 11.6	166.2	5.5	5.6	5.5	5.4	
7B824	1	186.7	185.7	+ 19.3	182.9	9.2	9.4	9.2	9.2	
7A922	5	* 319.0	* 318.0	* + 2.0	* 295.1	9.1	9.2	9.1	9.1	Air line plugged
7B922	5	297.7	295.7	+ 14.3	295.1	8.1	8.4	8.1	8.1	
8A823	1	247.4	246.0	+ 9.0	245.4	9.4	9.5	9.4	9.3	
8A824	1	189.0	188.8	+ 13.2	183.4	7.7	7.9	7.5	7.6	
9A922	5	273.7	272.1	+ 17.9	267.9	7.7	8.1	7.7	7.7	
9B922	5	* 300.0	276.1	+ 53.9	271.5	4.8	5.3	4.8	3.9	
10A823	3	219.3	218.5	+ 21.5	217.7	3.8	3.8	3.8	3.7	
10B823	3	229.9	229.1	+ 10.9	226.1	2.2	2.2	2.1	2.1	
10A824	1	* 182.0	* 181.4	* + 8.6	* 180.4	9.3	9.6	9.2	9.3	Air line plugged
10B824	1	168.0	* 168.0	* + 12.0	* 167.0	6.7	6.9	6.7	6.7	Air line plugged
10C824	5	172.3	172.5	+ 27.5	171.5	5.4	5.7	5.4	5.5	
10A922	5	237.2	236.0	+ 14.0	225.6	4.0	4.1	4.0	4.0	
11A824	1	180.3	180.1	+ 14.9	177.7	10.7	10.9	10.5	10.7	
11B824	2	179.2	179.2	+ 20.8	178.4	4.0	4.2	3.9	4.0	
11C824	2	176.5	171.5	+ 8.5	170.9	5.8	5.9	5.8	5.8	
11A825	7	183.8	183.4	+ 16.6	180.4	6.1	6.2	6.1	6.0	
11B922	4	233.4	234.0	+ 6.0	218.0	4.3	4.6	4.3	4.2	
11C922	4	* 220.0	* 220.0	* + 10.0	* 219.0	4.9	5.1	4.9	4.8	Air line leaks
12A823	3	228.9	228.9	+ 21.1	226.3	8.1	8.4	7.8	8.4	
12B823	3	* 229.0	* 229.0	* + 21.0	* 227.0	3.0	3.0	3.0	3.0	Air line plugged
12C823	3	218.4	216.7	+ 23.3	214.1	9.5	9.7	9.5	9.5	
12D823	3	219.6	217.6	+ 12.4	213.4	3.8	3.9	3.7	3.8	
12A824	3	161.6	161.5	+ 28.5	157.7	6.1	6.1	6.0	6.1	
12A825	7	200.0	199.8	+ 20.2	198.8	10.0	10.2	10.0	9.9	
12B825	7	213.3	205.9	+ 4.1	194.9	7.8	7.9	7.7	7.7	

A & B IRRIGATION DISTRICT, BURLEY, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1968	Low Pumping Depth 1969	Distance from Bowls ±	1969 Low Static Depth	c.f.s. Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1968 Peak Period Q	Remarks
13A824	2	167.5	167.7	+ 32.3	167.3	11.8	12.1	11.7	11.8	
13B824	2	167.4	167.6	+ 12.4	167.4	5.0	5.0	5.0	5.0	
13A825	5	166.2	165.6	+ 24.3	163.0	2.9	3.0	2.9	2.9	
14A823	3	214.1	213.2	+ 26.8	212.6	7.3	7.4	7.3	7.2	
14B823	3	215.6	214.3	+ 5.7	210.3	2.8	2.9	2.7	2.7	
14A824	1	146.3	146.8	+ 13.2	145.0	8.4	8.6	8.2	8.3	
14C825	7	172.0	171.9	+ 28.1	171.5	2.8	2.9	2.8	2.8	
15A823	3	* 224.0	* 222.0	* + 28.0	* 221.0	10.1	10.3	10.0	9.9	Air line gone
15B823	3	229.9	227.9	+ 32.1	222.9	4.5	4.9	4.4	4.5	
15D823	4	206.9	206.7	+ 23.3	204.3	2.3	2.3	2.2	2.3	
15A824	1	163.2	160.3	+ 9.7	159.5	6.0	6.1	6.0	6.0	
15A825	5	164.6	165.1	+ 24.9	163.1	10.7	10.9	10.7	10.9	
15B825	5	163.6	163.8	+ 16.2	162.1	4.2	4.3	4.2	4.0	
15A922	5	* 282.0	* 281.0	* + 19.0	* 260.0	2.0	2.0	1.9	1.9	Air line leaks
15B922	5	* 246.0	* 245.0	* + 85.0	* 239.0	2.3	2.3	2.2	2.2	Air line plugged
17A823	4	212.8	211.6	+ 28.4	210.5	6.7	6.9	6.6	6.6	
17B823	4	208.3	207.0	+ 33.0	203.0	2.8	3.1	2.8	2.8	
17C823	1	239.0	237.8	+ 22.2	235.6	2.2	2.2	2.2	2.1	
17A825	5	142.7	142.6	+ 17.4	140.5	9.2	9.4	9.3	9.2	
18A824	1	199.9	200.6	+ 11.4	194.8	9.6	9.6	9.6	8.6	
18A922	5	266.3	264.3	+ 15.7	263.4	6.4	6.6	6.4	6.4	
18B922	5	265.7	263.9	+ 16.1	263.0	2.8	2.9	2.7	2.8	
19A823	4	231.1	230.5	+ 19.5	227.1	7.4	7.5	7.0	7.5	
19B823	4	228.1	227.5	+ 22.5	226.9	3.8	3.8	3.8	3.8	
19A825	2	135.4	135.1	+ 24.9	130.9	10.2	10.3	10.2	10.3	
19B825	2	136.0	135.5	+ 24.5	132.7	5.1	5.7	5.0	5.2	
19C825	3	140.5	140.4	+ 19.6	139.5	7.2	7.6	7.1	7.2	
19D825	3	154.9	154.7	+ 5.3	150.1	6.8	7.2	6.6	6.8	
19A922	6	319.6	321.0	- 1.0	317.8	4.6	4.8	4.6	4.6	
20A922	5	* 277.0	* 276.0	*+ 34.0	* 267.0	6.7	6.8	6.7	6.6	Air line leaks
21A823	4	204.7	205.3	+ 14.7	202.9	7.8	7.9	7.6	7.8	
21A824	1	152.5	151.8	+ 30.2	150.4	10.8	11.1	10.6	10.8	
21B824	2	163.8	162.4	+ 17.6	155.0	7.3	7.5	7.3	7.2	

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1968	Low Pumping Depth 1969	Distance from Devls ±	1969 Low Static Depth	c.f.s. Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1968 Peak Period Q	Remarks
21A825	5	139.3	139.5	+ 20.5	136.5	9.1	9.3	9.0	9.1	
22A724	7	* 217.0	*216.0	*+ 4.0	* 214.0	2.4	2.5	2.3	2.4	Air line plugged
22B724	7	228.6	227.4	+ 22.6	220.3	6.6	6.7	6.5	6.5	
22C724	7	209.2	208.4	+ 21.6	207.8	6.7	6.9	6.6	6.4	
22A821	6	* 319.0	*318.0	*+ 22.0	* 316.0	6.4	6.6	6.3	6.4	Air line gone
22A823	4	209.8	209.1	+ 20.9	207.3	7.2	7.2	7.0	7.1	
22A824	2	154.8	154.5	+ 25.5	145.1	6.9	7.2	6.9	6.8	
22A922	5	* 262.0	285.5	+ 14.5	274.2	2.1	2.2	2.1	2.0	
23A724	7	219.6	221.0	+ 19.0	219.6	5.5	5.6	5.5	5.4	
23A823	4	213.9	213.5	+ 16.5	211.7	6.8	6.9	6.7	6.8	
23B823	4	213.7	213.3	+ 16.7	209.1	2.8	3.0	2.8	2.8	
23A824	2	155.9	155.9	+ 24.1	151.9	10.4	10.9	10.3	10.4	
23A825	5	177.7	177.3	+ 22.7	170.7	7.7	7.8	7.7	7.7	
23B825	5	172.7	172.7	+ 27.3	168.5	7.6	8.0	7.6	7.8	
24A821	6	328.9	327.3	+ 22.7	322.7	1.8	1.8	1.8	1.8	
24A823	3	* 174.0	*174.0	*+ 26.0	* 164.0	9.7	9.7	9.7	9.6	Air line leaks
24B823	3	163.1	162.7	+ 17.3	160.7	6.8	6.9	6.8	6.8	
24C823	1	* 158.0	*157.0	*+ 23.0	* 161.0	7.5	7.6	7.2	7.5	Air line gone
24A825	5	166.6	166.6	+ 23.4	161.8	5.5	5.6	5.5	5.4	
25A823	3	157.6	157.0	+ 23.0	152.6	3.4	3.6	3.4	3.4	
26A724	7	207.2	207.3	+ 22.7	205.1	6.6	6.6	6.6	6.3	
26B724	7	199.5	199.4	+ 10.6	199.2	2.7	2.7	2.7	2.6	
26A821	6	345.8	346.6	+ 23.4	338.8	5.1	5.3	4.9	5.1	
26B821	6	* 355.0	*354.0	*+ 16.0	* 345.0	6.8	7.2	6.7	6.8	Air line plugged
26A823	4	153.8	153.6	+ 36.4	148.2	3.9	4.0	3.9	3.9	
26A824	2	133.0	133.2	+ 26.8	132.4	10.0	10.3	9.8	10.0	
27A725	7	218.2	218.1	+ 21.9	217.5	2.4	2.5	2.4	2.4	
27A823	1	203.4	202.1	+ 27.9	197.7	5.5	5.7	5.5	5.3	
27B823	4	182.6	182.0	+ 18.0	181.0	3.9	4.2	3.9	3.9	
27C823	1	203.5	200.6	+ 15.4	189.7	5.0	5.2	4.8	4.6	
28A724	7	*227.0	*227.0	*+ 23.0	* 225.0	6.6	6.8	6.6	6.5	Air line plugged
28B724	7	225.4	225.0	+ 25.0	224.2	3.6	3.6	3.5	3.6	
28A823	4	198.7	196.9	+ 23.1	194.9	10.6	11.1	10.6	10.6	

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1968	Low Pumping Depth 1969	Distance from Bowls ±	1969 Low Static Depth	c.f.s. Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1968 Peak Period Q	Remarks
28B823	4	*198.0	*198.0	* + 22.0	196.0	6.3	6.4	6.3	6.4	Air line plugged
28C823	4	193.8	193.7	+ 16.3	193.3	5.4	5.6	5.4	5.4	
28A922	6	268.9	273.4	+ 6.6	260.5	2.6	2.7	2.6	2.6	
29A725	7	251.4	251.2	+ 18.8	250.8	4.5	4.7	4.5	4.5	
29A823	4	205.4	205.6	+ 14.4	204.0	9.9	10.0	9.8	9.9	
29B823	4	205.3	*205.5	* + 14.5	* 204.0	3.9	4.2	3.9	3.9	Air line leaks
29A824	3	133.7	134.1	+ 5.9	133.0	5.3	5.4	5.3	5.3	
30A724	3	266.7	265.7	+ 14.3	260.5	7.6	7.9	7.5	7.5	
30B724	3	265.8	264.8	+ 15.2	260.8	5.5	5.6	5.5	5.5	
30A725	7	240.5	239.5	+ 20.5	236.9	7.3	7.5	7.2	7.3	
30A822	6	296.3	297.5	+ 22.5	291.5	3.6	3.7	3.5	3.6	
30A824	3	159.8	159.6	+ 20.4	151.8	5.9	6.2	5.9	5.9	
30B824	3	147.4	147.3	+ 12.7	146.7	3.4	3.5	3.4	3.3	
30A922	6	*303.0	302.2	+ 47.8	286.0	6.8	6.8	6.8	6.6	
31A724	2	254.4	253.5	+ 26.5	249.1	4.2	4.4	4.1	4.2	
31A725	7	194.0	195.1	+ 24.9	194.1	4.6	4.8	4.6	4.4	
31A823	4	189.5	189.1	+ 20.9	186.9	6.7	6.9	6.7	6.7	
31A824	3	172.9	171.9	+ 28.1	171.3	9.3	9.4	9.3	9.3	
31B824	3	175.0	174.4	+ 25.6	173.4	4.2	4.3	4.2	4.2	
32A724	2	227.1	226.7	+ 13.3	218.3	8.6	8.8	8.5	8.5	
32B724	2	221.7	221.5	+ 18.5	217.1	5.4	5.6	5.3	5.4	
32A725	7	196.1	196.5	+ 23.5	194.3	4.5	4.6	4.4	4.6	
33A724	2	217.2	217.4	+ 22.6	216.0	6.2	6.3	6.0	6.2	
33B724	7	224.2	223.8	+ 16.2	222.0	4.7	5.1	4.3	4.3	
33A725	7	218.1	218.0	+ 12.0	215.8	7.0	7.0	6.5	7.0	
33B922	6	*284.0	*283.0	*+ 7.0	* 271.0	5.8	6.0	5.8	5.7	Air line leaks
33C922	6	273.1	273.7	+ 16.3	270.5	3.4	3.5	3.4	3.4	
34A723	3	248.1	246.2	+ 23.8	241.6	7.4	7.7	7.4	7.4	
34B723	3	246.8	245.3	+ 14.7	242.1	3.0	3.2	3.0	3.0	
34A724	2	199.9	199.3	+ 20.7	197.7	8.0	8.2	7.9	8.0	
34A725	7	229.5	229.9	+ 10.1	218.9	6.2	6.4	6.2	6.2	
34A823	4	157.6	157.4	+ 22.6	152.2	4.3	4.4	4.1	4.3	
35A724	2	212.7	211.1	+ 8.9	204.9	8.5	8.6	8.4	8.5	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1968	Low Pumping Depth 1969	Distance from Pools ±	1969 Low Static Depth	c.f.s. Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1968 Peak Period Q	Remarks
35B724	2	204.6	204.2	+ 15.8	203.0	3.8	3.8	3.8	3.8	
35A821	6	334.6	336.1	+ 3.9	332.3	5.4	5.7	5.3	5.4	
35B821	6	327.4	327.5	+ 12.5	319.4	5.6	5.8	5.6	5.5	*
35C821	6	336.5	336.4	+ 23.6	333.7	6.5	6.7	6.4	6.5	
35D821	6	324.0	*324.0	* + 26.0	* 321.6	5.8	5.9	5.5	5.8	Air line leaks
35A822	4	216.1	215.1	+ 4.9	212.9	9.6	9.7	9.5	9.6	
35B822	4	214.3	213.3	+ 26.7	210.1	5.2	5.2	5.1	5.1	
35C822	5	252.8	251.8	+ 8.2	243.7	2.4	2.5	2.4	2.4	
35A823	4	170.3	169.8	+ 10.2	153.6	8.3	8.4	8.3	8.3	
35B823	4	154.5	153.2	+ 26.8	152.6	1.9	2.0	1.8	1.9	
35C823	4	163.1	159.8	+ 20.2	151.6	3.7	3.9	3.7	3.7	
35D823	4	152.2	151.9	+ 38.1	151.1	1.7	1.8	1.7	1.7	

* ESTIMATED FIGURES

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1969	Low Pumping Depth 1970	Distance from Bowls ±	1970 Low Static Depth	c.f.s. 1970 Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1969 Peak Period Q	Remarks
1A823	3	253.0	249.4	+ 20.6	247.5	9.8	10.1	9.8	9.9	
1B823	3	253.1	250.3	+ 19.7	246.7	6.6	6.6	6.6	6.5	
1C823	3	229.9	228.2	+ 11.7	222.0	7.4	7.5	7.4	7.3	
1A824	3	* 181.2	* 180.0	*+ 20.0	* 177.0	7.7	7.7	7.6	7.6	Air Line Broken
1A921	6	341.0	341.0	+ 19.0	335.6	7.1	7.3	7.0	7.0	
2A823	3	231.0	227.8	+ 22.2	227.5	5.3	5.4	5.3	5.3	
2A824	3	173.7	171.9	+ 18.1	171.3	2.1	2.2	2.1	2.0	
2A923	4	153.0	152.9	+ 27.1	150.9	2.6	2.6	2.6	2.5	
2A1021	6	376.5	376.1	+ 33.9	345.3	4.9	4.9	4.9	5.4	
3A824	2	201.3	197.7	+ 22.3	195.2	9.1	9.3	9.1	9.1	
3B824	2	198.3	194.9	+ 25.1	196.9	4.5	4.7	4.3	4.6	
3A825	7	223.9	222.6	+ 17.4	217.4	7.3	7.4	7.2	7.2	
3B825	7	223.1	221.4	+ 28.6	214.5	7.7	7.7	7.7	7.7	
3C825	7	223.0	221.0	+ 19.0	212.2	6.0	6.1	6.0	6.0	
3D825	7	215.9	214.6	+ 35.4	212.8	4.0	4.1	4.0	4.0	
3E825	7	218.6	217.6	+ 22.4	216.9	4.9	4.9	4.8	4.8	
3A921	6	315.9	310.7	+ 19.3	313.8	2.3	2.4	2.3	2.4	
3B921	6	312.7	309.0	+ 21.0	310.6	7.0	7.2	6.7	7.2	
3C921	5	* 320.5	* 322.0	*+ 8.0	* 320.0	7.5	7.7	7.3	7.7	Air line leaks
3A922	5	240.7	238.0	+ 12.0	233.6	8.8	8.9	8.8	8.7	
3B922	5	244.2	240.9	+ 19.1	239.3	6.1	6.2	6.0	5.9	
3A923	4	* 174.5	* 173.0	*+ 27.0	* 163.0	5.0	5.1	5.0	4.9	Air line plugged
3B923	4	154.5	153.2	+ 6.8	146.5	2.2	2.3	2.2	2.2	
3A1022	4	292.6	293.3	+ 16.7	287.8	3.8	3.9	3.8	3.8	
4A823	4	248.7	247.4	+ 22.6	245.5	10.1	10.2	10.1	9.9	
4B823	4	247.2	246.3	+ 23.7	245.3	4.2	4.5	4.2	4.3	
4A824	2	206.8	201.9	+ 18.1	189.4	9.2	9.4	9.2	9.2	
4B824	1	209.8	207.5	+ 22.5	201.4	9.1	9.3	9.1	9.1	
4C824	5	214.4	212.2	+ 27.8	203.8	4.3	4.5	4.3	4.3	
5B823	4	* 259.7	* 258.0	*+ 22.0	* 250.0	6.9	7.0	6.9	6.8	Air line plugged
5C823	4	254.5	252.5	+ 27.5	250.6	4.5	4.5	4.5	4.5	
5A825	7	* 209.0	207.9	+ 22.1	* 206.0	11.1	11.2	11.1	11.1	can't read w/pump off
5B825	7	209.7	209.4	+ 20.6	206.2	5.1	5.3	5.1	5.1	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1969	Low Pumping Depth 1970	Distance from Bowls ±	1970 Low Static Depth	c.f.s. 1970 Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1969 Peak Period Q	Remarks
6A824	1	242.3	240.5	+ 10.5	238.1	10.7	11.0	10.7	10.7	
6B824	4	248.0	243.6	+ 16.4	236.5	6.3	6.5	6.2	6.3	
6C824	5	* 207.1	* 209.0	*+ 21.0	* 207.0	1.9	2.0	1.9	2.0	Air line leaks
6A825	7	175.1	172.7	+ 27.3	173.5	6.4	6.6	6.4	6.3	
6B825	7	175.6	173.4	+ 26.6	174.9	3.0	3.0	3.0	3.0	
6A923	1	187.1	186.2	+ 13.8	184.5	9.2	9.4	9.2	9.1	
6B923	4	168.4	167.4	+ 12.6	164.7	5.5	5.6	5.5	5.5	
7B824	1	185.7	184.1	+ 20.9	182.9	9.2	9.5	9.2	9.2	
7A922	5	* 318.0	* 319.0	*+ 1.0	* 296.0	9.1	9.2	9.0	9.1	Air line plugged
7B922	5	295.7	296.4	+ 13.6	296.2	8.1	8.1	8.1	8.1	
8A823	1	246.0	244.7	+ 10.3	244.3	9.4	9.6	9.4	9.4	
8A824	1	188.8	186.8	+ 15.2	182.3	7.7	8.0	7.6	7.7	
9A922	5	272.1	269.6	+ 20.4	262.9	7.7	7.8	7.7	7.7	
9B922	5	* 276.1	273.2	+ 56.8	254.2	5.0	5.1	5.0	4.8	
10A823	3	218.5	214.8	+ 25.2	216.1	3.8	3.9	3.8	3.8	
10B823	3	229.1	226.0	+ 14.0	225.2	2.2	2.2	2.2	2.2	
10A824	1	* 181.4	* 179.0	*+ 11.0	* 178.0	9.3	9.5	9.3	9.3	Air line plugged
10B824	1	* 168.0	* 166.0	*+ 14.0	* 165.0	6.7	6.8	6.6	6.7	Air line plugged
10C824	5	172.5	171.5	+ 28.5	169.4	5.5	5.8	5.4	5.4	
10A922	5	236.0	232.1	+ 17.9	223.7	3.9	4.0	3.9	4.0	
11A824	1	180.1	181.0	+ 14.0	178.4	10.8	11.0	10.8	10.7	
11B824	2	179.2	177.5	+ 22.5	177.1	4.1	4.2	3.9	4.0	
11C824	2	171.5	171.1	+ 8.9	169.6	5.8	6.0	5.7	5.8	
11A825	7	183.4	181.0	+ 19.0	179.0	6.2	6.3	6.1	6.1	
11B922	4	234.0	230.5	+ 9.5	210.1	4.3	4.5	4.3	4.3	
11C922	4	* 220.0	* 209.0	*+ 21.0	* 208.0	5.0	5.1	5.0	4.9	Air line leaks
12A823	3	228.9	225.4	+ 24.6	224.3	8.1	8.3	8.1	8.1	
12B823	3	* 229.0	* 227.0	*+ 23.0	* 225.0	3.0	3.1	3.0	3.0	Air line plugged
12C823	3	216.7	213.4	+ 28.6	212.4	9.5	9.6	9.5	9.5	
12D823	3	217.6	213.5	+ 16.5	* 210.0	3.7	3.9	3.6	3.8	Can't read w/pump off
12A824	3	161.5	159.2	+ 30.8	156.6	6.1	6.2	6.0	6.1	
12A825	7	199.8	197.3	+ 22.7	197.3	10.2	10.4	10.2	10.0	
12B825	7	205.9	203.0	+ 7.0	195.0	7.9	7.9	7.9	7.8	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1969	Low Pumping Depth 1970	Distance from Bowls ±	1970 Low Static Depth	c.f.s. 1970 Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1969 Peak Period Q	Remarks
13A824	2	167.7	164.7	+ 35.3	165.90	11.9	12.0	11.9	11.8	
13B824	2	167.6	164.2	+ 15.8	166.2	5.0	5.2	5.0	5.0	
13A825	5	165.6	164.5	+ 25.5	161.9	2.9	3.0	2.9	2.9	
14A823	3	213.2	* 211.9	* + 28.1	211.3	7.2	7.4	7.2	7.3	
14B823	3	214.3	* 214.9	* + 5.1	210.9	2.8	2.9	2.8	2.8	
14A824	1	146.8	144.8	+ 15.2	143.5	8.5	8.7	8.3	8.4	
14C825	7	171.9	170.6	+ 29.4	170.2	2.8	2.9	2.8	2.8	
15A823	3	* 222.0	* 222.0	* + 28.0	* 221.0	10.1	10.4	10.1	10.1	No air line
15B823	3	227.9	226.7	+ 33.3	222.5	4.6	4.6	4.6	4.5	
15D823	4	206.7	* 206.0	* + 24.0	203.5	2.3	2.3	2.3	2.3	
15A824	1	160.3	158.5	+ 11.5	158.0	6.1	6.2	6.1	6.0	
15A825	5	165.1	163.3	+ 38.2	161.8	10.9	11.1	10.7	10.7	
15B825	5	163.8	* 163.0	* + 17.0	160.9	4.1	4.3	4.1	4.2	
15A922	5	* 281.0	* 281.0	* + 19.0	* 260.0	2.0	2.0	2.0	2.0	Air line leaks
15B922	5	* 245.0	* 245.0	* + 85.0	* 239.0	2.3	2.5	2.3	2.3	Air line leaks
17A823	4	211.6	210.6	+ 29.4	210.5	6.6	6.7	6.6	6.7	
17B823	4	207.0	213.5	+ 26.5	212.0	3.0	3.2	3.0	2.8	
17C823	1	237.8	* 237.0	* + 23.0	234.7	2.2	2.2	2.2	2.2	
17A825	5	142.6	141.4	+ 18.6	140.1	9.2	9.4	9.2	9.2	
18A824	1	200.6	198.8	+ 13.2	192.3	9.6	9.7	9.6	9.6	
18A922	5	264.3	264.0	+ 16.0	263.0	6.4	6.6	6.3	6.4	
18B922	5	263.9	264.1	+ 15.9	263.0	2.8	2.9	2.7	2.8	
19A823	4	230.5	225.7	+ 24.3	224.8	7.4	7.5	7.2	7.4	
19B823	4	227.5	* 227.0	* + 23.0	226.2	3.8	3.8	3.7	3.8	
19A825	2	135.1	134.0	+ 26.0	128.7	10.2	10.3	10.1	10.2	
19B825	2	135.5	134.6	+ 25.4	132.2	5.0	5.1	5.0	5.1	
19C825	3	140.4	139.5	+ 20.5	137.5	7.5	7.7	7.5	7.2	
19D825	3	154.7	143.3	+ 16.7	139.0	6.6	6.8	6.4	6.8	
19A922	6	321.0	315.9	+ 4.1	312.7	4.5	4.6	4.5	4.6	
20A922	5	* 276.0	* 275.0	* + 35.0	* 266.0	6.8	6.8	6.8	6.7	Air line leaks
21A823	4	205.3	202.1	+ 17.9	201.2	7.8	8.0	7.5	7.8	
21A824	1	151.8	149.7	+ 32.3	148.9	11.1	11.2	11.1	10.8	
21B824	2	162.4	159.8	+ 20.2	152.9	7.3	7.6	7.3	7.3	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1969	Low Pumping Depth 1970	Distance from Bowls ±	1970 Low Static Depth	c.f.s. 1970 Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1969 Peak Period Q	Remarks
21A825	5	139.5	138.5	+ 21.5	135.1	9.1	9.4	9.1	9.1	
22A724	7	* 216.0	* 215.0	*+ 5.0	* 213.0	2.4	2.5	2.4	2.4	Air Line Plugged
22B724	7	227.4	223.1	+ 26.9	218.5	6.6	6.7	6.5	6.6	
22C724	7	208.4	206.6	+ 23.4	206.5	6.6	6.7	6.4	6.7	
22A821	6	* 318.0	* 318.0	*+ 22.0	* 316.0	6.5	6.7	6.3	6.4	Air Line Gone
22A823	4	209.1	206.7	+ 23.3	205.4	7.2	7.3	7.2	7.2	
22A824	2	154.5	153.6	+ 26.4	143.9	6.8	6.9	6.7	6.9	
22A922	5	285.5	284.8	+ 15.2	277.6	2.1	2.2	2.1	2.1	
23A724	7	221.0	217.5	+ 22.5	216.5	5.4	5.5	5.4	5.5	
23A823	4	213.5	* 212.0	*+ 18.0	210.1	6.6	6.9	6.6	6.8	
23B823	4	213.3	* 214.0	*+ 16.0	210.0	2.8	2.9	2.8	2.8	
23A824	2	155.9	153.7	+ 26.3	149.3	10.4	10.8	10.4	10.4	
23A825	5	177.3	175.8	+ 24.2	168.5	7.8	7.8	7.8	7.7	
23B825	5	172.7	171.7	+ 28.3	166.9	7.8	7.9	7.8	7.8	
24A821	6	327.3	326.8	+ 23.2	321.9	1.8	1.8	1.8	1.8	
24A823	3	* 174.0	178.2	+ 21.8	162.6	9.7	9.8	9.7	9.7	
24B823	3	162.7	161.0	+ 19.0	159.1	6.8	6.9	6.8	6.8	
24C823	1	* 157.0	* 174.0	*+ 26.0	* 161.0	7.5	7.6	7.5	7.5	No Air Line
24A825	5	166.6	163.9	+ 26.1	160.8	5.6	5.7	5.6	5.5	
25A823	3	157.0	155.6	+ 24.4	151.0	3.5	3.6	3.4	3.4	
26A724	7	207.3	204.4	+ 25.6	202.8	6.6	6.7	6.4	6.6	
26B724	7	199.4	197.6	+ 12.4	196.8	2.7	2.8	2.7	2.7	
26A821	6	346.6	343.4	+ 26.6	338.0	5.3	5.5	5.3	5.1	
26B821	6	* 354.0	* 353.0	*+ 17.0	* 343.0	6.7	6.8	6.7	6.8	Air Line Plugged
26A823	4	153.6	171.9	+ 18.1	165.9	3.9	3.9	3.9	3.9	
26A824	2	133.2	132.5	+ 27.5	131.4	10.0	10.4	10.0	10.0	
27A725	7	218.1	217.1	+ 22.9	216.8	2.5	2.5	2.5	2.4	
27A823	1	202.1	200.8	+ 29.2	197.1	5.5	5.6	5.4	5.5	
27B823	4	182.0	179.6	+ 20.4	179.2	4.0	4.2	4.0	3.9	
27C823	1	200.6	198.3	+ 17.7	187.0	5.0	5.2	5.0	5.0	
28A724	7	* 227.0	* 226.0	*+ 24.0	* 224.0	6.6	6.7	6.6	6.6	Air Line Plugged
28B724	7	225.0	225.5	+ 24.5	223.7	3.5	3.6	3.5	3.6	
28A823	4	196.9	196.7	+ 23.3	193.9	10.7	10.9	10.7	11.1	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1969	Low Pumping Depth 1970	Distance from Bowls ±	1970 Low Static Depth	c.f.s. 1970 Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1969 Peak Period Q	Remarks
28B823	4	* 198.0	* 197.0	*+ 23.0	* 195.0	6.4	6.6	6.4	6.3	Air Line Leaks
28C823	4	193.7	* 194.0	*+ 16.0	190.8	5.4	5.5	5.4	5.4	
28A922	6	273.4	* 274.0	*+ 6.0	* 261.0	2.7	2.7	2.7	2.6	Air Line Leaks
29A725	7	251.2	250.0	+ 20.00	249.6	4.5	4.6	4.5	4.5	
29A823	4	205.6	203.5	+ 16.5	202.9	9.8	10.0	9.8	9.9	
29B823	4	* 205.5	205.3	+ 14.7	202.9	4.1	4.2	4.1	3.9	
29A824	3	134.1	131.6	+ 8.4	130.7	5.3	5.4	5.3	5.3	
30A724	3	265.7	262.9	+ 17.1	258.6	7.7	7.8	7.7	7.6	
30B724	3	264.8	262.2	+ 17.8	260.6	5.5	5.6	5.5	5.5	
30A725	7	239.5	238.2	+ 21.8	235.1	7.2	7.3	7.1	7.3	
30A822	6	297.5	299.5	+ 20.5	293.3	3.6	3.7	3.5	3.6	
30A824	3	159.6	157.3	+ 22.7	150.4	5.9	6.0	5.9	5.9	
30B824	3	147.3	133.7	+ 26.3	132.5	3.4	3.5	3.4	3.4	
30A922	6	302.2	295.2	+ 54.8	281.4	6.5	6.6	6.4	6.8	
31A724	2	253.5	* 252.0	*+ 28.0	248.1	4.2	4.2	4.2	4.2	
31A725	7	195.1	* 193.0	*+ 27.0	192.1	4.7	4.9	4.7	4.6	
31A823	4	189.1	* 188.0	*+ 22.0	185.4	6.7	7.0	6.7	6.7	
31A824	3	171.9	170.7	+ 29.3	170.0	9.5	9.5	9.5	9.3	
31B824	3	174.4	* 175.0	*+ 25.0	173.5	4.2	4.3	4.2	4.2	
32A724	2	226.7	* 224.7	*+ 15.3	216.2	8.6	8.7	8.6	8.6	
32B724	2	221.5	220.6	+ 19.4	216.8	5.6	5.7	5.6	5.4	
32A725	7	196.5	194.9	+ 25.1	192.9	4.5	4.6	4.4	4.5	
33A724	2	217.4	215.6	+ 24.4	214.5	6.1	6.3	6.2	6.2	
33B724	7	223.8	221.6	+ 18.4	219.9	4.7	4.9	4.4	4.7	
33A725	7	218.0	* 217.0	*+ 13.0	214.2	7.0	7.1	6.8	7.0	
33B922	6	* 283.0	274.1	+ 15.9	270.7	5.7	5.9	5.7	5.8	
33C922	6	273.7	* 273.0	*+ 17.0	270.5	3.4	3.4	3.4	3.4	
34A723	3	246.2	243.8	+ 26.2	240.3	7.4	7.5	7.4	7.4	
34B723	3	245.3	244.0	+ 16.0	239.5	3.0	3.1	3.0	3.0	
34A724	2	199.3	197.3	+ 22.7	195.8	8.2	8.3	7.8	8.0	
34A725	7	229.9	228.2	+ 11.8	216.8	6.2	6.4	6.3	6.2	
34A823	4	157.4	156.2	+ 23.8	151.1	4.2	4.4	4.2	4.3	
35A724	2	211.1	* 211.0	*+ 9.0	203.3	8.5	8.8	8.4	8.5	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1969	Low Pumping Depth 1970	Distance from Bowls ±	1970 Low Static Depth	c.f.s. 1970 Peak Period Q	c.f.s. High	c.f.s. Low	c.f.s. 1969 Peak Period Q	Remarks
35D724	2	204.2	* 203.2	*+ 16.8	202.0	3.8	3.8	3.8	3.8	
35A821	6	336.1	317.8	+ 22.2	314.4	5.3	5.6	5.1	5.4	
35B821	6	327.5	* 327.0	*+ 13.0	319.2	5.7	5.7	5.6	5.6	Can't Read w/Pump On
35C821	6	336.4	334.4	+ 25.6	332.9	6.5	6.5	6.5	6.5	
35D821	6	* 324.0	324.0	+ 26.0	323.0	5.9	6.2	5.9	5.8	
35A822	4	215.1	213.5	+ 6.5	210.8	9.6	9.8	9.6	9.6	
35B822	4	213.3	211.6	+ 29.4	208.8	5.2	5.2	5.2	5.2	
35C822	5	251.8	* 251.0	*+ 9.0	243.6	3.0	3.0	2.9	2.4	
35A823	4	169.8	168.8	+ 11.2	152.9	8.3	8.4	8.3	8.3	
35B823	4	153.2	152.5	+ 27.5	152.1	1.9	1.9	1.9	1.9	
35C823	4	159.8	159.1	+ 20.9	150.5	3.8	3.9	3.8	3.7	
35D823	4	151.9	149.8	+ 40.2	149.2	1.7	1.8	1.7	1.7	

* Estimated Figures

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1970	Low Pumping Depth 1971	Distance from Bowls ±	1971 Low Static Depth	c.f.s. 1971 Peak Period Q	c.f.s. 1971 High	c.f.s. 1971 Low	c.f.s. 1970 Peak Period Q	Remarks
1A-823	3	249.4	249.7	+ 20.3	247.5	9.8	10.2	9.8	9.8	
1B-823	3	250.3	249.8	+ 20.2	247.0	6.4	6.4	6.3	6.6	
1C-823	3	228.2	228.5	+ 11.5	222.2	7.4	7.6	7.4	7.4	
1A-824	3	180.0*	180.0 *	+ 20.0 *	177.0 *	7.7	7.8	7.6	7.7	AIR LINE BROKEN
1A-921	6	341.0	339.8	+ 20.2	333.2	7.1	7.3	6.9	7.1	
2A-823	3	227.8	228.8	+ 21.2	226.8	5.3	5.4	5.3	5.3	
2A-824	3	171.9	171.6	+ 18.4	171.0	2.1	2.2	2.1	2.1	
2A-923	4	152.9	152.6	+ 27.4	150.6	2.6	2.6	2.6	2.6	
2A-1021	6	376.1	376.8	+ 33.2	348.3	5.2	5.6	5.2	4.9	
3A-824	2	197.7	199.3	+ 20.7	195.3	9.5	9.6	9.2	9.1	
3B-824	2	194.9	196.7	+ 23.3	196.7	4.5	4.9	4.5	4.5	
3A-825	7	222.6	222.1	+ 17.9	217.9	7.3	7.4	7.2	7.3	
3B-825	7	221.4	221.1	+ 28.9	213.7	7.7	7.8	7.7	7.7	
3C-825	7	221.0	221.0	+ 19.0	214.4	6.0	6.1	6.0	6.0	
3D-825	7	214.6	213.9	+ 36.1	211.3	4.0	4.1	4.1	4.0	
3E-825	7	217.6	216.7	+ 23.3	215.9	4.9	5.0	4.8	4.9	
3A-921	6	310.7	314.0	+ 16.0	313.0	2.3	2.4	2.3	2.3	
3B-921	6	309.0	313.0 *	+ 17.0 *	311.0 *	7.0	7.2	6.9	7.0	AIRLINE PLUGGED
3C-921	5	322.0 *	322.0 *	+ 8.0*	320.0 *	7.5	7.6	7.3	7.5	AIR LINE LEAKS
3A-922	5	238.0	237.5	+ 12.5	235.2	8.8	8.9	8.8	8.8	
3B-922	5	240.9	240.2	+ 19.8	239.5	6.1	6.1	6.0	6.1	
3A-923	4	173.0 *	173.0 *	+ 27.0 *	163.0 *	5.0	5.1	5.0	5.0	AIR LINE PLUGGED
3B-923	4	153.2	154.3	+ 5.7	147.3	2.2	2.4	2.2	2.2	
3A-1022	6	293.3	290.3	+ 19.7	286.3	3.8	3.9	3.8	3.8	
4A-823	4	247.4	246.9	+ 23.1	245.5	10.0	10.2	9.9	10.1	
4B-823	4	246.3	245.2	+ 24.8	244.4	4.4	4.5	4.2	4.2	
4A824	2	201.9	201.2	+ 18.8	188.6	9.3	9.5	9.2	9.2	
4B-824	1	207.5	207.3	+ 22.7	203.0	9.1	9.3	9.1	9.1	
4C-824	5	212.2	212.3	+ 27.7	201.9	4.5	4.5	4.3	4.3	
5B-823	4	258.0 *	258.0 *	+ 22.0 *	250.0 *	6.9	7.0	6.8	6.9	AIR LINE PLUGGED
5C-823	4	252.5	252.7	+ 27.3	249.1	4.5	4.5	4.4	4.5	
5A-825	7	207.9	209.0 *	+ 21.0 *	206.0 *	11.0	11.1	11.0	11.1	AIR LINE PLUGGED
5B-825	7	209.4	209.0 *	+ 21.0 *	206.0 *	5.1	5.1	4.9	5.1	AIR LINE BROKEN

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1970	Low Pumping Depth 1971	Distance from Bowls ±	1971 Low Static Depth	c.f.s. 1971 Peak Period Q	c.f.s. 1971 High	c.f.s. 1971 Low	c.f.s. 1970 Peak Period Q	Remarks
6A-824	1	240.5	241.4	+ 9.6	239.0	10.9	11.1	10.9	10.7	
6B-824	2	243.6	245.4	+ 14.6	234.2	6.4	6.6	6.4	6.3	
6C-824	5	209.0 *	209.0 *	+ 21.0 *	207.0 *	1.9	2.1	1.9	1.9	AIR LINE LEAKS
6A-825	7	172.7	173.5	+ 26.5	173.1	6.3	6.4	6.3	6.4	
6B-825	7	173.4	174.1	+ 25.9	173.8	3.0	3.1	2.9	3.0	
6A-923	1	186.2	186.0	+ 14.0	184.4	9.3	9.4	9.3	9.2	
6B-923	4	167.4	167.7	+ 12.3	164.7	5.5	5.6	5.5	5.5	
7B-824	1	184.1	181.7	+ 23.3	179.9	9.2	9.5	9.1	9.2	
7A-922	5	319.0 *	319.0 *	+ 1.0 *	296.0 *	9.0	9.0	8.9	9.1	AIR LINE PLUGGED
7B-922	5	296.4	300.7	+ 9.3	299.7	8.2	8.3	8.2	8.1	
8A-823	1	244.7	244.0	+ 11.0	243.6	9.6	9.6	9.5	9.4	
8A-824	1	186.8	186.7	+ 15.3	181.5	7.8	8.1	7.8	7.7	
9A-922	5	269.6	268.7	+ 21.3	266.1	7.7	7.8	7.7	7.7	
9B-922	5	273.2	278.66	+ 51.34	274.26	5.0	5.0	4.9	5.0	
10A-823	3	214.8	216.0	+ 24.0	215.0	3.9	3.9	3.8	3.8	
10B-823	3	226.0	226.4	+ 13.6	223.6	2.2	2.3	2.2	2.2	
10A-824	1	179.0 *	179.0 *	+ 11.0 *	178.0 *	9.3	9.6	9.2	9.3	AIR LINE PLUGGED
10B-824	1	166.0 *	166.0 *	+ 14.0 *	165.0 *	6.7	6.9	6.7	6.7	AIR LINE PLUGGED
10C-824	5	171.5	171.0	+ 29.0	169.8	6.2	6.3	6.2	5.5	
10A-922	5	232.1	233.0	+ 17.0	220.4	4.0	4.1	4.0	3.9	
11A-824	1	181.0	178.2	+ 16.8	178.0	10.9	10.9	10.7	10.8	
11B-824	2	177.5	178.5	+ 21.5	174.9	4.1	4.2	3.9	4.1	
11C-824	2	171.1	170.0	+ 10.0	169.4	5.9	6.0	5.9	5.8	
11A-825	7	181.0	181.2	+ 18.8	177.8	6.2	6.2	6.0	6.2	
11B-922	4	230.5	223.8	+ 16.2	210.2	4.3	4.4	4.3	4.3	
11C-922	4	209.0 *	209.0 *	+ 21.0 *	208.0 *	5.0	5.1	5.0	5.0	AIR LINE LEAKS
12A-823	3	225.4	225.9	+ 24.1	223.9	8.0	8.0	7.9	8.1	
12B-823	3	227.0 *	227.0 *	+ 23.0 *	225.0 *	3.0	3.1	3.0	3.0	AIR LINE PLUGGED
12C-823	3	213.4	214.8	+ 25.2	212.3	9.5	9.6	9.5	9.5	
12D-823	3	213.5	217.0 *	+ 13.0 *	212.0 *	3.7	4.0	3.7	3.7	AIR LINE BROKEN
12A-824	3	159.2	159.2	+ 30.8	156.2	6.0	6.0	6.0	6.1	
12A-825	7	197.3	197.9	+ 22.1	196.5	10.3	10.5	10.4	10.2	
12B-825	7	203.0	203.0	+ 7.0	194.7	7.9	8.1	7.7	7.9	

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1970	Low Pumping Depth 1971	Distance from Bowls ±	1971 Low Static Depth	c.f.s. 1971 Peak Period Q	c.f.s. 1971 High	c.f.s. 1971 Low	c.f.s. 1970 Peak Period Q	Remarks
13A-824	2	164.7	165.9	+ 34.1	165.7	11.8	11.9	11.7	11.9	
13B-824	2	164.2	165.6	+ 14.4	165.4	5.0	5.3	5.0	5.0	
13A-825	5	164.5	164.15	+ 25.85	161.15	2.9	3.0	2.9	2.9	
14A-823	3	211.9 *	211.1	+ 28.9	210.7	7.2	7.4	7.2	7.2	
14B-823	3	214.9 *	212.8	+ 7.2	208.6	2.8	3.0	2.8	2.8	
14A-824	1	144.8	144.3	+ 15.7	143.3	8.6	8.7	8.5	8.5	
14C-825	7	170.6	169.9	+ 30.1	169.6	2.8	3.0	2.8	2.8	
15A-823	3	222.0 *	222.0 *	+ 28.0 *	221.0 *	10.1	10.2	10.0	10.1	NO AIR LINE
15B-823	3	226.7	226.0	+ 34.0	220.2	4.6	4.8	4.5	4.6	
15D-823	4	206.0*	204.9	+ 25.1	202.3	2.3	2.4	2.3	2.3	
15A-824	1	158.5	158.8	+ 11.2	157.8	6.1	6.3	6.0	6.1	
15A-825	5	163.3	164.0 *	+ 26.0 *	162.0 *	10.9	11.0	10.9	10.9	AIR LINE LEAKS
15B-825	5	163.0 *	161.8	+ 18.2	160.0	4.1	4.2	4.0	4.1	
15A-922	5	281.0 *	281.0 *	+ 19.0 *	260.0 *	2.0	2.1	2.0	2.0	AIR LINE LEAKS
15B-922	5	245.0 *	245.0 *	+ 85.0 *	239.0 *	2.4	2.5	2.4	2.3	AIR LINE LEAKS
17A-823	4	210.6	208.8	+ 31.2	207.6	6.7	6.8	6.7	6.6	
17B-823	4	213.5	214.59	+ 25.41	209.99	2.9	3.0	2.9	3.0	
17C-823	1	237.0 *	236.0	+ 24.0	233.4	2.2	2.3	2.2	2.2	
17A-825	5	141.4	140.7	+ 19.3	138.9	9.2	9.4	9.0	9.2	
18A-824	1	198.8	196.88	+ 15.12	192.08	9.6	9.7	9.5	9.6	
18A-922	5	264.0	262.9	+ 17.1	261.7	6.3	6.6	6.3	6.4	
18B-922	5	264.1	262.6	+ 17.4	261.1	2.7	2.9	2.7	2.8	
19A-823	4	225.7	228.7	+ 21.3	225.1	7.3	7.4	7.2	7.4	
19B-823	4	227.0 *	225.9	+ 24.1	225.1	3.9	3.9	3.6	3.8	
19A-825	2	134.0	133.3	+ 26.7	128.9	10.3	10.4	10.1	10.2	
19B-825	2	134.6	135.6	+ 24.4	131.0	6.3	6.4	6.1	5.0	
19C-825	3	139.5	139.0	+ 21.0	137.0	7.6	7.8	7.5	7.5	
19D-825	3	143.3	142.04	+ 17.96	138.04	6.7	6.7	6.7	6.6	
19A-922	6	315.9	314.03	+ 5.97	310.03	4.6	4.7	4.6	4.5	
20A-922	5	275.0 *	275.0 *	+ 35.0 *	266.0 *	6.8	6.9	6.7	6.8	AIRLINE LEAKS
21A-823	4	202.1	203.8	+ 16.2	201.2	7.9	8.0	7.8	7.8	
21A-824	1	149.7	150.7	+ 31.3	148.8	11.0	11.3	11.0	11.1	
21B-824	2	159.6	161.0	+ 19.0	152.8	7.3	7.5	7.3	7.3 *	

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1970	Low Pumping Depth 1971	Distance from Bowls ±	1971 Low Static Depth	c.f.s. 1971 Peak Period Q	c.f.s. 1971 High	c.f.s. 1971 Low	c.f.s. 1970 Peak Period Q	Remarks
21A-825	5	138.5	137.3	+ 22.7	134.3	9.2	9.3	9.2	9.1	
22A-724	7	215.0 *	215.0 *	+ 5.0 *	213.0 *	2.4	2.4	2.4	2.4	AIR LINE PLUGGED
22B-724	7	223.1	223.6	+ 26.4	218.2	6.6	6.7	6.6	6.6	
22C-724	7	206.6	205.8	+ 24.2	204.6	6.6	6.8	6.6	6.6	
22A-821	6	318.0 *	316.9	+ 23.1	315.3	6.9	7.0	6.8	6.5	
22A-823	4	206.7	207.6	+ 22.4	205.4	7.2	7.3	7.1	7.2	
22A-824	2	153.6	153.0	+ 27.0	142.3	6.8	7.2	6.8	6.8	
22A-922	5	284.8	282.8	+ 17.2	276.2	2.2	2.2	2.1	2.1	
23A-724	7	217.5	218.0 *	+ 22.0 *	217.0 *	5.5	5.6	5.4	5.4	AIR LINE LEAKS
23A-823	4	212.0 *	211.6	+ 18.4	210.1	6.9	6.9	6.9	6.6	
23B-823	4	214.0 *	211.3	+ 18.7	208.1	2.9	3.0	2.9	2.8	
23A-824	2	153.7	154.2	+ 25.8	149.0	10.5	10.9	10.4	10.4	
23A-825	5	175.8	175.2	+ 24.8	168.4	7.8	7.8	7.5	7.8	
23B-825	5	171.7	170.6	+ 29.4	165.6	7.8	7.9	7.8	7.8	
24A-821	6	326.8	325.5	+ 24.5	319.7	1.8	1.8	1.8	1.8	
24A-823	3	178.2	179.27	+ 20.73	170.17	9.8	9.8	9.8	9.7	
24B-823	3	161.0	161.0	+ 19.0	159.5	6.9	6.9	6.9	6.8	
24C-823	1	174.0 *	174.0 *	+ 26.0 *	161.0 *	7.5	7.6	7.4	7.5	NO AIR LINE
24A825	5	163.9	164.4	+ 25.6	159.6	5.6	5.7	5.4	5.6	
25A-823	3	155.6	155.6	+ 24.4	150.9	3.4	3.5	3.4	3.5	
26A-724	7	204.4	205.9	+ 24.1	202.5	6.5	6.7	6.5	6.6	
26B-724	7	197.6	197.4	+ 12.6	197.0	2.7	2.9	2.7	2.7	
26A-821	6	343.4	345.0	+ 25.0	332.4	5.5	5.7	5.5	5.3	
26B-821	6	344.0 *	345.0 *	+ 25.0 *	335.0 *	6.7	6.8	6.7	6.7	AIR LINE PLUGGED
26A-823	4	171.9	171.6	+ 18.4	166.5	4.5	4.5	4.5	3.9	
26A-824	2	132.5	131.2	+ 28.8	130.6	10.0	10.3	10.0	10.0	
27A-725	7	217.1	216.5	+ 23.5	215.7	2.5	2.6	2.4	2.5	
27A-823	1	200.8	202.9	+ 27.1	197.5	5.5	5.7	5.5	5.5	
27B-823	4	179.6	180.7	+ 19.3	179.4	4.0	4.1	3.9	4.0	
27C-823	1	198.3	200.3	+ 15.7	183.4	5.1	5.4	5.0	5.0	
28A-724	7	226.0 *	226.0 *	+ 24.0 *	224.0 *	6.6	6.7	6.6	6.6	AIR LINE PLUGGED
28B-724	7	225.5	223.4	+ 26.6	222.4	3.5	3.6	3.5	3.5	
28A-823	4	196.7	195.9	+ 24.1	193.5	10.9	11.0	10.7	10.7	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1970	Low Pumping Depth 1971	Distance from Bowls ±	1971 Low Static Depth	c.f.s. 1971 Peak Period Q	c.f.s. 1971 High	c.f.s. 1971 Low	c.f.s. 1970 Peak Period Q	Remarks
28B-823	4	197.0 *	196.0 *	+ 24.0 *	195.0 *	6.4	6.6	6.4	6.4	AIR LINE PLUGGED
28C-823	4	194.0 *	191.5	+ 18.5	190.3	5.5	5.7	5.5	5.4	
28A-922	6	274.0 *	273.0 *	+ 7.0 *	260.0 *	2.7	2.7	2.6	2.7	AIR LINE LEAKS
29A-725	7	250.0	249.7	+ 20.3	249.3	4.5	4.6	4.5	4.5	
29A-823	4	203.5	204.2	+ 15.8	202.0	10.0	10.2	10.0	9.8	
29B-823	4	205.3	205.0 *	+ 15.0 *	203.0 *	4.1	4.1	4.1	4.1	AIR LINE LEAKS
29A-824	3	131.6	132.0	+ 8.0	131.3	5.4	5.5	5.4	5.3	
30A-724	3	262.9	263.7	+ 16.3	259.7	7.7	7.7	7.6	7.7	
30B-724	3	262.2	263.4	+ 16.6	259.4	5.6	5.7	5.6	5.5	
30A-725	7	238.2	238.1	+ 21.9	234.9	7.3	7.4	7.3	7.2	
30A-822	6	299.5	298.1	+ 21.9	292.5	3.6	3.7	3.5	3.6	
30A-824	3	157.3	158.7	+ 21.3	146.5	5.9	6.0	5.9	5.9	
30B-824	3	133.7	134.22	+ 25.78	133.42	3.4	3.5	3.4	3.4	
30A-922	6	295.2	296.3	+ 53.70	283.80	6.3	6.5	6.2	6.5	
31A-724	2	252.0 *	252.0	+ 28.0	247.8	4.2	4.4	4.2	4.2	
31A-725	7	193.0 *	193.5	+ 26.5	193.5	4.7	4.8	4.7	4.7	
31A-823	4	188.0 *	187.8	+ 22.2	184.2	6.8	6.8	6.8	6.7	
31A-824	3	170.7	171.4	+ 28.6	170.8	9.4	9.4	9.3	9.5	
31B-824	3	175.0 *	174.0 *	+ 26.0 *	173.0 *	4.3	4.3	4.3	4.2	AIR LINE LEAKS
32A-724	2	224.7 *	224.5	+ 15.5	216.7	8.7	8.7	8.7	8.6	
32B-724	2	220.6	219.9	+ 20.1	215.5	5.6	5.6	5.6	5.6	
32A-725	7	194.9	194.5	+ 25.5	192.7	4.6	4.7	4.6	4.5	
33A-724	2	215.6	215.4	+ 24.6	213.8	6.3	6.4	6.3	6.1	
33B-724	7	221.6	221.8	+ 18.2	219.6	4.7	4.8	4.6	4.7	
33A-725	7	217.0 *	216.4	+ 13.6	213.8	7.0	7.0	6.9	7.0	
33B-922	6	274.1	274.0 *	+ 16.0 *	271.0 *	5.7	5.8	5.7	5.7	AIR LINE LEAKS
33C-922	6	273.0 *	268.7	+ 21.3	264.3	3.4	3.4	3.4	3.4	
34A-723	3	243.8	243.8	+ 26.2	239.4	7.4	7.4	7.3	7.4	
34B-723	3	244.0	243.3	+ 16.7	239.7	3.0	3.2	3.0	3.0	
34A-724	2	197.3	197.9	+ 22.1	195.7	8.1	8.3	8.0	8.2	
34A-725	7	228.2	230.2	+ 9.8	213.9	7.4	7.4	7.3	6.2	
34A-823	4	156.2	156.9	+ 23.1	149.9	4.2	4.4	4.2	4.2	
35A-724	2	211.0 *	204.7	+ 15.3	202.9	8.7	8.8	8.7	8.5	

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1970	Low Pumping Depth 1971	Distance from Bowls ±	1971 Low Static Depth	c.f.s. 1971 Peak Period Q	c.f.s. 1971 High	c.f.s. 1971 Low	c.f.s. 1970 Peak Period Q	Remarks
35B-724	2	203.2 *	202.0	+ 18.0	201.2	3.8	3.9	3.8	3.8	
35A-821	6	317.8	317.2	+ 22.8	313.6	5.4	5.6	5.3	5.3	
35B-821	6	327.0 *	327.6	+ 12.4	318.8	5.6	5.8	5.6	5.7	
35C-821	6	334.4	334.1	+ 25.9	332.1	6.5	6.6	6.3	6.5	
35D-821	6	324.0	324.7	+ 25.3	321.7	6.9	7.0	6.8	5.9	
35A-822	4	213.5	214.4	+ 5.6	212.0	9.3	9.5	9.3	9.6	
35B-822	4	211.6	212.6	+ 27.4	208.2	5.0	5.1	5.0	5.2	
35C-822	5	251.0 *	254.1	+ 5.9	240.9	3.0	3.0	3.0	3.0	
35A-823	4	168.8	166.8	+ 13.2	151.4	8.4	8.4	8.4	8.3	
35B-823	4	152.5	152.9	+ 27.1	152.9	1.9	2.0	1.9	1.9	
35C-823	4	159.1	158.9	+ 21.1	147.3	3.8	4.0	3.8	3.8	
35D-823	4	149.8	150.4	+ 39.6	149.6	1.7	1.8	1.7	1.7	

* Estimated figures

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1971	Low Pumping Depth 1972	Distance from Bowls ±	1972 Low Static Depth	c.f.s. 1972 Peak Period Q	c.f.s. 1972 High	c.f.s. 1972 Low	c.f.s. 1971 Peak Period Q	Remarks
1A823	3	249.7	247.80	+ 22.2	244.90	9.8	9.9	9.7	9.8	
1B823	3	249.8	248.90	+ 21.1	245.20	6.5	6.6	6.5	6.4	
1C823	3	228.5	225.00	+ 15.0	221.70	7.4	7.6	7.4	7.4	
1A824	3	180.0*	179.00*	+ 21.0 *	176.00 *	7.8	7.9	7.8	7.7	AIR LINE BROKEN
1A921	6	339.8	338.40	+ 21.6	332.30	7.1	7.1	6.9	7.1	
2A823	3	228.8	228.00	+ 22.0	225.60	5.3	5.3	5.2	5.3	
2A824	5	171.6	170.0	+ 20.0	169.60	2.1	2.2	2.0	2.1	
2A923	4	152.6	151.00	+ 29.0	148.40	2.6	2.7	2.5	2.6	
2A1021	6	376.8	376.10	+ 33.9	345.20	5.2	5.6	5.2	5.2	
3A824	2	199.3	197.60	+ 22.4	192.00	9.3	9.5	9.3	9.5	
3B824	2	196.7	194.70	+ 25.3	194.50	4.6	4.7	4.5	4.5	
3A825	7	222.1	221.20	+ 18.8	217.30	7.2	7.4	7.2	7.3	
3B825	7	221.1	220.60	+ 29.4	211.80	7.6	7.8	7.6	7.7	
3C825	7	221.0	219.30	+ 20.7	212.80	6.0	6.1	6.0	6.0	
3D825	7	213.9	212.30	+ 37.7	209.70	4.0	4.1	4.0	4.0	
3E825	7	216.7	215.30	+ 24.7	214.50	4.9	5.0	4.9	4.9	
3A921	6	314.0	312.70	+ 17.3	311.30	2.3	2.4	2.3	2.3	
3B921	6	313.0 *	312.00 *	+ 18.0 *	310.00 *	7.0	7.3	7.0	7.0	AIR LINE PLUGGED
3C921	5	322.0 *	321.00 *	+ 9.0 *	319.00 *	7.6	7.7	7.6	7.5	AIR LINE LEAKS
3A922	5	237.5	235.50	+ 14.5	233.30	8.8	9.0	8.8	8.8	
3B922	5	240.2	238.40	+ 21.6	238.00	6.2	6.2	6.1	6.1	
3A923	4	173.0 *	172.00 *	+ 28.0 *	162.00 *	5.0	5.2	5.0	5.0	AIR LINE PLUGGED
3B923	4	154.3	152.90	+ 7.1	145.80	2.2	2.4	2.2	2.2	
3A1022	6	290.3	289.30	+ 20.7	283.90	3.8	3.8	3.8	3.8	
4A823	4	246.9	246.10	+ 23.9	244.50	10.1	10.3	10.0	10.0	
4B823	4	245.2	244.60	+ 25.4	241.60	4.3	4.4	4.2	4.4	
4A824	2	201.2	199.00	+ 21.0	187.70	9.4	9.6	9.4	9.3	
4B824	1	207.3	205.60	+ 24.4	201.60	9.5	9.5	9.4	9.1	
4C824	5	212.3	209.60	+ 30.4	200.20	4.5	4.6	4.5	4.5	
5B823	4	258.0 *	258.00 *	+ 22.0 *	250.00 *	7.0	7.0	6.8	6.9	AIR LINE PLUGGED
5C823	4	252.7	252.30	+ 27.7	248.30	4.5	4.6	4.5	4.5	
5A825	7	209.0 *	204.00	+ 26.0	202.60	11.0	11.3	10.9	11.0	AIR LINE PLUGGED
5B825	7	209.0 *	214.00	+ 16.0	210.00	5.0	5.1	5.0	5.1	AIR LINE BROKEN

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1971	Low Pumping Depth 1972	Distance from Bowls ±	1972 Low Static Depth	c.f.s. 1972 Peak Period Q	c.f.s. 1972 High	c.f.s. 1972 Low	c.f.s. 1971 Peak Period Q	Remarks
6A824	1	241.4	240.20	+ 10.8	237.90	10.8	11.3	10.6	10.9	
6B824	2	245.4	243.10	+ 16.9	232.50	6.4	6.6	6.4	6.4	
6C824	5	209.0 *	208.0 *	+ 22.0 *	206.00 *	1.9	2.1	1.9	1.9	AIR LINE LEAKS
6A825	7	173.5	171.80	+ 28.2	171.60	6.3	6.5	6.3	6.3	
6B825	7	174.1	172.50	+ 27.5	172.10	3.1	3.0	3.0	3.0	
6A923	1	186.0	185.0 *	+ 15.0 *	185.4 *	9.3	9.4	9.3	9.3	
6B923	4	167.7	166.20	+ 13.8	163.40	5.6	5.7	5.6	5.5	
7B824	1	181.7	182.10	+ 22.9	180.70	9.2	9.4	9.1	9.2	
7A922	5	319.0 *	299.10	+ 20.9	286.90	9.0	9.0	9.0	9.0	
7B922	5	300.7	293.40	+ 16.6	292.80	8.1	8.1	8.1	8.2	
8A823	1	244.0	243.50	+ 11.5	242.90	9.5	9.5	9.4	9.6	
8A824	1	186.7	185.70	+ 16.3	180.50	7.9	8.1	8.0	7.8	
9A922	5	268.7	268.30	+ 21.7	266.30	7.8	7.9	7.8	7.7	
9B922	5	278.66	274.96	+ 55.04	272.06	5.0	5.1	4.9	5.0	
10A823	3	216.0	214.90	+ 25.1	214.30	3.9	3.9	3.8	3.9	
10B823	3	226.4	225.50	+ 14.5	222.90	2.2	2.3	2.2	2.2	
10A824	1	179.0 *	178.00 *	+ 12.0 *	177.00 *	9.5	9.7	9.5	9.3	AIR LINE PLUGGED
10B824	1	166.0 *	165.00 *	+ 15.0 *	164.00 *	7.0	7.1	7.0	6.7	AIR LINE PLUGGED
10C824	5	171.0	169.90	+ 30.1	168.90	6.4	6.6	6.4	6.2	
10A922	5	233.0	231.10	+ 18.9	218.90	4.0	4.1	4.0	4.0	
11A824	1	178.2	177.10	+ 17.9	176.50	10.8	10.9	10.7	10.9	
11B824	2	178.5	176.10	+ 23.9	175.80	4.2	4.2	4.0	4.1	
11C824	2	170.0	168.50	+ 11.5	167.90	5.9	6.1	5.9	5.9	
11A825	7	181.2	179.50	+ 20.5	176.50	6.2	6.3	6.2	6.2	
11B922	4	223.8	230.00	+ 10.0	212.60	4.3	4.5	4.3	4.3	
11C922	4	209.0 *	208.00 *	+ 22.0 *	207.00 *	5.0	5.1	5.0	5.0	AIR LINE LEAKS
12A823	3	225.9	224.60	+ 25.4	222.10	8.0	8.0	7.8	8.0	
12B823	3	227.0 *	226.00 *	+ 24.0 *	224.00 *	3.0	3.0	2.9	3.0	AIR LINE PLUGGED
12C823	3	214.8	213.60	+ 26.4	210.80	9.5	9.6	9.3	9.5	
12D823	3	217.0 *	216.00 *	+ 14.0 *	211.00 *	3.7	3.8	3.7	3.7	AIR LINE BROKEN
12A824	3	159.2	157.40	+ 32.6	154.60	6.1	6.1	6.1	6.0	
12A825	7	197.9	197.30	+ 22.7	196.00	10.4	10.5	10.5	10.3	
12B825	7	203.0	202.00	+ 8.0	192.60	7.8	7.9	7.8	7.9	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1971	Low Pumping Depth 1972	Distance from Bowls ±	1972 Low Static Depth	c.f.s. 1972 Peak Period Q	c.f.s. 1972 High	c.f.s. 1972 Low	c.f.s. 1971 Peak Period Q	Remarks
13A824	2	165.9	164.20	+ 35.8	163.80	12.0	12.1	11.9	11.8	
13B824	2	165.6	164.20	+ 15.8	163.80	5.0	5.2	5.0	5.0	
13A825	5	164.15	162.55	+ 27.45	160.55	2.9	3.1	3.0	2.9	
14A823	3	211.0	210.10	+ 29.9	209.80	7.2	7.2	7.0	7.2	
14B823	3	212.8	211.70	+ 8.3	208.80	2.8	2.9	2.8	2.8	
14A824	1	144.3	142.40	+ 17.6	141.40	8.6	8.7	8.5	8.6	
14C825	7	169.9	168.20	+ 31.8	168.10	2.9	3.0	2.9	2.8	
15A823	3	222.0 *	221.00 *	+ 29.0 *	220.00 *	10.1	10.2	10.0	10.1	NO AIR LINE
15B823	3	226.0	225.00	+ 35.0	218.40	4.7	4.8	4.6	4.6	
15D823	4	204.9	203.90	+ 26.1	201.30	2.3	2.4	2.3	2.3	
15A824	1	158.8	158.70	+ 11.3	156.70	6.2	6.5	6.2	6.1	
15A825	5	164.0 *	163.00 *	+ 27.0 *	161.00 *	10.9	11.1	10.9	10.9	AIR LINE LEAKS
15B825	5	161.8	160.00	+ 20.0	158.60	4.2	4.3	4.2	4.1	
15A922	5	281.0 *	281.00 *	+ 19.0 *	260.00 *	2.0	2.0	1.9	2.0	AIR LINE LEAKS
15B922	5	245.0 *	245.00 *	+ 85.0 *	239.00 *	2.5	2.6	2.5	2.4	AIR LINE LEAKS
17A823	4	208.8	209.40	+ 30.6	208.10	6.7	7.0	6.7	6.7	
17B823	4	214.59	214.09	+ 25.91	208.69	2.9	3.0	2.8	2.9	
17C823	1	236.0	235.40	+ 24.6	232.80	2.2	2.3	2.2	2.2	
17A825	5	140.7	139.30	+ 20.7	137.30	9.3	9.4	9.3	9.2	
18A824	1	196.88	196.88	+ 15.12	190.68	9.6	9.8	9.5	9.6	
18A922	5	262.9	261.10	+ 18.9	260.30	6.4	6.6	6.2	6.3	
18B922	5	262.6	260.70	+ 19.3	259.70	2.8	2.9	2.6	2.7	
19A823	4	228.7	228.30	+ 21.7	224.30	7.3	7.4	7.2	7.3	
19B823	4	225.9	225.00	+ 25.0	224.00	3.9	3.9	3.9	3.9	
19A825	2	133.3	131.80	+ 28.2	127.70	10.2	10.3	10.2	10.3	
19B825	2	135.6	133.90	+ 26.1	129.20	6.4	6.4	6.2	6.3	
19C825	3	139.0	137.80	+ 22.2	135.40	7.7	7.7	7.6	7.6	
19D825	3	142.04	140.84	+ 19.16	137.44	6.7	6.8	6.4	6.7	
19A922	6	314.03	312.03	+ 7.97	308.73	4.6	4.7	4.5	4.6	
20A922	5	275.0 *	274.00 *	+ 36.0 *	265.00 *	6.8	6.9	6.7	6.8	AIR LINE LEAKS
21A823	4	203.8	202.30	+ 17.7	199.50	7.9	8.0	7.9	7.9	
21A824	1	150.7	148.80	+ 33.2	147.40	11.3	11.5	11.3	11.0	
21B824	2	161.0	159.50	+ 20.5	151.00	7.4	7.6	7.4	7.3	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1971	Low Pumping Depth 1972	Distance from Bowls ±	1972 Low Static Depth	c.f.s. 1972 Peak Period Q	c.f.s. 1972 High	c.f.s. 1972 Low	c.f.s. 1971 Peak Period Q	Remarks
21A825	5	137.3	135.90	+ 24.1	132.90	9.2	9.3	9.2	9.2	
22A724	7	215.0 *	214.00 *	+ 6.0 *	212.00 *	2.4	2.4	2.4	2.4	AIR LINE PLUGGED
22B724	7	223.6	226.80	+ 23.2	221.40	6.6	6.7	6.6	6.6	
22C724	7	205.8	204.90	+ 25.1	203.90	6.6	6.8	6.6	6.6	
22A821	6	316.9	315.60	+ 24.4	313.90	6.9	7.0	6.8	6.9	
22A823	4	207.6	205.80	+ 24.2	203.60	7.2	7.3	7.2	7.2	
22A824	2	153.0	151.30	+ 28.7	143.00	7.0	7.1	7.0	6.8	
22A922	5	282.8	281.70	+ 18.3	275.90	2.2	2.2	2.2	2.2	
23A724	7	218.0 *	217.00 *	+ 23.0 *	216.00 *	5.5	5.6	5.5	5.5	AIR LINE LEAKS
23A823	4	211.6	209.90	+ 20.1	208.10	6.9	6.9	6.8	6.9	
23B823	4	211.3	207.40	+ 22.6	209.40	2.8	2.8	2.7	2.9	
23A824	2	154.2	152.30	+ 27.7	147.70	10.5	10.8	10.4	10.5	
23A825	5	175.2	174.30	+ 25.7	167.40	7.9	8.0	8.0	7.8	
23B825	5	170.6	169.50	+ 30.5	165.50	8.1	8.1	8.1	7.8	
24A821	6	325.5	322.90	+ 27.1	317.90	1.8	1.9	1.8	1.8	
24A823	3	179.27	177.87	+ 22.13	169.47	9.8	9.8	9.7	9.8	
24B823	3	161.0	159.40	+ 20.6	155.60	6.9	6.9	6.8	6.9	
24C823	1	174.0 *	173.00 *	+ 7.0 *	160.00 *	7.5	7.6	7.5	7.5	NO AIR LINE
24A825	5	164.4	163.10	+ 26.9	157.90	5.6	5.8	5.6	5.6	
25A823	3	155.6	154.10	+ 25.9	149.50	3.4	3.5	3.4	3.4	
26A724	7	205.9	203.60	+ 26.4	200.20	6.6	6.8	6.6	6.5	
26B724	7	197.4	195.50	+ 14.5	195.00	2.7	2.8	2.7	2.7	
26A821	6	345.0	343.50	+ 26.5	331.80	5.5	5.7	5.3	5.5	
26D821	6	345.0 *	344.00 *	+ 26.0 *	334.00 *	6.7	6.9	6.6	6.7	AIR LINE PLUGGED
26A823	4	171.6	170.50	+ 19.5	163.70	4.5	4.6	4.5	4.5	
26A824	2	131.2	129.70	+ 30.3	129.10	10.1	10.1	9.9	10.0	
27A725	7	216.5	215.00	+ 25.0	214.40	2.5	2.6	2.5	2.5	
27A823	1	202.9	202.30	+ 27.7	196.90	5.5	5.7	5.5	5.5	
27B823	4	180.7	179.20	+ 20.8	178.00	3.9	4.0	3.9	4.0	
27C823	1	200.3	198.90	+ 17.1	184.00	5.1	5.4	5.0	5.1	
28A724	7	226.0 *	225.00 *	+ 25.0 *	223.00 *	6.7	6.7	6.7	6.6	AIR LINE PLUGGED
28B724	7	223.4	221.60	+ 28.4	220.40	3.5	3.7	3.5	3.5	
28A823	4	195.9	195.80	+ 24.2	193.00	10.8	10.8	10.7	10.9	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1971	Low Pumping Depth 1972	Distance from Bowls ±	1972 Low Static Depth	c.f.s. 1972 Peak Period Q	c.f.s. 1972 High	c.f.s. 1972 Low	c.f.s. 1971 Peak Period Q	Remarks
28B823	4	196.0 *	196.00 *	+ 24.0 *	195.00 *	6.4	6.6	6.3	6.4	AIR LINE PLUGGED
28C823	4	191.5	188.70	+ 21.3	188.30	5.6	5.6	5.6	5.5	
28A922	6	273.0 *	273.00 *	+ 7.0 *	260.00 *	2.7	2.7	2.6	2.7	AIR LINE LEAKS
29A725	7	249.7	248.00	+ 22.0	247.80	4.5	4.6	4.5	4.5	
29A823	4	204.2	202.80	+ 17.2	201.10	9.9	10.0	9.9	10.0	
29B823	4	205.0 *	204.00 *	+ 16.0 *	202.00 *	4.2	4.4	4.2	4.1	AIR LINE LEAKS
29A824	3	132.0	130.30	+ 9.7	129.60	5.4	5.6	5.4	5.4	
30A724	3	263.7	261.90	+ 18.1	257.90	7.7	7.8	7.7	7.7	
30B724	3	263.4	261.60	+ 18.4	257.00	5.5	5.6	5.5	5.6	
30A725	7	238.1	236.50	+ 23.5	233.70	7.3	7.4	7.2	7.3	
30A822	6	298.1	296.30	+ 23.7	290.70	3.6	3.7	3.6	3.6	
30A824	3	158.7	156.80	+ 23.2	149.40	5.9	6.1	5.9	5.9	
30B824	3	134.22	133.32	+ 26.68	132.12	3.4	3.5	3.4	3.4	
30A922	6	296.3	297.30	+ 52.7	282.10	7.4	7.4	7.2	6.3	
31A724	2	252.0	250.50	+ 29.5	245.90	4.2	4.3	4.2	4.2	
31A725	7	193.5	191.10	+ 28.9	191.10	4.8	4.9	4.8	4.7	
31A823	4	187.8	186.30	+ 23.7	183.90	6.8	6.8	6.8	6.8	
31A824	3	171.4	169.70	+ 30.3	169.50	9.3	9.6	9.3	9.4	
31B824	3	174.0 *	173.00 *	+ 27.0 *	172.00 *	4.3	4.3	4.3	4.3	AIR LINE LEAKS
32A724	2	224.5	222.80	+ 17.2	215.10	8.7	8.8	8.7	8.7	
32B724	2	219.9	218.20	+ 21.8	213.60	5.6	5.7	5.6	5.6	
32A725	7	194.5	192.80	+ 27.2	190.60	4.6	4.6	4.6	4.6	
33A724	2	215.4	214.10	+ 25.9	212.80	6.4	6.4	6.4	6.3	
33B724	7	221.8	220.40	+ 19.6	218.40	4.7	4.7	4.7	4.7	
33A725	7	216.4	215.10	+ 14.9	212.50	6.9	6.9	6.8	7.0	
33B922	6	274.0 *	273.00 *	+ 17.0 *	270.00 *	5.9	6.1	5.9	5.7	AIR LINE LEAKS
33C922	6	268.7	267.70	+ 22.3	263.30	3.3	3.5	3.2	3.4	
34A723	3	243.8	243.20	+ 26.8	238.80	7.5	7.5	7.4	7.4	
34B723	3	243.3	242.70	+ 17.3	238.90	3.0	3.0	3.0	3.0	
34A724	2	197.9	195.90	+ 24.1	193.70	8.1	8.1	8.0	8.1	
34A725	7	230.2	228.60	+ 11.4	214.80	7.4	7.4	7.3	7.4	
34A823	4	156.9	155.60	+ 24.4	148.20	4.2	4.5	4.2	4.2	
35A724	2	204.7	202.50	+ 17.5	201.70	8.7	8.8	8.7	8.7	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth		Distance from Bowls ±	1972 Low Static Depth	c.f.s.				Remarks
		1971	1972			1972 Peak Period Q	1972 High	1972 Low	1971 Peak Period Q	
35B724	2	202.0	201.20	+ 18.8	198.60	3.8	3.8	3.8	3.8	
35A821	6	317.2	315.50	+ 24.5	310.10	5.5	5.6	5.5	5.4	
35B821	6	327.6	325.70	+ 14.3	318.00	5.8	5.8	5.7	5.6	
35C821	6	334.1	332.60	+ 27.4	330.80	6.5	6.7	6.4	6.5	
35D821	6	324.7	323.10	+ 26.9	320.20	7.0	7.0	7.0	6.9	
35A822	4	214.4	212.90	+ 7.1	210.70	9.5	9.6	9.5	9.3	
35B822	4	212.6	211.10	+ 28.9	207.00	5.0	5.1	5.0	5.0	
35C822	5	254.1	251.60	+ 8.4	239.20	3.0	3.1	3.0	3.0	
35A823	4	166.8	167.70	+ 12.3	149.50	8.4	8.5	8.4	8.4	
35B823	4	152.9	151.30	+ 28.7	150.90	1.9	2.0	1.9	1.9	
35C823	4	158.9	157.50	+ 22.5	146.30	3.9	4.0	3.8	3.8	
35D823	4	150.4	149.10	+ 40.9	148.10	1.7	1.8	1.7	1.7	

* Estimated Figures

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1972	Low Pumping Depth 1973	Distance from Bowls ±	1973 Low Static Depth	c.f.s. 1973 Peak Period Q	c.f.s. 1973 High	c.f.s. 1973 Low	c.f.s. 1972 Peak Period Q	Remarks
1A-823	3	247.80	248.50	+ 21.50	245.70	9.8	10.0	9.8	9.8	
1B-823	3	248.90	249.80	+ 20.20	246.00	6.5	6.6	6.4	6.5	
1C-823	3	225.00	225.70	+ 14.30	221.30	7.5	7.6	7.2	7.4	
1A-824	3	179.00*	180.00*	+ 20.00*	177.00*	7.8	7.9	7.8	7.8	AIR LINE BROKEN
1A-921	6	338.40	338.00	+ 22.00	332.20	7.1	7.1	7.1	7.1	
2A-823	3	228.00	227.90	+ 22.10	226.30	5.3	5.5	5.3	5.3	
2A-824	5	170.00	169.90	+ 20.10	169.50	2.1	2.2	2.0	2.1	
2A-923	4	151.00	151.40	+ 28.60	149.80	2.6	2.7	2.6	2.6	
2A-1021	6	376.10	373.00	+ 37.00	342.70	5.2*	5.2*	5.2*	5.2	
3A-824	2	197.60	198.10	+ 21.90	194.50	9.5	9.6	9.5	9.3	
3B-824	2	194.70	195.50	+ 24.20	195.20	4.8	4.8	4.8	4.6	
3A-825	7	221.20	220.50	+ 19.50	213.60	7.1	7.1	7.1	7.2	
3B-825	7	220.60	220.10	+ 29.90	215.40	7.7	7.9	7.7	7.6	
3C-825	7	219.30	220.00	+ 20.00	209.40	6.0	6.1	5.9	6.0	
3D-825	7	212.30	212.70	+ 37.30	210.50	4.1	4.1	4.1	4.0	
3E-825	7	215.30	215.50	+ 24.50	214.70	4.9	4.9	4.8	4.9	
3A-921	6	312.70	312.70	+ 17.30	311.70	2.4	2.4	2.3	2.3	
3B-921	6	312.00*	312.00*	+ 18.00*	310.00*	7.2	7.4	7.1	7.0	AIR LINE PLUGGED
3C-921	5	321.00*	321.00*	+ 9.00*	319.00*	7.6	7.7	7.5	7.6	AIR LINE LEAKS
3A-922	5	235.50	235.90	+ 14.10	233.80	8.8	8.8	8.8	8.8	
3B-922	5	238.40	238.70	+ 21.30	238.30	6.1	6.1	6.0	6.2	
3A-923	4	172.00*	173.00*	+ 27.00*	163.00*	5.0	5.1	5.0	5.0	AIR LINE PLUGGED
3B-923	4	152.90	153.30	+ 6.70	145.90	2.3	2.3	2.2	2.2	
3A-1022	6	289.30	287.50	+ 22.50	273.50	3.8	3.9	3.8	3.8	
4A-823	4	246.10	246.20	+ 23.80	244.50	10.1	10.2	10.0	10.1	
4B-823	4	244.60	244.40	+ 25.60	243.40	4.2	4.3	4.2	4.3	
4A-824	2	199.0	199.20	+ 20.80	187.40	9.5	9.6	9.3	9.4	
4B-824	1	205.60	205.30	+ 24.70	200.80	9.3	9.3	9.3	9.5	
4C-824	5	209.60	209.40	+ 30.60	200.10	4.5	4.6	4.3	4.5	
5B-823	4	258.00*	258.00*	+ 22.00*	250.00*	7.0	7.0	6.8	7.0	AIR LINE PLUGGED
5C-823	4	252.30	252.00	+ 28.00	248.00	4.5	4.5	4.4	4.5	
5A-825	7	204.00	204.80	+ 25.20	216.20	11.1	11.1	11.1	11.0	AIR LINE PLUGGED
5B-825	7	214.00	214.60	+ 15.40	210.60	5.1*	5.2*	5.1*	5.0	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 — Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1972	Low Pumping Depth 1973	Distance from Bowls ±	1973 Low Static Depth	c.f.s. 1973 Peak Period Q	c.f.s. 1973 High	c.f.s. 1973 Low	c.f.s. 1972 Peak Period Q	Remarks
6A-824	1	240.20	240.10	+ 10.90	237.90	10.8	10.9	10.4	10.8	
6B-824	2	243.10	243.20	+ 16.80	233.90	6.4	6.6	6.4	6.4	
6C-824	5	208.00*	208.00*	+ 22.00*	206.00*	1.9	2.0	1.9	1.9	AIR LINE LEAKS
6A-825	7	171.80	172.30	+ 27.70	171.70	6.3*	6.3*	6.0	6.3	
6B-825	7	172.50	172.80	+ 27.20	172.40	3.1	3.1	3.0	3.1	
6A-923	1	185.00*	186.00*	+ 14.00*	185.00	9.4	9.5	9.4	9.3	
6C-923	4	166.20	166.10	+ 13.90	163.30	5.6	5.8	5.6	5.6	
7B-824	1	182.10	181.70	+ 23.30	180.50	9.3	9.5	9.3	9.2	
7A-922	5	299.10	298.40	+ 41.60	286.90	9.0	9.2	8.8	9.0	
7B-922	5	293.40	293.00	+ 12.00	297.60	8.1	8.3	8.1	8.1	
8A-823	1	243.50	243.30	+ 11.70	242.80	9.6	9.7	9.3	9.5	
8A-824	1	185.70	185.70	+ 16.30	180.00	8.0	8.1	7.9	7.9	
9A-922	5	268.30	267.30	+ 22.70	265.90	7.7	7.9	7.7	7.8	
9B-922	5	274.96	274.36	+ 55.64	270.06	5.0	5.0	4.8	5.0	
10A-823	3	214.90	215.20	+ 24.80	214.10	3.8	3.9	3.8	3.9	
10B-823	3	225.50	225.50	+ 14.50	223.20	2.2	2.3	2.2	2.2	
10A-824	1	178.00*	178.00*	+ 12.00*	177.00*	9.5	9.7	9.5	9.5	AIR LINE PLUGGED
10B-824	1	165.00*	165.00*	+ 15.00*	164.00*	7.0	7.2	6.8	7.0	AIR LINE PLUGGED
10C-824	5	169.90	169.30	+ 30.70	167.70	6.4	6.4	6.3	6.4	
10A-922	5	231.10	231.30	+ 18.70	222.30	4.0	4.1	3.9	4.0	
11A-824	1	177.10	177.20	+ 17.80	176.80	10.9	11.1	10.7	10.8	
11B-824	2	176.10	177.30	+ 22.70	176.10	4.2	4.2	4.1	4.2	
11C-824	2	168.50	168.40	+ 11.60	167.80	5.9	6.0	5.9	5.9	
11A-825	7	179.50	179.90	+ 20.10	176.10	6.3	6.3	6.3	6.2	
11B-922	4	230.00	229.80	+ 10.20	212.70	4.3	4.4	4.3	4.3	
11C-922	4	208.00*	208.00*	+ 22.00*	207.00*	5.0	5.0	5.0	5.0	AIR LINE LEAKS
12A-823	3	224.60	224.80	+ 25.20	223.70	8.0	8.1	8.0	8.0	
12B-823	3	226.00*	226.00*	+ 24.00*	224.00*	3.0	3.1	3.0	3.0	AIR LINE PLUGGED
12C-823	3	213.60	214.50	+ 25.50	211.60	9.5	9.5	9.3	9.5	
12D-823	3	216.00*	217.00*	+ 13.00	212.00*	3.8	3.9	3.7	3.7	AIR LINE BROKEN
12A-824	3	157.40	157.60	+ 32.40	155.00	6.0	6.1	6.0	6.1	
12A-825	7	197.30	196.30	+ 23.70	195.10	10.4*	10.4*	10.4	10.4	
12B-825	7	202.00	201.40	+ 8.6	193.40	8.2	8.2	8.1	7.8	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1972	Low Pumping Depth 1973	Distance from Bowls ±	1973 Low Static Depth	c.f.s. 1973 Peak Period Q	c.f.s. 1973 High	c.f.s. 1973 Low	c.f.s. 1972 Peak Period Q	Remarks
13A-824	2	164.20	164.90	+ 35.10	164.50	12.0*	12.0*	11.9	12.0	
13B-824	2	164.20	164.40	+ 15.60	164.40	5.0*	5.0*	5.0*	5.0	
13A-825	5	162.55	161.70	+ 28.30	159.75	3.0	3.0	2.9	2.9	
14A-823	3	210.10	210.20	+ 29.80	209.80	7.2	7.3	7.2	7.2	
14B-823	3	211.70	212.10	+ 7.90	208.30	2.9	2.9	2.8	2.8	
14A-824	1	142.40	142.90	+ 17.10	141.90	8.7	8.7	8.6	8.6	
14C-825	7	168.20	168.40	+ 31.60	168.20	3.0	3.0	2.8	2.9	
15A-823	3	221.00*	222.00*	+ 28.00*	220.00*	10.1	10.4	10.1	10.1	NO AIR LINE
15B-823	3	225.00	225.10	+ 34.19	219.40	4.7	4.8	4.7	4.7	
15D-823	4	203.90	203.90	+ 26.10	201.30	2.3	2.4	2.3	2.3	
15A-824	1	158.70	159.90	+ 10.10	157.10	6.4	6.5	6.3	6.2	
15A-825	5	163.00*	163.00*	+ 27.00*	161.00*	11.0*	11.1	11.0*	10.9	AIR LINE LEAKS
15B-825	5	160.00	160.10	+ 19.90	158.50	4.2	4.2	4.2	4.2	
15A-922	5	281.00*	281.00*	+ 19.00*	260.00*	2.0	2.1	2.0	2.0	AIR LINE LEAKS
15B-922	5	245.00*	245.00*	+ 85.00*	239.00*	2.4	2.6	2.4	2.5	AIR LINE LEAKS
17A-823	4	209.40	208.90	+ 31.10	207.90	6.8	7.0	6.7	6.7	
17B-823	4	214.09	213.89	+ 26.11	208.89	3.0	3.4	3.0	2.9	
17C-823	1	235.40	235.10	+ 24.90	232.80	2.2	2.3	2.2	2.2	
17A-825	5	139.30	139.60	+ 20.40	137.40	9.3	9.5	9.2	9.3	
18A-824	1	196.88	197.18	+ 14.82	190.28	9.6	9.8	9.6	9.6	
18A-922	5	261.10	261.30	+ 18.70	260.30	6.5	6.5	6.4	6.4	
18B-922	5	260.70	260.30	+ 19.70	257.50	2.7	2.8	2.7	2.8	
19A-823	4	228.30	228.00	+ 22.00	224.50	7.4	7.4	7.4	7.3	
19B-823	4	225.00	225.30	+ 24.70	224.30	4.0	4.0	4.0	3.9	
19A-825	2	131.80	132.20	+ 27.80	128.10	10.2	10.5	10.2	10.2	
19B-825	2	133.90	134.40	+ 25.60	129.60	6.4*	6.5	6.4*	6.4	
19C-825	3	137.80	137.60	+ 22.40	135.80	7.6	7.7*	7.6*	7.7	
19D-825	3	140.84	141.84	+ 18.16	139.04	6.7*	6.8*	6.5*	6.7	
19A-922	6	312.03	311.60	+ 8.40	307.63	4.7	4.8	4.5	4.6	
20A-922	5	274.00*	274.00*	+ 36.00*	265.00*	6.8	7.0	6.7	6.8	AIR LINE LEAKS
21A-823	4	202.30	202.20	+ 17.80	199.60	7.9	8.1	7.9	7.9	
21A-824	1	148.80	149.10	+ 32.90	148.00	11.3	11.5	11.3	11.3	
21B-824	2	159.50	160.00	+ 20.00	152.70	7.4	7.5	7.4	7.4	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 19 72	Low Pumping Depth 19 73	Distance from Bowls ±	1973 Low Static Depth	c.f.s. 1973 Peak Period Q	c.f.s. 1973 High	c.f.s. 1973 Low	c.f.s. 19 72 Peak Period Q	Remarks
21A-825	5	135.90	136.00	+ 24.00	132.20	9.2	9.2	9.1	9.2	
22A-724	7	214.00*	214.00*	+ 6.00*	212.00*	2.4	2.5	2.4	2.4	AIR LINE PLUGGED
22B-724	7	226.80	223.50	+ 26.50	218.30	6.7	6.8	6.6	6.6	AIR LINE LEAKS
22C-724	7	204.90	205.30	+ 24.70	204.70	6.6	6.7	6.5	6.6	
22A-821	6	315.60	314.90	+ 25.10	313.40	6.9	7.0	6.9	6.9	
22A-823	4	205.80	206.00	+ 24.00	203.40	7.2	7.3	7.1	7.2	
22A-824	2	151.30	150.00	+ 30.00	142.40	6.9	7.0	6.7	7.0	
22A-922	5	281.70	281.90	+ 18.10	275.70	2.2	2.3	2.2	2.2	
23A-724	7	217.00*	217.00*	+ 23.00	216.00*	5.5	5.6	5.4	5.5	AIR LINE LEAKS
23A-823	4	209.90	209.60	+ 20.40	209.10	6.9	6.9	6.9	6.9	
23B-823	4	207.40	210.10	+ 10.90	208.10	2.8	2.8	2.8	2.8	
23A-824	2	152.30	152.60	+ 27.40	147.40	10.5	10.8	10.5	10.5	
23A-825	5	174.30	173.90	+ 26.10	164.50	8.0*	8.1	7.9	7.9	
23B-825	5	169.50	168.90	+ 31.10	165.70	8.0	8.1	7.9	8.1	
24A-821	6	322.90	323.30	+ 26.70	318.30	1.8	1.8	1.8	1.8	
24A-823	3	177.87	178.27	+ 21.73	162.87	9.7	9.8	9.6	9.8	AIR LINE LEAKS
24B-823	3	159.40	160.40	+ 19.60	158.80	6.9	6.9	6.9	6.9	
24C-823	1	173.00*	174.00*	+ 6.00	161.00*	7.6	7.6	7.4	7.5	NO AIR LINE
24A-825	5	163.10	163.20	+ 26.80	158.00	5.6	5.8	5.6	5.6	
25A-823	3	154.10	154.10	+ 25.90	149.70	3.4	3.5	3.4	3.4	
26A-724	7	203.60	204.10	+ 25.90	200.70	6.6	6.7	6.6	6.6	
26B-724	7	195.50	195.90	+ 14.10	195.80	2.7	2.9	2.7	2.7	
26A-821	6	343.50	342.90	+ 27.10	335.20	5.4	5.4	5.3	5.5	
26B-821	6	344.00*	344.00*	+ 26.00*	334.00*	6.8	6.9	6.8	6.7	AIR LINE PLUGGED
26A-823	4	170.50	170.50	+ 19.50	163.50	4.5	4.7	4.5	4.5	
26A-824	2	129.70	130.30	+ 29.70	129.40	10.1	10.1	9.9	10.1	
27A-725	7	215.00	214.90	+ 25.10	214.30	2.5	2.6	2.5	2.5	NO AIR LINE
27A-823	1	202.30	198.70*	+ 31.30*	193.30	5.5	5.7	5.5	5.5	AIR LINE LEAKS
27B-823	4	179.20	179.30	+ 20.70	178.30	3.9	4.0	3.9	3.9	
27C-823	1	198.90	199.60	+ 16.40	183.50	5.1	5.4	5.0	5.1	
28A-724	7	225.00*	225.00*	+ 25.00*	223.00*	6.6	6.6	6.5	6.7	AIR LINE PLUGGED
28B-724	7	221.60	221.70	+ 28.30	220.50	3.6	3.6	3.6	3.5	
28A-823	4	195.80	195.20	+ 24.80	192.40	10.7	10.7	10.6	10.8	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1972	Low Pumping Depth 1973	Distance from Bevis ±	1973 Low Static Depth	c.f.s. 1973 Peak Period Q	c.f.s. 1973 High	c.f.s. 1973 Low	c.f.s. 1972 Peak Period Q	Remarks
28B-823	4	196.00*	196.00*	+ 24.00*	195.00*	6.4	6.4	6.2	6.4	AIR LINE PLUGGED
28C-823	4	188.70	189.70	+ 20.30	188.30	5.6	5.6	5.6	5.6	
28A-922	6	273.00*	273.00*	+ 7.00*	260.00*	2.6	2.7	2.6	2.7	AIR LINE LEAKS
29A-725	7	248.00	248.00	+ 22.00	247.50	4.6	4.7	4.5	4.5	
29A-823	4	202.80	203.10	+ 16.90	201.40	10.0	10.1	10.0	9.9	
29B-823	4	204.00*	204.00*	+ 16.00*	202.00*	4.2	4.3	4.2	4.2	AIR LINE LEAKS
29A-824	3	130.30	131.20	+ 8.80	130.20	5.4	5.5	5.4	5.4	
30A-724	3	261.90	262.40	+ 17.60	258.50	7.7	7.7	7.5	7.7	
30B-724	3	261.60	262.00	+ 18.00	257.00	5.5	5.5	5.5	5.5	
30A-725	7	236.50	236.20	+ 23.80	233.00	7.3	7.4	7.3	7.3	
30A-822	6	296.30	296.40	+ 23.60	290.50	3.6	3.6	3.6	3.6	
30A-824	3	156.80	157.70	+ 22.30	144.50	5.9	6.1	5.9	5.9	
30B-824	3	133.32	134.12	+ 25.88	132.92	3.4	3.5	3.4	3.4	
30A-922	6	297.30	295.10	+ 54.90	279.60	7.3	7.4	7.2	7.4	
31A-724	2	250.50	250.00	+ 30.00	245.80	4.2	4.3	4.2	4.2	
31A-725	7	191.10	191.30	+ 28.70	190.70	4.8	4.8	4.8	4.8	
31A-823	4	186.30	186.60	+ 23.40	184.00	6.8	6.9	6.8	6.8	
31A-824	3	169.70	169.80	+ 30.20	169.50	9.3	9.4	9.3	9.3	
31B-824	3	173.00*	173.00*	+ 27.00*	172.00*	4.3	4.3	4.2	4.3	AIR LINE LEAKS
32A-724	2	222.80	223.10	+ 16.90	215.80	8.7	8.7	8.7	8.7	
32B-724	2	218.20	218.90	+ 21.10	216.30	5.5	5.6	5.5	5.6	
32A-725	7	192.80	193.10	+ 26.90	190.70	4.6	4.6	4.5	4.6	
33A-724	2	214.10	214.00	+ 26.00	212.80	6.4	6.4	6.3	6.4	
33B-724	7	220.40	220.20	+ 19.80	217.80	4.7	4.9	4.6	4.7	
33A-725	7	215.10	215.30	+ 14.70	212.70	6.9	7.0	6.9	6.9	
33B-922	6	273.00*	272.00*	+ 18.00*	269.00*	5.8	5.9	5.8	5.9	AIR LINE LEAKS
33C-922	6	267.70	265.90	+ 24.10	261.10	3.4	3.4	3.4	3.3	
34A-723	3	243.20	243.10	+ 26.90	238.70	7.5	7.5	7.4	7.5	
34B-723	3	242.70	242.60	+ 17.40	238.80	3.0	3.2	3.0	3.0	
34A-724	2	195.90	196.20	+ 23.80	194.30	8.1	8.4	8.1	8.1	
34A-725	7	228.60	228.30	+ 11.70	213.20	7.3	7.3	7.3	7.4	
34A-823	4	155.60	155.40	+ 24.60	148.70	4.3	4.4	4.2	4.2	
35A-724	2	202.50	202.40	+ 17.60	201.40	8.6	8.7	8.6	8.7	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1972	Low Pumping Depth 1973	Distance from Bowls ±	1973 Low Static Depth	c.f.s. 1973 Peak Period Q	c.f.s. 1973 High	c.f.s. 1973 Low	c.f.s. 1972 Peak Period Q	Remarks
35B-724	2	201.20	202.00	+ 18.00	199.80	3.8	3.8	3.8	3.8	
35A-821	6	315.50	314.60	+ 25.40	309.40	5.5	5.7	5.5	5.5	
35B-821	6	325.70	323.70	+ 16.30	316.30	5.8	5.8	5.6	5.8	
35C-821	6	332.60	332.20	+ 27.80	331.10	6.6	6.7	6.4	6.5	
35D-821	6	323.10	322.30	+ 27.70	319.60	6.9	7.0	6.8	7.0	
35A-822	4	212.90	213.00	+ 7.00	210.80	9.6	9.7	9.6	9.5	
35B-822	4	211.10	211.10	+ 28.90	207.10	5.0	5.0	5.0	5.0	
35C-822	5	251.60	251.60	+ 8.40	241.80	3.0	3.1	3.0	3.0	
35A-823	4	167.70	166.10	+ 13.90	151.70	8.4	8.5	8.4	8.4	
35B-823	4	151.30	151.50	+ 28.50	151.30	1.9	2.0	1.9	1.9	
35C-823	4	157.50	157.30	+ 22.70	145.30	3.9	4.0	3.8	3.9	
35D-823	4	149.10	149.40	+ 40.60	148.20	1.7	1.8	1.7	1.7	

*ESTIMATED FIGURES

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number	Low Pumping Depth 1973	Low Pumping Depth 1974	Distance from Bowls ±	1974 Low Static Depth	c.f.s. 1974 Peak Period Q	c.f.s. 1974 High	c.f.s. 1974 Low	c.f.s. 1973 Peak Period Q	Remarks
1A - 823 3	248.5	251.0*	+19.0*	248.0*	9.8	10.2	9.8	9.8	
1B - 823 3	249.8	252.0*	+18.0*	248.0*	6.6	6.6	6.6	6.5	
1C - 823 3	225.7	228.8	+12.0	220.1	7.5	7.5	7.2	7.5	
1A - 824 3	180.0*	182.0*	+18.0*	179.0*	7.8	7.9	7.8	7.8	Air Line Broken
1A - 921 6	338.0	339.7	+21.0	335.1	7.1	7.3	7.0	7.1	
2A - 823 3	227.9	227.4	+23.0	227.0	5.3	5.3	5.2	5.3	
2A - 824 5	169.9	171.4	+19.0	169.9	2.2	2.2	2.0	2.1	
2A - 923 4	151.4	153.0*	+27.0*	148.4	2.4	2.6	2.4	2.6	
2A - 1021 6	373.0	375.0*	+35.0*	342.2	5.0	5.0	5.0	5.2*	
3A - 824 2	198.1	200.0*	+20.0*	193.9	9.6	9.6	9.3	9.5	
3B - 824 2	195.5	198.0*	+22.0*	194.3	4.8	4.9	4.8	4.8	
3A - 825 7	220.5	220.7	+20.0	216.8	6.9	7.2	6.9	7.1	
3B - 825 7	220.1[illegible]	219.7	+31.0	213.0	7.7	7.9	7.7	7.7	
3C - 825 7	220.0	220.4	+20.0	213.5	5.9	6.0	5.9	6.0	
3D - 825 7	212.7	213.9	+37.0	211.0	4.1	4.1	4.1	4.1	
3E - 825 7	215.5	216.1	+24.1	215.3	4.9	5.0	4.8	4.9	
3A - 921 6	312.7	313.8	+17.0	311.7	2.4	2.6	2.4	2.4	
3B - 921 6	312.0*	314.0*	+16.0*	312.0*	7.2	7.3	7.1	7.2	Air Line Plugged
3C - 921 5	321.0*	323.0*	+ 7.0*	322.0*				7.6	Air Line Leaks
3A - 922 5	235.9	238.0*	+12.0*	236.0*	8.9	9.0	8.9	8.8	
3B - 922 5	238.7	241.0*	+19.0*	241.0*	6.3	6.5	6.3	6.1	
3A - 923 4	173.0*	175.0*	+25.0*	160.0*	5.0	5.1	4.9	5.0	Air Line Plugged
3B - 923 4	153.3	154.1	+ 6.0	146.4	2.2	2.2	2.2	2.3	
3A - 1022 6	287.5	300.0*	+10.0*	287.7	3.9	3.9	3.8	3.8	
4A - 823 4	246.2	248.0*	+22.0*	243.2	10.2	10.2	10.1	10.1	
4B - 823 4	244.4	248.0*	+22.0*	242.7	4.2	4.4	4.2	4.2	
4A - 824 2	199.2	202.0*	+18.0*	190.2	9.5	9.6	9.3	9.5	
4B - 824 1	205.3	208.0*	+22.0*	203.0*	9.3	9.3	9.2	9.3	
4C - 824 5	209.4	213.0*	+27.0*	203.0*	4.5	4.6	4.3	4.5	
5B - 823 4	258.0*	256.0*	+24.0*	249.0*	7.0	7.2	6.8	7.0	Air Line Plugged
5C - 823 4	252.0	254.0*	+26.0*	249.1	4.5	4.6	4.6	4.5	
5A - 825 7	204.8	207.0*	+23.0*	205.0*	11.1	11.1	11.0	11.1	Air Line Plugged
5B - 825 7	214.6	215.6	+15.0*	205.0*	5.1*	5.1*	5.0	5.1*	

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1973	Low Pumping Depth 1974	Distance from Bowls ±	1974 Low Static Depth	c.f.s. 1974 Peak Period Q	c.f.s. 1974 High	c.f.s. 1974 Low	c.f.s. 1973 Peak Period Q	Remarks
6A - 824	1	240.1	242.6	+ 9.0	240.0*	10.8	10.9	10.7	10.8	
6B - 824	2	243.2	246.0*	+14.0*	236.2	6.4	6.6	6.4	6.4	
6C - 824	5	208.0*	210.0*	+20.0*	207.0*	1.9	2.0	1.9	1.9	Air Line Leaks
6A - 825	7	172.3	172.9	+28.0	172.1	6.3	6.3	6.2	6.3*	
6B - 825	7	172.8	173.4	+27.0	173.0	3.1	3.1	3.1	3.1	
6A - 923	1	186.0*	188.0*	+12.0*	186.0*	9.4	9.4	9.4	9.4	
6B - 923	4	166.1	166.4	+14.0	164.5	5.7	5.8	5.6	5.6	
7B-- 824	1	181.7	183.0*	+22.0*	181.0*	9.3	9.3	9.1	9.3	
7A - 922	5	298.4	300.0*	+40.0*	288.0*	9.2	9.2	8.7	9.0	
7B - 922	5	298.0	300.0*	+10.0*	297.6	8.1	8.7	8.1	8.1	
8A - 823	1	243.3	246.0*	+ 9.0*	245.0*	9.7	9.8	9.3	9.6	
8A - 824	1	185.7	186.8	+16.0	180.6	8.1	8.1	7.9	8.0	
9A - 922	5	267.3	267.1	23.0	265.0*	7.2	7.4	7.2	7.7	
9B - 922	5	274.3	277.0*	+53.0*	273.0*	5.0	5.0	4.9	5.0	
10A - 823	3	215.2	217.0*	+23.0*	214.7	3.8	3.9	3.8	3.8	
10B - 823	3	225.5	227.0*	+13.0*	223.9	2.2	2.2	2.2	2.2	
10A - 824	1	178.0*	180.0*	+10.0*	179.0*	9.5	9.8	9.3	9.5	Air Lines Plugged
10B - 824	1	165.0*	167.0*	+13.0*	166.0*	7.0	7.1	6.9	7.0	Air Line Plugged
10C -8824	5	169.3	171.0*	+29.0*	168.5	6.4	6.6	6.3	6.4	
10A - 922	5	231.3	233.0*	+17.0*	222.3	4.0	4.0	4.0	4.0	
11A - 824	1	177.2	180.0*	+15.0*	179.0*	10.9	10.9	10.6	10.9	
11B - 824	2	177.3	181.0*	+19.0*	179.0*	4.1	4.1	4.0	4.2	
11C - 824	2	168.4	170.0*	+10.0*	168.8	6.0	6.0	5.9	5.9	
11A - 825	7	179.9	182.0*	+18.0*	177.6	6.3	6.3	6.2	6.3	
11B - 922	4	229.8	232.0*	+ 8.0*	206.8	4.4	4.5	4.4	4.3	
11C - 922	4	208.0*	210.0*	+40.0*	207.0*	5.0	5.0	4.9	5.0	Air Line Leaks
12A - 823	3	224.8	227.0*	+23.0*	224.0*	7.9	8.0	7.7	8.0	
12B - 823	3	226.0*	228.0*	+22.0*	224.0*	3.0	3.1	3.0	3.0	Air Line Plugged
12C - 823	3	214.5	227.0*	+13.0*	209.8	9.5	9.5	9.3	9.5	
12D - 823	3	217.0*	219.0*	+11.0*	215.0*	3.8	4.1	3.8	3.8	Air Line Broken
12A - 824	3	157.6	157.4	+33.0	155.4	6.1	6.2	6.0	6.0	
12A - 825	7	196.3	200.0*	+20.0*	198.0*	10.3	10.4	10.3	10.4*	
12B - 825	7	201.4	208.0*	+10.0*	198.0*	7.9	7.9	7.8	8.2	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth		Distance from Bowls ±	1974 Low Static Depth	c.f.s.				Remarks
		1973	1974			1974 Peak Period Q	1974 High	1974 Low	1973 Peak Period Q	
13A - 824	2	164.9	164.7	+36.0	164.0*	12.0	12.0	12.0	12.0*	
13B - 824	2	164.4	164.4	+16.0	164.0*	5.1	5.3	5.0	5.0*	
13A - 825	5	161.7	163.0*	+27.0*	160.7	2.9	2.9	2.9	3.0	
14A - 823	3	210.2	212.0*	+28.0*	211.0*	7.2	7.2	7.1	7.2	
14B - 823	3	212.1	215.0*	+ 5.0*	211.0*	2.8	2.88	2.8	2.9	
14A - 824	1	142.9	143.0	+17.0	144.0*	8.6	8.6	8.5	8.7	
14C - 825	7	168.44	169.4	+31.0	169.1	2.8	2.8	2.7	3.0	
15A - 823	3	222.0*	224.0*	+26.0*	223.0*	10.0	10.2	10.0	10.1	No Air Line
15B - 823	3	225.10	225.5	+35.0	221.0	4.7	4.8	4.5	4.7	
15D - 823	4	203.9	205.0*	+25.0*	202.5	2.3	2.4	2.3	2.3	
15A - 824	1	159.9	161.0*	+ 9.0*	158.0*	6.4*	6.7	6.3	6.4	
15A - 825	5	163.0*	165.0*	+25.0*	163.0*	11.0	11.0	10.9	11.0*	Air Line Leaks
15B - 825	5	160.1	161.7	+19.0	163.0*	4.2	4.5	4.2	4.2	
15A - 922	5	281.0*	284.0*	+16.0*	263.0*	2.0	2.11	2.0	2.0	Air Line Leaks
15B - 922	5	245.0*	248.0*	+82.0*	240.0*	2.5	2.5	2.5	2.4	Air Line Leaks
17A - 823	4	208.9	211.0*	+29.0*	210.0*	6.7	6.8	6.6	6.8	
17B - 823	4	213.8	215.0*	+25.0*	210.0*	3.0	3.1	2.9	3.0	
17C - 823	1	235.1	236.2	+24.0	232.9	2.2	2.2	2.2	2.2	
17A - 825	5	139.6	140.0	+20.0	138.0*	9.3	9.4	9.2	9.3	
18A - 824	1	197.1	199.0*	+13.0*	191.3	9.6	9.9	9.5	9.6	
18A - 922	5	261.3	264.0*	+16.0*	263.0*	6.5	6.7	6.4	6.5	
18B - 922	5	260.3	266.0*	+14.0*	263.0*	2.7	3.1	2.7	2.7	
19A - 823	4	228.0	230.0*	+20.0*	226.0*	7.3	7.3	7.2	7.4	
19B - 823	4	225.3	227.0*	+23.0*	226.0*	4.0	4.0	3.8	4.0	
19A - 825	2	132.2	134.0*	+26.0*	130.0*	10.2	10.2	10.2	10.2	
19B - 825	2	134.4	135.0*	+25.0*	130.0*	6.4*	6.4*	6.2	6.4*	
19C - 825	3	137.6	140.0*	+20.0*	138.0*	7.5	7.5	7.4	7.6	
19D - 825	3	141.8	142.0*	+18.0*	138.0*	6.7*	6.2*	6.0*	6.7*	
19A - 922	6	311.6	313.6	+ 7.0	311.8	4.6	4.7	4.5	4.7	
20A - 922	5	274.0*	276.0*	+34.0*	266.0*	6.8	7.0	6.7	6.8	Air Line Leaks
21A - 823	4	202.2	204.0*	+16.0*	199.4	7.9	8.0	7.9	7.9	
21A - 824	1	149.1	156.0*	+26.0*	153.0*	11.4	11.6	11.2	11.3	
21B - 824	2	160.0	160.3	+20.0	153.0	7.4	7.5	7.4	7.4	

Part 2 Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1973	Low Pumping Depth 1974	Distance from Bowls ±	1974 Low Static Depth	c.f.s. 1974 Peak Period Q	c.f.s. 1974 High	c.f.s. 1974 Low	c.f.s. 1973 Peak Period Q	Remarks
21A - 825	5	136.0	137.4	+23.0	133.6	9.2	9.3	9.0	9.2	
22A - 724	7	214.0*	216.0*	+ 4.0*	215.0*	2.4	2.5	2.4	2.4	Air Line Plugged
22B - 724	7	223.5	224.0*	+26.0*	218.4	6.6	6.8	6.5	6.7	Air Line Leaks
22C - 724	7	205.3	206.5	+24.0	205.0	6.6	6.6	6.6	6.6	
22A - 821	6	314.9	316.4	+24.0	314.0*	6.9	7.0	6.8	6.9	
22A - 823	4	206.0	208.0*	+22.0*	204.5	7.2	7.4	7.1	7.2	
22A - 824	2	150.0	149.5	+31.0	143.2	6.8	7.0	6.7	6.9	
22A - 922	5	281.9	285.0	+15.0	244.3	2.2	2.2	2.2	2.2	
23A - 724	7	217.0*	219.0*	+21.0*	217.0*	5.5	5.5	5.4	5.5	Air Line Leaks
23A - 823	4	209.6	211.0*	+19.0*	209.0*	6.8	6.9	6.8	6.9	
23B - 823	4	210.1	211.0*	+19.0*	209.0*	2.8	2.8	2.8	2.8	
23A - 824	2	152.6	154.0*	+26.0*	149.0	10.5	10.5	10.5	10.5	
23A - 825	5	173.9	175.0	+25.0	168.0*	7.7	7.8	7.6	8.0*	
23B - 825	5	168.9	170.0	+30.0	168.0*	7.9	7.9	7.9	8.0	
24A - 821	6	323.3	327.0*	+23.0*	322.0	1.9	1.9	1.8	1.8	
24A - 823	3	178.2	180.0*	+20.0*	167.7	9.7	9.7	9.7	9.7	Air Line Leaks
24B - 823	3	160.4	162.0*	+18.0*	156.7	6.9	6.9	6.9	6.9	
24C - 823	1	174.0*	175.0*	+ 5.0*	162.0*	7.6	7.6	7.6	7.6	No Air Line
24A - 825	5	163.2	164.1	+26.0	160.0*	5.6	5.9	5.6	5.6	
25A - 823	3	154.1	154.0*	+26.0*	149.5	3.4	3.5	3.4	3.4	
26A - 724	7	204.1	206.0*	+24.0*	202.5	6.6	6.6	6.6	6.6	
26B - 724	7	195.9	197.4	+13.0	195.6	2.7	2.8	2.7	2.7	
26A - 821	6	342.9	340.4	+30.0	336.0*	5.4	5.5	5.3	5.4	
26B - 821	6	344.0*	346.0*	+24.0*	336.0*	6.8	7.0	6.8	6.8	Air Line Plugged
26A - 823	4	170.5	180.2	+10.0	174.0*	4.5	4.6	4.4	4.5	
26A - 824	2	130.3	130.8	+30.0	129.0*	10.0	10.0	10.0	10.1	
27A - 725	7	214.9	215.9	+25.0	215.1	2.5	2.6	2.5	2.5	No Air Line
27A - 823	1	198.7*	200.0*	+30.0*	195.0*	5.5	5.7	5.4	5.5	Air Line Leaks
27B - 823	4	179.3	180.0*	+20.0*	178.6	3.9	4.0	3.9	3.9	
27C - 823	1	199.6	199.0	+17.0	189.7	5.0	5.4	5.0	5.1	
28A - 724	7	225.0*	227.0*	+23.0*	225.0*	6.5	6.7	6.4	6.6	Air Line Plugged
28B - 724	7	221.7	223.1	+27.0	225.0*	3.7	3.7	3.7	3.6	
28A - 823	4	195.2	197.0*	+23.0*	194.0*	10.6	10.7	10.6	10.7	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number	Low Pumping Depth 1973	Low Pumping Depth 1974	Distance from Bowls ±	1974 Low Static Depth	c.f.s. 1974 Peak Period Q	c.f.s. 1974 High	c.f.s. 1974 Low	c.f.s. 1973 Peak Period Q	Remarks
28B - 823 4	196.0	198.0*	+22.0*	197.0*	6.3	6.4	6.1	6.4	Air Line Leaks
28C - 823 4	189.7	191.0*	+19.0*	188.7	5.6	5.6	5.6	5.6	
28A - 922 6	273.0*	275.0*	+ 5.0*	163.0*	2.6	2.7	2.5	2.6	Air Line Leaks
29A - 725 7	248.0	248.4	+22.0	248.1	4.6	4.7	4.3	4.6	
29A - 823 4	203.1	205.0*	+15.0*	203.0*	10.0	10.1	9.8	10.0	
29B - 823 4	204.0*	205.0*	+15.0*	203.0*	4.1	4.1	3.8	4.2	Air Line Leaks
29A - 824 3	131.2	131.0*	+ 9.0*	128.6*	5.4	5.4	5.4	5.4	
30A - 724 3	262.4	264.0*	+16.0*	160.0*	7.7	7.7	7.6	7.7	
30B - 724 3	262.0	265.0*	+15.0*	160.0*	5.5	5.5	5.5	5.5	
30A - 725 7	236.2	236.5	+24.0	234.7	7.3	7.3	7.3	7.3	
30A - 822 6	296.4	299.1	+21.0	293.3	3.6	3.7	3.5	3.6	
30A - 824 3	157.7	162.0*	+18.0*	149.7	5.9	6.2	5.9	5.9	
30B - 824 3	134.1	134.4	+26.0	133.8	3.4	3.5	3.4	3.4	
30A - 922 6	295.1	297.0*	+53.0*	282.3	7.3	7.4	7.1	7.3	
31A - 724 2	250.0	252.0*	+28.0*	246.6	4.2	4.3	4.2	4.2	
31A - 725 7	191.3	192.3	+28.0	190.5	4.8	4.8	4.7	4.8	
31A - 823 4	186.6	186.6	+24.0	183.0*	6.8	7.0	6.8	6.8	
31A - 824 3	169.8	171.0*	+29.0*	170.0*	9.3	9.3	9.3	9.3	
31B - 824 3	173.0*	175.0*	+25.0*	170.0*	4.3	4.3	4.2	4.3	Air Line Leaks
32A - 724 2	223.1	224.0*	+16.0*	218.0*	8.7	8.9	8.7	8.7	
32B - 724 2	218.9	221.0*	+19.0*	218.0*	5.7	5.7	5.6	5.5	
32A - 725 7	193.1	192.8	+28.0	191.6	4.6	4.6	4.6	4.6	
33A - 724 2	214.0	215.0*	+25.0*	212.7	6.5	6.5	6.2	6.4	
33B - 724 7	220.20	221.0*	+19.0*	218.0	4.7	4.7	4.6	4.7	
33A - 725 7	215.3	215.5	+15.0	212.0*	7.0	7.0	7.0	6.9	
33B - 922 6	272.0*	274.0*	+16.0*	270.0*	5.9	5.9	5.9	5.8	Air Line Leaks
33C - 922 6	265.9	268.0*	+22.0*	263.0*	3.4	3.5	3.4	3.4	
34A - 723 3	243.1	245.0*	+25.0*	240.0*	7.4	7.4	7.4	7.5	
34B - 723 3	242.6	244.0*	+16.0*	240.0*	3.0	3.1	2.9	3.0	
34A - 724 2	196.2	196.0	+24.0	194.2	8.2	8.5	8.2	8.1	
34A - 725 7	228.3	229.1	+11.0	216.5	7.3	7.3	7.3	7.3	
34A - 823 4	155.4	156.7	+24.0	148.0	4.3	4.4	4.2	4.3	
35A - 724 22	202.4	202.5	+18.0	201.0*	8.6*	8.7	8.6*	8.6	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number	Low Pumping Depth		Distance from Bowls ±	1974 Low Static Depth	c.f.s.				Remarks
	1973	1974			1974 Peak Period Q	1974 High	1974 Low	1973 Peak Period Q	
35B - 724 2	202.0	201.1	+19.0	200.0*	3.8	3.8	3.8	3.8	
35A - 821 6	314.6	315.2	+25.0	310.6	5.4	5.8	5.4	5.5	
35B - 821 6	323.7	327.2	+13.0	318.8	5.8	5.9	5.8	5.8	
35C -8821 6	332.2	334.3	+26.0	330.8	6.6	6.8	6.4	6.6	
35D - 821 6	322.3	324.1	+26.0	320.8	6.9	7.1	6.8	6.9	
35A - 822 4	213.0	215.0*	+ 5.0*	213.0*	9.6	9.6	9.5	9.6	
35B - 822 4	211.1	213.0*	+27.0*	209.0*	5.0	5.1	5.0	5.0	
35C - 822 5	251.6	253.0*	+ 7.0*	242.1	3.0	3.0	3.0	3.0	
35A - 823 4	166.1	167.0*	+13.0*	151.8	8.4	8.5	8.3	8.4	
35B - 823 4	151.5	152.9	+28.0	150.6	1.9	2.0	1.8	1.9	
35C - 823 4	157.3	162.0*	+18.0*	150.2	3.8	3.9	3.8	3.9	
35D - 823 4	149.4	150.3	+40.0	146.9	1.7	1.8	1.7	1.7	

*Estimated Figures

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

September 24, 1975

1975

Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth 1974	Low Pumping Depth 1975	Distance from Bowls ‡	1975 Low Static Depth	C.F.S. 1975 Peak Period Q	C.F.S. 1975 High	C.F.S. 1975 Low	C.F.S. 1974 Peak Period Q	Remarks
1A-823	3	251.0*	247.9	+22.1	245.1	9.8	9.9	9.8	9.8	
1B-823	3	252.0*	249.9	+20.1	246.1	6.6	6.6	6.4	6.6	
1C-823	3	228.8	225.4	+14.6	235.6	7.5	7.5	7.3	7.5	
1A-824	3	182.0*	182.0*	+18.0*	179.0*	7.7	7.7	7.5	7.8	AIRLINE BROKEN
1A-921	6	339.7	338.9	+21.1	332.0	7.1	7.3	7.1	7.1	
2A-823	3	227.4	228.5	+21.5	226.0	5.3	5.3	5.3	5.3	
2A-824	5	171.4	169.9	+20.1	169.0	2.1	2.1	2.1	2.2	
2A-923	4	153.0*	152.2	+27.8	150.0	2.5	2.5	2.5	2.4	
2A-1021	6	375.0*	375.0	+35.0	345.0	5.0	5.0	5.0	5.0	
3A-824	2	200.0*	198.2	+21.8	194.0	9.2	9.6	9.2	9.6	
3B-824	2	198.0*	195.5	+24.5	195.0	4.8	4.8	4.6	4.8	
3A-825	7	220.7	220.8	+19.2	214.0	6.9	7.1	6.9	6.9	
3B-825	7	219.7	219.9	+30.1	214.0	7.5	7.5	7.5	7.7	
3C-825	7	220.4	219.5	+20.5	209.0	6.0	6.0	6.0	5.9	
3D-825	7	213.9	212.7	+37.3	210.0	4.1	4.1	4.1	4.1	
3E-825	7	216.1	215.4	+24.6	214.0	4.9	5.0	4.8	4.9	
3A-921	6	313.8	311.2	+18.8	310.0	2.4	2.5	2.4	2.4	
3B-921	6	314.0*	314.0*	+16.0*	312.0*	7.2	7.3	7.2	7.2	AIRLINE PLUGGED
3C-921	5	323.0*	318.3	+11.7	314.0*	7.8	7.9	7.7	FAILING	
3A-922	5	238.0*	235.7	+14.3	233.0	8.9	9.0	8.8	8.9	
3B-922	5	241.0*	236.3	+23.7	234.0	6.3	6.3	6.3	6.3	
3A-923	4	175.0*	175.0*	+25.0*	160.0*	5.0	5.1	5.0	5.0	AIRLINE PLUGGED
3B-923	4	154.1	154.5	+ 5.5	147.0	2.2*	2.2*	2.2*	2.2	
3A-1022	6	300.0*	286.3	+23.7	280.0	3.9	3.9	3.8	3.9	
4A-823	4	248.0*	246.4	+23.6	244.0	10.4	10.4	10.4	10.2	
4B-823	4	248.0*	245.0	+25.0	244.0	4.3	4.5	4.3	4.2	
4A-824	2	202.0*	199.4	+20.6	188.0	9.5	9.5	9.4	9.5	
4B-824	1	208.0*	205.3	+24.7	200.0	9.3	9.4	9.1	9.3	
4C-824	5	213.0*	209.5	+30.5	200.0	4.3	4.5	4.3	4.5	
5B-823	4	256.0*	256.0*	+24.0*	249.0*	7.0	7.0	7.0	7.0	AIRLINE PLUGGED
5C-823	4	254.0*	252.2	+27.8	248.0	4.5	4.4	3.9	4.5	
5A-825	7	207.0*	205.2	+24.8	204.0	11.1	11.1	11.1	11.1	
5B-825	7	215.6	215.4	+14.6	205.0	5.2	5.3	5.0	5.1*	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Sept. 24, 1975

Annual Pump Report 1975

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth 1974	Low Pumping Depth 1975	Distance from Bowls ±	1975 Low Static Depth	C.F.S. 1975 Peak Period Q	C.F.S. 1975 High	C.F.S. 1975 Low	C.F.S. 1974 Peak Period Q	Remarks
6A-824	1	242.6 *	238.8	+ 12.2	236.0	10.8	11.0	10.7	10.8	
6B-824	2	246.0 *	243.0	+ 17.0	234.0	6.4	6.4	6.0	6.4	
6C-824	5	210.0 *	210.0 *	+ 20.0 *	207.0 *	1.9	2.0	1.9	1.9	Air Line Leaks
6A-825	7	172.9	172.1	+ 27.9	173.1	6.3	6.4	6.2	6.3	
6B-825	7	173.4	172.9	+ 27.1	172.0	3.1	3.1	3.1	3.1	
6A-923	1	188.0 *	188.0 *	+ 12.0 *	186.0 *	9.4	9.5	9.3	9.4	
6B-923	4	166.4	167.2	+ 12.8	164.0	5.7	5.8	5.6	5.7	
7B-824	1	183.0 *	183.5	+ 21.5	181.5	9.3	9.3	9.1	9.3	
7A-922	5	300.0 *	300.0 *	+ 40.0 *	288.0 *	9.0	9.3	8.9	9.2	Air Line Leaks
7B-922	5	300.0 *	292.9	+ 17.1	291.0	8.1	8.3	8.2	8.1	
8A-823	1	246.0 *	244.5	+ 10.5	243.0	9.5	9.5	9.5	9.7	
8A-824	1	186.8	185.2	+ 16.8	180.0	8.1	8.2	7.7	8.1	
9A-922	5	267.1	266.2	+ 23.8	264.0	7.2	7.5	7.2	7.2	
9B-922	5	277.0 *	268.6	+ 61.3	264.0	5.0	5.1	4.9	5.0	
10A-823	3	217.0 *	216.3	+ 23.7	215.0	3.8	3.8	3.8	3.8	
10B 823	3	227.0 *	225.7	+ 14.3	223.0	2.2	2.2	2.2	2.2	
10A-824	1	180.0 *	180.0 *	+ 10.0 *	179.0 *	9.5	9.6	9.5	9.5	Air Line Plugged
10B-824	1	167.0 *	167.0 *	+ 13.0 *	166.0 *	7.0	7.0	6.8	7.0	Air Line Plugged
10C-824	5	171.0 *	169.9	+ 30.1	168.0	6.4	6.4	6.4	6.4	
10A-922	5	233.0 *	231.1	+ 18.9	222.0	4.0	4.0	3.9	4.0	
11A-824	1	180.0 *	177.7	+ 17.3	176.0	11.0	11.1	11.0	10.9	
11B-824	2	181.0 *	176.6	+ 23.4	175.0	4.1	4.1	4.1	4.1	
11C-824	2	170.0 *	168.2	+ 11.8	167.0	5.9	5.9	5.7	6.0	
11A-825	7	182.0 *	180.3	+ 19.7	177.0	6.2	6.2	6.2	6.3	
11B-922	4	232.0 *	230.2	+ 9.8	213.0	4.4	4.5	4.3	4.4	
11C-922	4	210.0 *	210.0 *	+ 40.0 *	207.0 *	5.0	5.0	5.0	5.0	Air Line Leaks
12A-823	3	227.0 *	227.0 *	+ 23.0 *	224.0 *	7.9	7.9	7.8	7.9	
12B-823	3	228.0 *	228.0 *	+ 22.0 *	224.0 *	3.0	3.1	3.0	3.0	Air Line Plugged
12C-823	3	227.0 *	213.5	+ 26.5	211.0	9.5	9.5	9.5	9.5	
12D-823	3	219.0 *	219.0 *	+ 11.0 *	215.0 *	3.9	3.9	3.9	3.8	Air Line Broken
12A-824	3	157.4	158.6	+ 31.4	156.0	6.1	6.2	6.0	6.1	
12A-825	7	200.0 *	196.9	+ 23.1	195.0	10.2	10.2	10.2	10.3	
12B-825	7	208.0 *	208.0 *	+ 10.0 *	196.0 *	7.9	7.9	7.9	7.9	Leaks Too Bad To Read

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1975

September 24, 1975

Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth 1974	Low Pumping Depth 1975	Distance from Bowls ±	1975 Low Static Depth	C.F.S. 1975 Peak Period Q	C.F.S. 1975 High	C.F.S. 1975 Low	C.F.S. 1974 Peak Period Q	Remarks
13A-824	2	164.7	164.8	+35.2	164.0	12.0	12.0	11.9	12.0	
13B-824	2	164.7	164.6	+15.4	164.0	5.1	5.1	5.0	5.1	
13A-825	5	163.0*	162.95	+27.05	161.0	2.9	3.0	2.8	2.9	
14A-823	3	212.0*	210.4	+29.6	210.0	7.1	7.1	6.8	7.2	
14B-823	3	215.0*	212.4	+ 7.6	209.0	3.0*	3.0	3.0	2.8	
14A-824	1	143.0	142.8	+17.2	141.0	8.6	8.6	8.4	8.6	
14C-825	7	169.4	168.8	+31.2	168.0	2.8	2.9	2.7	2.8	
15A-823	3	224.0*	224.0*	+26.0*	223.0*	10.0	10.0	10.0	10.0	NO AIRLINE
15B-823	3	225.5	225.1	+34.9	222.0	4.8	4.8	4.8	4.7	
15D-823	4	205.0*	204.3	+25.7	201.0	2.3	2.4	2.3	2.3	
15A-824	1	161.0*	161.0*	+ 9.0*	158.0*	6.1	6.1	6.0	6.4*	AIRLINE LEAKS
15A-825	5	165.0*	165.0*	+25.0*	163.0*	11.0	11.1	10.9	11.0	AIRLINE LEAKS
15B-825	5	161.7	160.7	+19.3	159.1	4.2	4.2	4.2	4.2	
15A-922	5	284.0*	284.0*	+16.0*	263.0*	2.0	2.0	1.9	2.0	AIRLINE LEAKS
15B-922	5	248.0*	248.0*	+82.0*	240.0*	2.4	2.5	2.4	2.5	AIRLINE LEAKS
17A-823	4	211.0*	209.5	+30.5	208.0	6.9	7.2	6.9	6.7	
17B-823	4	215.0*	214.29	+25.71	209.0	3.0	3.1	3.0	3.0	
17C-823	1	236.2	235.90	+24.1	233.0	2.2	2.2	2.2	2.2	
17A-825	5	140.0	140.0	+20.0	138.0	9.3	9.4	9.1	9.3	
18A-824	1	199.0*	196.98	+15.02	190.88	9.6	10.0	9.5	9.6	
18A-922	5	264.0*	261.1	+18.9	260.1	6.7	6.8	6.7	6.5	
18B-922	5	266.0*	260.3	+19.7	257.5	2.6*	2.6*	2.6*	2.7	
19A-823	4	230.0*	228.4	+21.6	224.8	7.4	7.4	7.3	7.3	
19B-823	4	227.0*	225.9	+24.1	224.9	4.0*	3.9	3.8	4.0	
19A-825	2	134.0*	134.2	+25.8	129.8	10.3	10.4	10.0	10.2	
19B-825	2	135.0*	134.6	+25.4	129.8	6.3	6.4	6.2	6.4*	
19C-825	3	140.0*	138.0	+22.0	136.0	7.5	7.5	7.4	7.5	
19D-825	3	142.0*	141.24	+18.76	138.0	6.6	6.6	6.6	6.7*	
19A-922	6	313.6	310.53	+ 9.47	307.0	4.6	4.7	4.6	4.6	
20A-922	5	276.0*	276.0*	+34.0*	266.0*	6.8	6.9	6.7	6.8	AIRLINE LEAKS
21A-823	4	204.0*	202.8	+17.2	200.0	7.9	8.0	7.8	7.9	
21A-824	1	156.0*	150.3	+31.7	148.0	11.3	11.4	11.3	11.4	
21B-824	2	160.3	160.5	+19.5	153.0	7.4	7.4	7.3	7.4	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Sept. 24, 1975

Annual Pump Report 1975

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth 1974	Low Pumping Depth 1975	Distance from Bowls ±	1975 Low Static Depth	C.F.S. 1975 Peak Period Q	C.F.S. 1975 High	C.F.S. 1975 Low	C.F.S. 1974 Peak Period Q	Remarks
21A-825	5	137.4	136.5	+ 23.5	133.0	9.2	9.2	9.1	9.2	
22A-724	7	216.0 *	216.0 *	+ 4.0 *	215.0 *	2.4	2.5	2.4	2.4	Air Line Plugged
22B-724	7	224.0 *	221.4	+ 28.6	215.4	6.6	6.6	6.4	6.6	
22C-724	7	206.5	205.6	+ 24.4	204.0	6.6	6.6	6.4	6.6	
22A-821	6	316.4	314.2	+ 25.8	313.0	7.0	7.1	6.8	7.0	
22A-823	4	208.0 *	206.4	+ 23.6	204.0	7.3	7.3	7.3	7.2	
22A-824	2	149.5	150.4	+ 29.6	142.0	6.8	6.8	6.8	6.8	
22A-922	5	285.0	282.5	+ 17.5	274.0	2.2	2.2	2.2	2.2	
23A-724	7	219.0 *	219.0 *	+ 21.0 *	217.0 *	5.5	5.5	5.4	5.5	Air Line Leaks
23A-823	4	211.0 *	210.3	+ 19.7	209.0	6.9	6.9	6.9	6.8	
23B-823	4	211.0 *	209.0	+ 21.0	207.0	2.8	2.8	2.8	2.8	
23A-824	2	154.0 *	154.0 *	+ 26.0 *	149.0 *	10.5	10.5	10.4	10.5	
23A-825	5	175.0	174.5	+ 25.5	167.5	7.7	7.8	7.7	7.7	
23B-825	5	170.0	168.5	+ 31.5	164.5	7.9	8.0	7.8	7.9	
24A-821	6	327.0 *	321.6	+ 28.4	316.6	1.9	1.9	1.8	1.9	
24A-823	3	180.0 *	178.37	+ 21.63	170.0	9.7	9.8	9.6	9.7	
24B-823	3	162.0 *	161.40	+ 18.6	160.0	6.9	6.9	6.9	6.9	
24C-823	1	175.0 *	175.0 *	+ 5.0 *	162.0 *	7.8	7.8	7.8	7.6	No Air Line
24A-825	5	164.1	163.5	+ 26.5	160.0	5.6	5.8	5.6	5.6	
25A-823	3	154.0 *	153.7	+ 26.3	149.0	3.4	3.5	3.4	3.4	
26A-724	7	206.0 *	204.1	+ 25.9	201.4	6.6	6.6	6.4	6.6	
26B-724	7	197.4	195.8	+ 14.2	195.0	2.7	2.8	2.7	2.7	
26A-821	6	340.4	342.7	+ 27.3	335.0	5.4	5.5	5.4	5.4	
26B-821	6	346.0 *	346.0 *	+ 24.0 *	336.0 *	6.8	6.9	6.8	6.8	Air Line Plugged
26A-823	4	180.2	170.1	+ 19.9	163.0	4.5	4.6	4.5	4.5	
26A-824	2	130.8	131.2	+ 28.8	130.0	10.0	10.2	10.0	10.0	
27A-725	7	215.9	213.9	+ 26.1	212.0	2.7	2.8	2.7	2.5	
27A-823	1	200.0 *	200.0 *	+ 30.0 *	195.0 *	5.5	5.8	5.5	5.5	No Air Line
27B-823	4	180.0 *	179.3	+ 20.7	178.0	3.9	4.0	3.9	3.9	
27C-823	1	199.0	199.9	+ 16.1	183.9	5.4	5.5	5.3	5.0	
28A-724	7	227.0 *	227.0 *	+ 23.0 *	225.0 *	6.5	6.5	6.3	6.5	Air Line Plugged
28B-724	7	223.1	222.1	+ 27.9	220.0	3.7	3.7	3.5	3.7	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Sept. 24, 1975

Annual Pump Report 1975

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth 1974	Low Pumping Depth 1975	Distance from Bowls ±	1975 Low Static Depth	C.F.S. 1975 Peak Period Q	C.F.S. 1975 High	C.F.S. 1975 Low	C.F.S. 1974 Peak Period Q	Remarks
28A-823	4	197.0 *	195.6	+ 24.4	193.0	10.7	10.9	10.7	10.6	
28B-823	4	198.0 *	198.0 *	+ 22.0 *	188.7 *	6.3	6.4	6.3	6.3	Air Line Plugged
28C-823	4	191.0 *	190.2	+ 19.8	189.0	5.6	5.7	5.4	5.6	
28A-922	6	275.0 *	275.0 *	+ 5.0 *	163.0 *	2.6	2.6	2.5	2.6	Air Line Leaks
29A-725	7	248.4	247.9	+ 22.0	247.0	4.7	4.8	4.5	4.6	
29A-823	4	205.0 *	203.6	+ 16.4	202.0	10.0	10.0	10.0	10.0	
29B-823	4	205.0 *	205.0 *	+ 15.0 *	203.0 *	3.8	4.3	3.8	4.1	Air Line Leaks
29A-824	3	131.0 *	133.7	+ 6.3	132.7	5.4	5.5	5.4	5.4	
30A-724	3	264.0 *	262.7	+ 17.3	258.7	7.7	7.7	7.7	7.7	
30B-724	3	265.0 *	262.4	+ 17.6	257.4	5.5	5.6	5.3	5.5	
30A-725	7	236.5	236.5	+ 23.5	233.0	7.3	7.3	7.3	7.3	
30A-822	6	299.1	296.7	+ 23.3	290.7	3.6	3.8	3.6	3.6	
30A-824	3	162.0 *	158.0	+ 22.0	145.0	5.9	6.0	5.9	5.9	
30B-824	3	134.4	133.32	+ 26.6	132.0	3.4	3.5	3.4	3.4	
30A-922	6	297.0 *	296.8	+ 53.2	281.3	7.4	7.4	7.3	7.3	
31A-724	2	252.0 *	249.4	+ 30.6	245.2	4.2	4.2	4.1	4.2	
31A-725	7	192.3	188.3	+ 31.7	187.0	4.8	5.0	4.7	4.8	
31A-823	4	186.6	185.6	+ 24.4	183.0	6.9	7.0	6.8	6.8	
31A-824	3	171.0 *	170.7	+ 29.3	170.0	9.3	9.3	9.3	9.3	
31B-824	3	175.0 *	175.0 *	+ 25.0 *	170.0 *	4.3	4.3	4.2	4.3	Air Line Leaks
32A-724	2	224.0 *	222.8	+ 17.2	215.0	8.9	8.9	8.9	8.7	
32B-724	2	221.0 *	218.5	+ 21.5	215.0	5.7 *	5.7 *	5.7	5.7	
32A-725	7	192.8	192.6	+ 27.4	190.4	4.6	4.7	4.6	4.6	
33A-724	2	215.0 *	214.6	+ 25.4	213.0	6.5	6.5	6.1	6.5	
33B-724	7	221.0 *	221.0	+ 19.0	218.6	4.7	4.7	4.6	4.7	
33A-725	7	215.5	215.0 *	+ 15.0 *	212.0 *	7.0	7.0	6.8	7.0	Air Line Leaks
33B-922	6	274.0 *	274.0 *	+ 16.0 *	270.0 *	5.8	5.9	5.8	5.9	Air Line Leaks
33C-922	6	268.0 *	277.1	+ 12.9	272.3	3.4	3.4	3.4	3.4	
34A-723	3	245.0 *	243.5	+ 26.5	239.0	7.4	7.4	7.2	7.4	
34B-723	3	244.0 *	243.0	+ 17.0	239.0	3.0	3.0	3.0	3.0	
34A-724	2	196.0	196.4	+ 23.6	194.2	8.1	8.1	8.0	8.2	
34A-725	7	229.1	228.0	+ 12.0	214.0	7.3	7.3	7.2	7.3	
34A-823	4	156.7	155.4	+ 24.6	147.0	4.3	4.4	4.3	4.3	
35A-724	2	202.5	203.1	+ 16.9	201.5	8.7	8.7	8.6	8.6 *	
35B-724	2	201.1	201.0	+ 19.0	198.8	3.8	3.8	3.8	3.8	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1975
Annual Pump Report
Hydrologic Data of Individual Wells

September 24, 1975

Part 2

Well Number and Group Number		Low Pumping Depth 1974	Low Pumping Depth 1975	Distance from Bowls ±	1975 Low Static Depth	C.F.S. 1975 Peak Period Q	C.F.S. 1975 High	C.F.S. 1975 Low	C.F.S. 1975 Peak Period Q	Remarks
35A-821	6	315.2	316.7	+23.3	310.0	5.8	5.9	5.8	5.4	
35B-821	6	327.2	324.0	+16.0	316.6	5.8	6.0	5.8	5.8	
35C-821	6	334.3	332.1	+27.9	330.0	6.7	6.8	6.7	6.6	
35D-821	6	324.1	321.6	+28.4	320.0	6.9	7.0	6.9	6.9	
35A-822	4	215.0*	213.3	+ 6.7	211.0	9.6	9.6	9.5	9.6	
35B-822	4	213.3*	211.4	+28.6	207.3	5.0	5.1	5.0	5.0	
35C-822	5	253.0*	253.4	+ 6.6	243.4	3.0	3.0	3.0	3.0	
35A-823	4	167.0*	168.3	+11.7	152.0	8.4	8.5	8.3	8.4	
35B-823	4	152.9	152.7	+27.3	152.0	1.9	2.0	1.9	1.9	
35C-823	4	162.0*	157.7	+22.3	145.0	3.8	3.9	3.8	3.8	
35D-823	4	150.3	150.0	+40.0	148.0	1.7	1.8	1.7	1.7	

* ESTIMATED

A & B IRRIGATION DISTRICT. RUPERT. IDAHO

Sept. 22 ND.

1976
Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number			Low Pumping Depth 1975	Low Pumping Depth 1976	Distance from Bowls ±	1976 Low Static Depth	C.F.S. 1976 Peak Period Q	C.F.S. 1976 High	C.F.S. 1976 Low	C.F.S. 1975 Peak Period Q	Remarks
1A	823	3	247.9	248.3	+21.7	245.0	9.8	9.8	9.8	9.8	
1B	823	3	249.9	250.1	+19.9	246.0	6.6	6.6	6.6	6.6	
1C	823	3	225.4	226.1	+13.9	222.0	7.5	7.5	7.3	7.5	
1A	824	3	182.0*	182.0*	+18.0*	179.0*	7.7	7.7	7.7	7.7	AIR LINE BROKEN
1A	921	6	338.9	336.6	+23.4	333.0	7.1	7.1	7.1	7.1	
2A	823	3	228.5	229.4	+20.6	227.0	5.3	5.4	5.3	5.3	
2A	824	5	169.9	169.1	+20.9	168.0	2.1	2.1	2.0	2.1	
2A	923	4	152.2	152.9	+27.1	151.0	2.5	2.7	2.5	2.5	
2A	1021	6	375.0	373.9	+36.1	343.0	5.0	5.4	4.6	5.0	
3A	824	2	198.2	198.2	+21.8	194.0	9.3	9.3	9.3	9.2	
3B	824	2	195.5	195.5	+24.5	194.0	4.7	4.8	4.7	4.8	
3A	825	7	220.8	221.1	+18.9	217.1	6.9	7.1	6.9	6.9	
3B	825	7	219.9	218.8	+31.2	213.5	7.5	7.7	7.5	7.5	
3C	825	7	219.5	218.5	+21.5	217.0	6.0	5.9	5.9	6.0	
3D	825	7	212.7	212.6	+37.4	210.0	4.0	4.0	4.0	4.1	
3E	825	7	215.4	214.9	+25.1	213.0	4.9	5.0	4.8	4.9	
3A	921	6	311.2	309.1	+20.9	308.0	2.4	2.5	2.4	2.4	
3B	921	6	314.0*	312.0*	+18.0	310.0*	7.2	7.4	7.1	7.2	AIR LINE PLUGGED
3C	921	5	318.3	314.9	+15.1	312.0*	7.8	8.1	7.6	7.8	
3A	922	5	235.7	237.1	+12.9	234.0	9.0	9.1	8.8	8.9	
3B	922	5	236.3	237.3	+22.7	233.0	6.2	6.2	6.1	6.3	
3A	923	4	175.0*	176.0*	+24.0*	161.0*	5.0	5.1	5.0	5.0	AIR LINE PLUGGED
3B	923	4	154.5	154.9	+ 5.1	148.0	2.4	2.5	2.4	2.2*	
3A	1022	6	286.3	287.7	+22.3	281.0	3.9	3.9	3.9	3.9	
4A	823	4	246.4	241.7	+28.3	240.0	10.3	10.4	10.0	10.4	
4B	823	4	245.0	240.2	+29.8	240.0	4.2	4.5	4.2	4.3	
4A	824	2	199.4	200.4	+19.6	188.0	9.4	9.5	9.3	9.5	
4B	824	1	205.3	206.2	+23.8	203.0	9.3*	9.3*	8.9	9.3	
4C	824	5	209.5	210.5	+29.5	203.0	4.5	4.6	4.3	4.3	
5B	823	4	256.0*	256.0*	+24.0	249.0*	7.3	7.3	7.3	7.0	AIR LINE PLUGGED
5C	823	4	252.2	252.2	+27.8	248.0	4.3	4.4	4.3	4.5	
5A	825	7	205.2	203.1	+26.9	201.0	11.1	11.1	11.1	11.1	
5B	825	7	215.4	213.5	+16.5	202.0	5.2	5.2	5.2	5.2	

A & B IRRIGATION DISTRICT. RUPERT. IDAHO

Sept. 22 ND.

1976
Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number			Low Pumping Depth 1975	Low Pumping Depth 1976	Distance from Bowls ±	1976 Low Static Depth	C.F.S. 1976 Peak Period Q	C.F.S. 1976 High	C.F.S. 1976 Low	C.F.S. 1975 Peak Period Q	Remarks
6A	824	1	238.8	239.1	+11.9	237.0	10.8	10.9	10.7	10.8	
6B	824	2	243.0	243.5	+16.5	235.0	6.2	6.4	6.2	6.4	
6C	824	5	210.0*	211.0*	+19.0*	208.0*	1.9	2.0	1.9	1.9	AIR LINE LEAKS
6A	825	7	172.1	173.1	+26.9	174.0	6.3	6.3	6.2	6.3	
6B	825	7	172.9	173.2	+26.7	173.0	3.1	3.1	3.1	3.1	
6A	923	1	188.0*	188.0*	+12.0*	186.0*	9.4	9.4	9.3	9.4	
6B	923	4	167.2	166.8	+13.2	164.0	5.8	5.8	5.6	5.7	
7B	824	1	183.5	182.3	+22.7	181.0	9.2	9.3	9.1	9.3	
7A	922	5	300.0*	300.0*	+40.0*	288.0*	9.2	9.4	9.0	9.0	AIR LINE LEAKS
7B	922	5	292.9	292.8	+17.2	291.0	8.3	8.6	8.3	8.1	
8A	823	1	244.5	244.8	+10.2	243.0	9.5	9.5	9.4	9.5	
8A	824	1	185.2	186.4	+15.6	181.0	8.1	8.1	8.0	8.1	
9A	922	5	266.2	260.1	+29.9	258.0	7.4	7.6	7.4	7.2	
9B	922	5	268.6	263.0	+67.0	259.0	4.8	5.0	4.8	5.0	
10A	823	3	216.3	218.0*	+22.0*	216.0*	3.8	3.9	3.8	3.8	
10B	823	3	225.7	227.5	+12.5	225.0	2.3	2.4	2.3	2.2	
10A	824	1	180.0*	181.5*	+ 8.5*	180.0*	9.6	9.7	9.5	9.5	AIR LINE PLUGGED
10B	824	1	167.0*	168.5*	+11.5*	167.0*	6.8	6.9	6.8	7.0	AIR LINE PLUGGED
10C	824	5	169.9	171.3	+28.7	170.0	6.1	6.2	6.1	6.4	
10A	922	5	231.1	228.6	+21.4	218.0	3.9	3.9	3.9	4.0	
11A	824	1	177.7	178.7	+16.3	178.0	10.7	10.9	10.7	11.0	
11B	824	2	176.6	177.2	+22.8	176.0	4.1	4.1	4.1	4.1	
11C	824	2	168.2	168.3	+11.7	167.0	5.7	5.8	5.7	5.9	
11A	825	7	180.3	181.3	+18.7	178.0	6.2	6.3	5.8	6.2	
11B	922	4	230.2	227.6	+12.4	210.0	4.4	4.4	4.3	4.4	
11C	922	4	210.0*	207.0*	+43.0*	203.0*	5.0	5.0	4.9	5.0	AIR LINE LEAKS
12A	823	3	227.0*	229.0*	+22.0*	225.0*	7.8	7.8	7.7	7.9	
12B	823	3	228.0*	230.0*	+20.0*	225.0*	3.0	3.0	3.0	3.0	AIR LINE PLUGGED
12C	823	3	213.5	215.3	+24.7	212.0	9.4	9.4	9.4	9.5	
12D	823	3	219.0*	221.0*	+ 9.0 *	217.0*	3.9	3.9	3.8	3.9	AIR LINE BROKEN
12A	824	3	158.6	160.0	+30.0	157.0	6.1	6.2	6.1	6.1	
12A	825	7	196.9	197.5	+22.5	196.0	10.3	10.4	10.3	10.2	
12B	825	7	208.0*	209.0*	+ 1.0*	201.0*	7.9	7.9	7.9	7.9	LEAKS TO BAD TO READ

A & B IRRIGATION DISTRICT. RUPERT. IDAHO

Sept. 22 ND.

1976
Annual Pump Report

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number			Low Pumping Depth 1975	Low Pumping Depth 1976	Distance from Bowls ±	1976 Low Static Depth	C.F.S. 1976 Peak Period Q	C.F.S. 1976 High	C.F.S. 1976 Low	C.F.S. 1975 Peak Period Q	Remarks
13A	824	2	164.8	165.1	+34.9	164.0	12.0*	12.1	11.7	12.0	
13B	824	2	164.6	164.0	+16.0	163.0	5.3	5.3	5.3	5.1	
13A	825	5	162.95	161.5	+28.0	160.0	2.9	3.0	2.8	2.9	
14A	823	3	210.4	209.3	+30.7	208.0	7.1	7.2	7.0	7.1	
14B	823	3	212.4	211.6	+ 8.4	207.0	3.0	3.0	2.8	3.0*	
14A	824	1	142.8	143.8*	+16.2*	142.0*	8.5	8.6	8.4	8.6	
14C	825	7	168.8	170.4	+29.6	170.0	2.7	2.9	2.7	2.8	
15A	823	3	224.0*	225.6	+24.4*	220.0*	9.3	9.5	8.9	10.0	NO AIR LINE
15B	823	3	225.1	226.7	+33.3	220.0	4.8	4.8	4.6	4.8	
15D	823	4	204.3	202.4	+27.6	200.0	2.3	2.4	2.3	2.3	
15A	824	1	161.0*	162.0*	+ 8.0*	159.0*	6.1	6.2	6.0	6.1	AIR LINE LEAKS
15A	825	5	165.0*	165.0*	+25.0*	163.0*	11.0	11.0	11.0	11.0	AIR LINE LEAKS
15B	825	5	160.7	160.8	+19.2	159.0	4.1	4.2	4.1	4.2	
15A	922	5	284.0*	282.0*	+18.0*	261.0*	2.0	2.0	2.0	2.0	AIR LINE LEAKS
15B	922	5	248.0*	246.0*	+84.0*	238.0*	2.4	2.4	2.3	2.4	AIR LINE LEAKS
17A	823	4	209.5	210.2	+29.8	209.0	6.7	6.7	6.7	6.9	
17B	823	4	214.29	214.8	+25.2	209.0	2.9	2.9	2.8	3.0	
17C	823	1	235.90	237.2	+22.8	235.0	2.2	2.3	2.2	2.2	
17A	825	5	140.0	140.6	+19.4	138.0	9.2	9.3	9.1	9.3	
18A	824	1	196.98	197.1	+14.9	190.0	9.6	9.7	9.5	9.6	
18A	922	5	261.1	259.7	+20.3	258.0	6.5	6.6	6.4	6.7	
18B	922	5	260.3	258.5	+21.5	257.0	2.8	2.9	2.7	2.6*	
19A	823	4	228.4	226.9	+23.1	223.0	7.6	7.6	7.4	7.4	
19B	823	4	225.9	224.1	+25.9	223.0	3.9	4.1	3.8	4.0*	
19A	825	2	134.2	131.3	+28.7	127.0	10.3	10.3	10.3	10.3	
19B	825	2	134.6	133.6	+26.4	129.0	6.3	6.4	6.3	6.3	
19C	825	3	138.0	138.3	+21.7	136.0	7.4	7.5	7.4	7.5	
19D	825	3	141.24	141.7	+18.3	139.0	6.6*	6.6*	6.6*	6.6	
19A	922	6	310.53	310.4	+ 9.6	307.0	4.7	4.8	4.6	4.6	
20A	922	5	276.0*	276.0*	+34.0*	266.0*	6.9	7.0	6.8	6.8	AIR LINE LEAKS
21A	823	4	202.8	203.0	+17.0	200.0	7.8	7.9	7.8	7.9	
21A	824	1	150.3	149.5	+32.5	148.0				11.3	
21B	824	2	160.5	159.2	+20.8	151.0	7.3	7.5	7.3	7.4	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Sept. 22 ND.

1976

Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number			Low Pumping Depth 1975	Low Pumping Depth 1976	Distance from Bowls ±	1976 Low Static Depth	C.F.S. 1976 Peak Period Q	C.F.S. 1976 High	C.F.S. 1976 Low	C.F.S. 1975 Peak Period Q	Remarks
21A	825	5	136.5	136.0	+24.0	133.0	9.1	9.2	9.0	9.2	
22A	724	7	216.0*	214.0*	+ 6.0*	214.0*	2.4*	2.4*	2.4*	2.4	AIR LINE PLUGGED
22B	724	7	221.4	220.0	+30.0	214.0	6.6	6.7	6.4	6.6	
22C	724	7	205.6	204.4	+25.6	203.0	6.6	6.6	6.6	6.6	
22A	821	6	314.2	312.4	+27.6	311.0	7.0	7.2	6.8	7.0	
22A	823	4	206.4	207.0*	+23.0*	204.0*	7.3*	7.3*	7.3*	7.3	
22A	824	2	150.4	150.3	+29.7	141.0	6.7	6.9	6.7	6.8	
22A	922	5	282.5	280.8	+19.2	272.0	2.2	2.3	2.2	2.2	
23A	724	7	219.0*	218.0*	+22.0*	216.0*	5.4	5.5	5.3	5.5	AIR LINE LEAKS
23A	823	4	210.3	207.7	+22.3	206.0	6.8	6.8	6.7	6.9	
23B	823	4	209.0	208.1	+21.9	206.0	2.8	2.9	2.7	2.8	
23A	824	2	154.0*	155.0*	+25.0*	149.0*	10.5	10.5	10.5	10.5	
23A	825	5	174.5	175.3	+24.7	166.0	7.5	7.5	7.5	7.7	
23B	825	5	168.5	171.1	+28.9	167.1	8.0	8.2	8.0	7.9	
24A	821	6	321.6	321.0	+29.0	316.0	1.9	2.0	1.8	1.9	
24A	823	3	178.37	179.1	+20.9	164.0	9.7	9.8	9.7	9.7	
24B	823	3	161.40	161.8	+18.2	158.0	6.9	6.9	6.9	6.9	
24C	823	1	175.0*	175.0*	+ 5.0*	162.0*	7.8	7.8	7.8	7.8	NO AIR LINE
24A	825	5	163.5	164.8	+25.2	159.0	5.6	5.6	5.6	5.6	
25A	823	3	153.7	154.7	+25.3	150.0	3.4	3.5	3.4	3.4	
26A	724	7	204.1	203.7	+26.3	203.0	6.6	6.8	6.6	6.6	
26B	724	7	195.8	195.7	+14.3	194.0	2.7	2.8	2.7	2.7	
26A	821	6	342.7	343.2	+26.8	334.0	5.4	5.5	5.4	5.4	
26B	821	6	346.0*	347.0	+23.0	336.0	6.8	7.0	6.7	6.8	AIR LINE PLUGGED
26A	823	4	170.1	170.9	+19.1	161.0	4.5	4.6	4.4	4.5	
26A	824	2	131.2	132.0	+28.0	131.0	10.0	10.1	9.8	10.0	
27A	725	7	213.9	215.6	+24.4	214.0	2.9	2.9	2.9	2.7	INLINE BOOSTER PUMP
27A	823	1	200.0*	201.0*	+29.0*	196.0*	5.5	5.6	5.4	5.5	NO AIR LINE
27B	823	4	179.3	180.8	+19.2	179.0	4.1	4.2	4.1	3.9	
27C	823	1	199.9	199.0	+17.0	191.0	5.1	5.5	4.9	5.4	
28A	724	7	227.0*	225.0*	+25.0*	223.0*	6.6	6.6	6.6	6.5	AIR LINE PLUGGED
28B	724	7	222.1	220.2	+29.8	219.0	3.6	3.6	3.6	3.7	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Sept. 22 ND.

1976
Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number			Low Pumping Depth 1975	Low Pumping Depth 1976	Distance from Bowls ‡	1976 Low Static Depth	C.F.S. 1976 Peak Period Q	C.F.S. 1976 High	C.F.S. 1976 Low	C.F.S. 1975 Peak Period Q	Remarks
28A	823	4	195.6	194.5	+25.5	192.0	10.6	10.7	10.6	10.7	
28B	823	4	198.0*	197.0*	+23.0*	193.0*	6.3	6.3	6.3	6.3	AIR LINE PLUGGED
28C	823	4	190.2	192.0	+18.0	191.0	5.6	5.7	5.5	5.6	
28A	922	6	275.0*	275.0*	+ 5.0*	163.0*	2.6	2.6	2.6	2.6	AIR LINE LEAKS
29A	725	7	247.9	248.6	+21.4	247.0	4.7	4.8	4.5	4.7	
29A	823	4	203.6	202.4	+17.6	201.0	10.0	10.0	9.9	10.0	
29B	823	4	205.0*	204.0*	+16.0*	202.0*	4.1	3.9	3.9	3.8	AIR LINE LEAKS
29A	824	3	133.7	131.5	+ 8.5	130.0	5.4	5.5	5.4	5.4	
30A	724	3	262.7	259.9	+20.1	254.0	7.7	7.7	7.7	7.7	
30B	724	3	262.4	259.2	+20.8	254.0	5.4	5.4	5.4	5.5	
30A	725	7	236.5	237.1	+22.9	233.0	7.3	7.4	7.3	7.3	
30A	822	6	296.7	295.5	+24.5	290.0	3.6	3.8	3.6	3.6	
30A	824	3	158.0	158.2	+21.8	145.0	5.9	6.0	5.9	5.9	
30B	824	3	133.32	133.6	+26.4	132.0	3.4	3.5	3.4	3.4	
30A	922	6	296.8	305.1	+44.9	289.0	7.3	7.5	7.1	7.4	
31A	724	2	249.4	247.5	+32.5	243.0	4.3	4.3	4.3	4.2	
31A	725	7	188.3	192.3	+27.7	191.0	4.8	5.0	4.8	4.8	
31A	823	4	185.6	186.1	+23.9	183.0	6.9	7.0	6.8	6.9	
31A	824	3	170.7	169.9	+30.1	168.0	9.1	9.3	9.1	9.3	
31B	824	3	175.0*	175.0*	+25.0*	170.0*	4.2	4.2	4.2	4.3	AIR LINE LEAKS
32A	724	2	222.8	220.6	+19.4	213.0	8.8	8.8	8.7	8.9	
32B	724	2	218.5	217.2	+22.8	213.0	5.5	5.6	5.5	5.7*	
32A	725	7	192.6	194.9	+25.1	192.0	4.6	4.7	4.5	4.6	
33A	724	2	214.6	213.5	+26.5	212.0	6.4	6.4	6.2	6.5	
33B	724	7	221.0	218.3	+21.7	216.0	4.8	4.8	4.8	4.7	
33A	725	7	215.0*	215.0*	+15.0*	212.0*	6.8	6.9	6.8	7.0	AIR LINE LEAKS
33B	922	6	240.0*	272.0*	+18.0*	270.0*	5.9	5.9	5.9	5.8	AIR LINE LEAKS
33C	922	6	277.1	272.9	+17.1	168.0	3.3	3.4	3.3	3.4	
34A	723	3	243.5	238.7	+31.3	234.0	7.4	7.5	7.2	7.4	
34B	723	3	243.0	238.0	+22.0	234.0	3.0	3.2	3.0	3.0	
34A	724	2	196.4	194.8	+25.2	192.0	8.1	8.2	8.1	8.1	
34A	725	7	228.0	227.9	+12.1	213.0	7.2	7.3	7.2	7.3	
34A	823	4	155.4	155.0	+25.0	146.0	4.3	4.4	4.3	4.3	
35A	724	2	203.1	204.5	+15.5	203.0	8.6	8.6	8.6	8.7	
35B	724	2	201.0	200.9	+19.1	198.0	3.8	3.8	3.8	3.8	

A & B IRRIGATION DISTRICT. RUPERT. IDAHO

1976

Annual Pump Report

Hydrologic Data of Individual Wells

Sept. 22 ND.

Part 2

Well Number and Group Number	Low Pumping Depth 1975	Low Pumping Depth 1976	Distance from Bowls ±	1976 Low Static Depth	C.F.S. 1976 Peak Period Q	C.F.S. 1976 High	C.F.S. 1976 Low	C.F.S. 1975 Peak Period Q	Remarks
35A 821 6	316.7	319.0	+21.0	312.0	5.8	5.9	5.7	5.8	
35B 821 6	324.0	317.9	+22.1	310.0	5.7	5.9	5.6	5.8	
35C 821 6	332.1	332.5	+27.5	331.0	6.7	6.7	6.5	6.7	
35D 821 6	321.6	321.2	+28.8	317.0	7.0	7.1	6.8	6.9	
35A 822 4	213.3	212.6	+ 7.4	210.0	9.5	9.6	9.5	9.6	
35B 822 4	211.4	210.8	+29.2	207.0	5.0	5.0	5.0	5.0	
35C 822 5	253.4	254.4	+ 5.6	244.0	3.1	3.1	3.1	3.0	
35A 823 4	168.3	167.2	+12.8	152.0	8.4	8.5	8.3	8.4	
35B 823 4	152.7	151.6	+28.4	151.0	2.0	2.1	1.9	1.9	
35C 823 4	157.7	158.6	+21.4	146.0	3.8	4.0	3.8	3.8	
35D 823 4	150.0	149.5	+40.5	148.0	1.8	1.9	1.8	1.7	

* ESTIMATED

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

1977
Annual Pump Report
Hydrologic Data of Individual Wells

October 1, 1977

Part 2

Well Number and Group Number		Low Pumping Depth 1976	Low Pumping Depth 1977	Distance from Bowls ±	1977 Low Static Depth	C.F.S. 1977 Peak Period Q	C.F.S. 1977 High	C.F.S. 1977 Low	C.F.S. 1976 Peak Period Q	Remarks
1A-823	3	248.3	250.3	+19.7	247.0	9.7	9.7	9.5	9.8	
1B-823	3	250.10	251.4	+18.6	248.0	6.6	6.6	6.6*	6.6	
1C-823	3	226.1	227.5	+12.5	224.0	7.5	7.5	7.4	7.5	
1A-824	3	182.0*	185.0*	+15.0*	181.0*	7.7	7.7	7.7*	7.7	Airline Broken
1A-921	6	336.6	337.8	+22.2	334.0	7.1	7.1	7.1*	7.1	
2A-823	3	229.4	231.1	+18.9	229.0	5.3	5.5	5.3	5.3	
2A-824	5	169.1	172.1	+17.9	170.0	2.1	2.1	2.0	2.1	
2A-923	4	152.9	153.4	+26.6	153.0	2.6	2.6	2.5	2.5	
2A-1021	6	373.9	375.3	+34.7	345.0	5.0*	5.0*	5.0*	5.0	
3A-824	2	198.2	199.2	+20.8	196.0	9.1*	9.1	9.1*	9.3	
3B-824	2	195.5	196.6	+23.4	195.0	4.7	4.7*	4.4	4.7	
3A-825	7	221.1	222.2	+17.8	219.0	7.1	7.2	7.1	6.9	
3B-825	7	218.8	221.7	+28.3	215.0	7.5	7.6	7.5	7.5	
3C-825	7	218.5	220.2	+19.8	219.0	5.9	5.9	5.8	6.0	
3D-825	7	212.6	214.0	+36.0	212.0	4.0*	4.0*	4.0*	4.0	
3E-825	7	214.9	216.1	+23.9	215.0	4.9	5.0	4.9	4.9	
3A-921	6	309.1	311.7	+18.3	310.0	2.4	2.4	2.3	2.4	
3B-921	6	312.0*	315.0*	+15.0	312.0*	7.2	7.2	7.1	7.2	Airline Plugged
3C-921	5	314.9	317.5	+12.5	314.0*	7.8	7.9	7.6	7.8	
3A-922	5	237.1	239.0	+11.0	236.0	9.0	9.0	8.8	9.0	
3B-922	5	237.3	238.8	+21.2	235.0	6.1	6.1	6.1	6.2	
3A-923	4	176.0*	177.0*	+23.0*	163.0*	5.0	5.0	5.0	5.0	Airline Plugged
3B-923	4	154.9	155.3	+ 4.7	150.0	2.4	2.5	2.4	2.4	
3A-1022	6	287.7	289.7	+20.3	283.0	3.9	3.9	3.8	3.9	
4A-823	4	241.7	248.0	+22.0	246.0	10.2*	10.2	10.0	10.3	
4B-823	4	240.2	246.7	+23.3	245.0	4.2*	4.5	4.2*	4.2	
4A-824	2	200.4	202.8	+17.2	190.0	9.4	9.6	9.3	9.4	
4B-824	1	206.2	206.2	+23.8	207.0	9.3*	9.3*	9.0*	9.3*	
4C-824	5	210.5	210.4	+29.6	203.0	4.5*	4.5*	4.3	4.5	
5B-823	4	256.0*	257.0*	+23.0*	250.0*	7.3*	7.3*	7.3*	7.3	
5C-823	4	252.2	253.1	+26.9	249.1	4.3*	4.5	4.3*	4.3	
5A-825	7	203.1	205.9	+24.1	203.0	11.1*	11.1	11.1*	11.1	
5B-825	7	213.5	216.5	+13.5	205.0	5.2	5.3	5.2	5.2	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

1977
Annual Pump Report
Hydrologic Data of Individual Wells

October 1, 1977

Part 2

Well Number and Group Number		Low Pumping Depth 19 76	Low Pumping Depth 19 77	Distance from Bowls ±	1977 Low Static Depth	C.F.S. 1977 Peak Period Q	C.F.S. 1977 High	C.F.S. 19 77 Low	C.F.S. 19 76 Peak Period Q	Remarks
6A-824	1	239.1	239.5	+11.5	238.0	10.8	11.1	10.8	10.8	
6B-824	2	243.5	244.4	+15.6	237.0	6.2	6.3	6.2	6.2	
6C-824	5	211.0*	212.0*	+18.0*	210.0*	1.9	2.0	1.9	1.9	Airline Leaks
6A-825	7	173.1	172.3	+27.7	171.0	6.3	6.3	6.2	6.3	
6B-825	7	173.2	173.2	+26.8	173.0	3.1*	3.1*	3.0	3.1	
6A-923	1	188.0*	189.0*	+11.0	188.0*	9.4	9.4	9.2	9.4	
6B-923	4	166.8	167.6	+12.4	164.0	5.7	5.7	5.6	5.8	
7B-824	1	182.3	183.1	+21.9	182.0	9.2	9.2	9.1	9.2	
7A-922	5	300.0*	304.0*	+36.0*	290.0*	9.2	9.3	9.0	9.2	Airline Leaks
7B-922	5	292.8	296.0	+14.0	293.0	8.3	8.3	8.2	8.3	
8A-823	1	244.8	242.8	+13.0	241.0	9.5	9.5	9.3	9.5	
8A-824	1	186.4	186.9	+15.1	183.0	8.0	8.0	7.6	8.1	
9A-922	5	260.1	268.7	+21.3	260.0	7.4	7.4	7.2	7.4	
9B-922	5	263.0	277.0	+53.0	261.0	4.8	4.9	4.5	4.8	
10A-823	3	218.0*	212.7	+27.3	210.0*	3.8	3.9	3.8	3.8	
10B-823	3	227.5	223.3	+16.7	222.0	2.3	2.3	2.2	2.3	
10A-824	1	181.5*	183.0*	+ 7.0*	182.0*	9.5	9.5	9.2	9.6	Airline Plugged
10B-824	1	168.5*	171.0*	+ 9.0*	169.0*	6.8*	6.9	6.6	6.8	Airline Plugged
10C-824	5	171.3	172.0	+28.0	171.0	6.1	6.1	6.0	6.1	
10A-922	5	228.6	233.6	+16.4	220.0	3.9	4.0	3.8	3.9	
11A-824	1	178.7	178.5	+16.5	177.0	10.7	10.7	10.6	10.7	
11B-824	2	177.2	177.6	+22.4	176.0	4.1	4.2	4.0	4.1	
11C-824	2	168.3	170.1	+ 9.9	169.0	5.7	5.8	5.6	5.7	
11A-825	7	181.3	182.3	+17.7	180.0	6.2	6.3	6.0	6.2	
11B-922	4	227.6	229.0	+11.0	212.0	4.3	4.4	4.3	4.4	
11C-922	4	207.0*	209.0*	+41.0*	205.0*	4.9	4.9	4.9	5.0	
12A-823	3	229.0*	231.0*	+19.0*	227.0*	7.8	7.8	7.6	7.8	
12B-823	3	230.0*	232.0*	+18.0*	227.0*	3.0	3.1	3.0	3.0	
12C-823	3	215.3	214.6	+25.6	214.0	9.4*	9.5	9.3	9.4	
12D-823	3	221.0*	221.0*	+ 9.0	219.0*	3.8	3.8*	3.8*	3.9	
12A-824	3	160.0	157.9	+32.1	154.0	6.0	6.1	5.9	6.1	
12A-825	7	197.5	199.0	+21.0	198.0	10.3	10.3	9.9	10.3	
12B-825	7	209.0*	210.0*	0.0*	203.0*	7.9	7.9	7.7	7.9	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

1977
Annual Pump Report
Hydrologic Data of Individual Wells

October 1, 1977

Part 2

Well Number and Group Number		Low Pumping Depth 1976	Low Pumping Depth 1977	Distance from Bowls ±	1977 Low Static Depth	C.F.S. 1977 Peak Period Q	C.F.S. 1977 High	C.F.S. 1977 Low	C.F.S. 1976 Peak Period Q	Remarks
13A-824	2	165.1	166.2	+33.8	165.0	12.1	12.2	11.9	12.0*	
13B-824	2	164.0	165.9	+14.1	164.0	5.2	5.2	5.2	5.3	
13A-825	5	161.5	163.5	+26.5	162.0	3.0	3.0	2.8	2.9	
14A-823	3	209.3	209.1	+30.9	208.0	7.1	7.1	7.0	7.1	
14B-823	3	211.6	212.0*	+ 8.0*	208.0	3.0	3.0	3.0*	3.0	
14A-824	1	143.8*	146.0	+14.0	144.0	8.5	8.5	8.5	8.5	
14C-825	7	170.4	169.6	+30.4	169.0	2.7	2.8	2.7	2.7	
15A-823	3	225.6*	221.3	+28.7	216.0	10.0*	10.0*	10.0*	9.3	
15B-823	3	226.7	223.6	+31.9	220.0	4.7	4.7	4.7*	4.8	
15D-823	4	202.4	201.7	+28.3	198.3	2.3	2.4	2.2	2.3	
15A-824	1	162.0*	165.0*	+ 5.0*	162.0*	6.3	6.3	6.3	6.1	Airline Leaks
15A-825	5	165.0*	167.0*	+23.0*	164.0*	10.9*	10.9*	10.9*	11.0	Airline Leaks
15B-825	5	160.8	162.5	+17.5	160.0	4.1	4.1*	4.1*	4.1	
15A-922	5	282.0*	285.0*	+15.0*	264.0*	1.9	1.9	1.9	2.0	Airline Leaks
15B-922	5	246.0*	249.0*	+81.0*	241.0*	2.4	2.4	2.4	2.4	Airline Leaks
17A-823	4	210.2	211.2	+28.8	210.0	6.8	6.8	6.8	6.7	
17B-823	4	214.8	216.0	+24.0	211.0	2.9	2.9	2.8	2.9	
17C-823	1	237.2	234.8	+25.2	232.2	2.2	2.2	2.1	2.2	
17A-825	5	140.6	140.4	+19.6	138.0	9.2	9.3	9.2	9.2	
18A-824	1	197.1	195.9	+16.1	188.9	9.8	9.9	9.7	9.6	
18A-922	5	259.7	262.7	+17.3	261.0	6.5	6.6	6.5	6.5	
18B-922	5	258.5	262.1	+17.9	260.0	2.9	2.9	2.8	2.8	
19A-823	4	226.9	227.7	+22.3	223.7	7.6	7.6	7.3	7.6	
19B-823	4	224.1	224.9	+25.1	223.0	3.9	3.9	3.9*	3.9	
19A-825	2	131.1	132.9	+27.1	128.9	10.3	10.3	10.0	10.3	
19B-825	2	133.6	135.2	+24.8	130.0	6.3	6.3	6.2	6.3	
19C-825	3	138.3	140.3*	+20.0*	138.0*	7.5	7.5	7.4	7.4	
19D-825	3	141.7	143.7*	+16.3*	138.7*	6.6	6.7	6.6	6.8*	
19A-922	6	310.4	312.5	+ 7.5	308.5	4.7	4.8	4.6	4.7	
20A-922	5	276.0*	278.0*	+32.0*	268.0*	6.9	6.9	6.7	6.9	Airline Leaks
21A-823	4	203.0	201.5	+18.5	198.5	7.8	8.0	7.8	7.8	
21A-824	1	149.5	152.1	+29.9	150.1	11.9	12.0	11.8		
21B-824	2	159.2	161.8	+18.2	152.5	7.3	7.5	7.3	7.3	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1977
Annual Pump Report
Hydrologic Data of Individual Wells

October 1, 1977

Part 2

Well Number and Group Number		Low Pumping Depth 1976	Low Pumping Depth 1977	Distance from Bowls ±	1977 Low Static Depth	C.F.S. 1977 Peak Period Q	C.F.S. 1977 High	C.F.S. 1977 Low	C.F.S. 1976 Peak Period Q	Remarks
21A-825	5	136.0	138.6	+21.4	132.6	9.0	9.1	8.9	9.1	
22A-724	7	214.0*	217.0*	+ 3.0*	217.0*	2.4*	2.4*	2.4*	2.4*	Airline Leaks
22B-724	7	220.0	222.5	+27.5	215.0	6.6	6.7	6.3	6.6	
22C-724	7	204.4	207.2	+22.8	206.0	6.6	6.7	6.3	6.6	
22A-821	6	312.4	316.3	+23.7	314.0	6.9	6.9	6.7	7.0	
22A-823	4	207.0*	208.4	+21.6	205.0	7.2	7.2	7.2	7.3*	
22A-824	2	150.3	151.1	+28.9	140.0	6.7	7.0	6.7	6.7	
22A-922	5	280.8	283.1	+16.9	272.0	2.2	2.2	2.1	2.2	
23A-724	7	218.0*	221.0*	+19.0*	219.0*	5.4	5.6	5.3	5.4	
23A-823	4	207.7	212.6	+17.4	211.0	6.8	6.8	6.6	6.8	
23B-823	4	208.1	211.8	+18.2	209.0	2.9*	2.9*	2.7	2.8	
23A-824	2	155.0*	157.0*	+23.0*	152.0*	10.5*	10.5*	10.5*	10.5	
23A-825	5	175.3	174.5	+25.5	166.0	7.5*	7.7	7.5*	7.5	
23B-825	5	171.1	170.1	+29.9	165.0	8.0*	8.0*	8.0*	8.0	
24A-821	6	321.0	322.7	+27.3	317.0	1.8	1.8	1.8	1.9	
24A-823	3	179.1	180.0*	+20.0*	165.0	9.7	9.7	9.6	9.7	Airline Out Of Water
24B-823	3	161.8	162.7	+17.3	169.7	6.9	6.9	6.9	6.9	
24C-823	1	175.0*	177.0*	3.0*	170.0*	7.8	7.8	7.6	7.8	No Airline
24A-825	5	164.8	164.4	+25.6	161.0	5.6	5.6	5.4	5.6	
25A-823	3	154.7	156.7*	+23.3*	151.7	3.5	3.6	3.5	3.4	
26A-724	7	203.7	206.6	+23.4	203.2	6.6	6.6	6.5	6.6	
26B-724	7	195.7	197.0	+13.0	196.0	2.7	2.8	2.7	2.7	
26A-821	6	343.2	344.3	+25.7	332.0	5.4	5.5	5.3	5.4	
26B-821	6	347.0*	348.0*	+22.0*	330.0*	6.8	6.9	6.7	6.8	Airline Plugged
26A-823	4	170.9	174.3	+15.7	164.0	4.5	4.5	4.4	4.5	
26A-824	2	132.0	131.4	+28.6	131.0	10.0	10.1	9.8	10.0	
27A-725	7	215.6	217.2	+22.1	216.0	2.8	2.9	2.8	2.9	In-Line Booster Pump
27A-823	1	201.0*	203.0*	+27.0*	198.0*	5.5	5.5	5.4	5.5	No Airline
27B-823	4	180.8	177.9	+22.1	177.0	4.1	4.2	4.0	4.1	
27C-823	1	199.0	200.2	+15.8	184.0	5.1	5.2	5.0	5.1	
28A-724	7	225.0*	228.0*	+22.0*	222.0*	6.6	6.7	6.4	6.6	Airline Plugged
28B-724	7	220.2	222.7	+27.3	220.7	3.6	3.6	3.5	3.6	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1977
Annual Pump Report
Hydrologic Data of Individual Wells

October 1, 1977

Part 2

Well Number and Group Number		Low Pumping Depth 1976	Low Pumping Depth 1977	Distance from Bowls ±	1977 Low Static Depth	C.F.S. 1977 Peak Period Q	C.F.S. 1977 High	C.F.S. 1977 Low	C.F.S. 1976 Peak Period Q	Remarks
28A-823	4	194.5	196.6	+23.4	194.0	10.6	10.7	10.5	10.6	
28B-823	4	197.0*	197.0*	+23.0*	196.0*	6.3	6.3	6.3	6.3	Airline Plugged
28C-823	4	192.0	189.3	+20.7	187.0	5.5	5.6	5.5	5.6	
28A-922	6	275.0*	278.0*	+ 3.0*	265.0	2.6	2.7	2.6	2.6	Airline Leaks
29A-725	7	248.6	248.6	+21.4	247.0	4.7	4.7	4.6	4.7	
29A-823	4	202.4	206.8	+13.2	204.8	9.9	10.0	9.9	10.0	
29B-823	4	204.0*	207.0*	+13.0*	204.0*	3.9	4.2	3.9	4.1	
29A-824	3	131.5	134.0	+ 6.0	133.0	5.4	5.5	5.4	5.4	
30A-724	3	259.9	264.5	+15.5	259.5	7.7*	7.8	7.7*	7.7	
30B-724	3	259.2	263.4	+16.6	258.4	5.4*	5.4*	5.4*	5.4	
30A-725	7	237.1	238.6	+21.4	234.6	7.2	7.2	7.2	7.3	
30A-822	6	295.5	294.7	+25.3	289.5	3.6	3.7	3.6	3.6	
30A-824	3	158.2	158.6	+21.4	151.6	5.9	6.0	5.9	5.9	
30B-824	3	133.6	135.72	+24.3	134.5	3.4	3.5	3.4	3.4	
30A-922	6	305.1	307.5	+42.5	291.1	7.3	7.4	7.3	7.3	
31A-724	2	247.5	252.2	+27.8	247.7	4.2	4.2	4.1	4.3	
31A-725	7	192.3	191.3	+28.7	190.3	4.8*	4.9	4.7	4.8	
31A-823	4	186.1	187.0	+23.0	183.4	6.8	6.9	6.7	6.9	
31A-824	3	169.9	172.1	+27.9	170.9	9.1	9.1	9.0	9.1	
31B-824	3	175.0*	177.0*	+23.0*	176.0*	4.2*	4.2*	4.2*	4.2	Airline Leaks
32A-724	2	220.6	224.0	+16.0	215.6	8.8*	8.8*	8.6	8.8	
32B-724	2	217.2	219.9	+20.1	215.3	5.5	5.5*	5.5*	5.5	
32A-725	7	194.9	193.5	+26.5	191.3	4.6	4.7	4.6	4.6	
33A-724	2	213.5	215.5	+24.5	213.9	6.4*	6.4*	6.2*	6.4	
33B-724	7	218.3	221.9	+18.1	219.5	4.8	5.0	4.8	4.8	
33A-725	7	215.0*	218.0*	+12.0*	215.0*	6.8	7.0	6.8	6.8	Airline Leaks
33B-922	6	272.0*	275.0*	+15.0*	271.6*	5.9*	6.0	5.9*	5.9	Airline Leaks
33C-922	6	272.9	275.4	+14.6	270.6	3.3*	3.4*	3.3*	3.3	
34A-723	3	238.7	244.9	+25.1	239.6	7.4*	7.5	7.2	7.4	
34B-723	3	238.0	244.3	+15.7	239.8	3.0	3.1	2.9	3.0	
34A-724	2	194.8	197.7	+22.3	195.5	8.1	8.1	7.9	8.1	
34A-725	7	227.9	229.5	+10.5	213.2	7.2	7.3	7.2	7.2	
34A-823	4	155.0	157.8	+22.2	150.4	4.3	4.4	4.2	4.3	
35A-724	2	204.5	205.7	+14.3	198.3	8.6*	8.6*	8.5	8.6	
35B-724	2	200.9	202.2	+17.8	199.6	3.8*	3.8*	3.8	3.8	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

1977
Annual Pump Report

Hydrologic Data of Individual Wells

October 1, 1977

Part 2

Well Number and Group Number		Low Pumping Depth 1976	Low Pumping Depth 1977	Distance from Bowls ±	1977 Low Static Depth	C.F.S. 1977 Peak Period Q	C.F.S. 1977 High	C.F.S. 1977 Low	C.F.S. 1976 Peak Period Q	Remarks
35A-821	6	319.0	317.9	+22.1	311.9	5.8	5.8	5.7	5.8	
35B-821	6	317.9	323.1	+16.9	314.1	5.6	5.7*	5.6*	5.7	
35C-821	6	332.5	332.0	+28.0	330.5	6.6	6.6	6.6	6.7	
35D-821	6	321.2	323.9	+26.0	320.9	7.0	7.0	7.0	7.0	
35A-822	4	212.6	214.9	+ 5.1	211.9	9.5	9.6	9.5	9.5	
35B-822	4	210.8	212.8	+27.2	207.8	5.0	5.1	5.0	5.0	
35C-822	5	254.4	251.0	+ 9.0	240.0	3.0	3.0	2.9	3.1	
35A-823	4	167.2	170.3	+ 9.7	154.3	8.4	8.5	8.3	8.4	
35B-823	4	151.6	153.5	+26.5	152.0	2.0	2.0*	2.0*	2.0	
35C-823	4	158.6	159.4	+20.6	147.4	3.9	4.0	3.9	3.8	
35D-823	4	150.0	151.4	+38.6	149.4	1.8*	1.9	1.8*	1.8	

* Estimated

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1978
Annual Pump Report

October 1, 1978

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1977	Low Pumping Depth 1978	Distance from Bowls ±	1978 Low Static Depth	C.F.S. 1978 Peak Period Q	C.F.S. 1978 High	C.F.S. 1978 Low	C.F.S. 1977 Peak Period Q	Remarks
1A 823	3	250.3	250.5	+19.5	248.0	9.6	9.8	9.6*	9.7	
1B 823	3	251.4	251.7	+18.3	249.0	6.3	6.6	6.3	6.6	
1C 823	3	227.5	227.8	+12.2	225.0	7.4	7.4	7.2	7.5	
1A 824	3	185.0*	187.0*	+13.0*	183.0*	7.5	7.5	7.3	7.7	Airline Broken
1A 921	6	337.8	341.7	+18.3	337.0	6.9	6.9	6.9	7.1	
2A 823	3	231.1	232.3	+17.7	230.0	5.2	5.2	5.1	5.3	
2A 824	5	172.1	174.2	+15.8	272.0	2.1	2.1	2.0	2.1	
2A 923	4	153.4	154.8	+25.2	154.0	2.5	2.6	2.5	2.6	
2A 1021	6	375.3	377.0*	+33.0*	347.0*	5.0*	5.0*	4.4	5.0*	
3A 824	2	199.2	201.2	+18.8	198.0	9.1*	9.1*	9.1*	9.1*	
3B 824	2	196.6	198.9	+21.1	197.0	4.6*	4.6*	4.6	4.7	
3A 825	7	222.2	224.2	+15.8	220.0	7.2	7.3	7.1	7.1	
3B 825	7	221.7	225.0	+25.0	219.0	7.3	7.3	7.3	7.5	
3C 825	7	220.2	224.6	+15.4	223.0	9.8	9.8	9.7	5.9	
3D 825	7	214.0	217.8	+32.2	215.0	4.0*	4.0*	4.0	4.0*	
3E 825	7	216.1	217.6	+22.4	217.0	4.9	4.9	4.8	4.9	
3A 921	6	311.7	316.9	+13.1	315.0	2.4	2.4	2.3	2.4	
3B 921	6	315.0*	320.0*	+10.0*	317.0*	7.2	7.2	7.0	7.2	Airline Plugged
3C 921	5	317.5	321.5	8.5	318.0	7.7	7.8	7.6	7.8	
3A 922	5	239.0	238.0	+12.0	236.0	8.8	8.8	8.7	9.0	
3B 922	5	238.8	238.4	+21.6	235.0	5.8	6.0	5.6	6.1	
3A 923	4	177.0*	179.0*	+21.0*	165.0*	5.0	5.0	5.0	5.0	Airline Plugged
3B 923	4	155.3	156.7	+ 3.3	152.0	2.5	2.6	2.5	2.4	
3A 1022	6	289.7	292.1	+18.0	285.0	3.9	3.9	3.8	3.9	
4A 823	4	248.0	249.3	+20.7	247.0	9.9	9.9	9.8	10.2*	
4B 823	4	246.7	248.2	+21.8	246.0	4.2*	4.2*	4.2*	4.2*	
4A 824	2	202.8	201.7*	+18.3	190.0*	9.1	9.3	9.1	9.4	
4B 824	1	206.2	211.9	+18.1	212.0	9.2	9.2	8.9	9.3*	
4C 824	5	210.4	217.1	+22.9	210.0	4.1	4.5	4.1	4.5*	
5B 823	4	257.0*	259.0*	+21.0*	252.0*	7.0*	7.0*	6.8	7.3*	
5C 823	4	253.1	254.7	+25.3	251.0	4.4	4.5	4.4	4.3*	
5A 825	7	205.9	207.6	+22.4	206.0	10.9	11.1	10.9	11.1*	
5B 825	7	216.5	220.0	+10.0	215.0	5.2	5.2	5.2	5.2	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1978
Annual Pump Report

October 1, 1978

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 19 77	Low Pumping Depth 19 78	Distance from Bowls ‡	19 78 Low Static Depth	C.F.S. 19 78 Peak Period Q	C.F.S. 19 78 High	C.F.S. 19 78 Low	C.F.S. 19 77 Peak Period Q	Remarks
6A 824	1	239.5	240.9	+10.1	239.0	10.7	10.8	10.4	10.8	
6B 824	2	244.4	247.2	+12.8	240.0	6.2	6.3	6.1	6.2	
6C 824	5	212.0*	214.0*	+16.0*	212.0*	1.9	2.0	1.9	1.9	Airline Leaks
6A 825	7	172.3	177.4	+22.6	176.0	6.2	6.3	6.1	6.3	
6B 825	7	173.2	177.9	+22.1	177.0	3.0	3.1	3.0	3.1*	
6A 923	1	189.0*	189.0*	+11.0*	188.0*	9.2	9.4	9.1	9.4	
6B 923	4	167.6	165.7	+14.3	163.0	5.6	5.7	5.6	5.7	
7B 824	1	183.1	188.6	+16.4	187.0	9.1	9.1	8.8	9.2	
7A 922	5	304.0*	304.0*	+36.0*	290.0*	9.2*	9.3	8.8*	9.2	Airline Leaks
7B 922	5	296.0	296.1	+13.9	293.0	8.3	8.3	8.1	8.3	
8A 823	1	242.8	245.9	+ 9.1	244.0	9.3	9.3	9.1	9.5	
8A 824	1	186.9	189.3	+12.7	186.0	8.0	8.0	7.8	8.0	
9A 922	5	268.7	271.5	+18.5	263.0	7.3	7.3	7.1	7.4	
9B 922	5	277.0	275.8	+54.2	259.0	4.7	4.8	4.6	4.8	
10A 823	3	212.7	217.0*	+23.0*	214.0*	3.8	3.8	3.7	3.8	
10B 823	3	223.3	228.5	+11.5	227.0	2.3*	2.3*	2.3*	2.3	
10A 824	1	183.0*	185.0*	+ 5.0*	184.0*	9.3	9.3	9.2	9.5	Airline Plugged
10B 824	1	171.0*	173.0*	+ 7.0*	171.0*	6.7	6.7	6.6	6.8*	Airline Plugged
10C 824	5	172.0	173.3	+26.7	172.0	6.0	6.0	5.9	6.1	
10A 922	5	233.6	239.7	+10.3	226.0	3.9*	3.9*	3.8*	3.9	
11A 824	1	178.5	180.7	+14.3	178.0	10.8	10.9	10.8	10.7	
11B 824	2	177.6	178.7	+21.3	177.0	4.0	4.2	4.0	4.1	
11C 824	2	170.1	174.1	+ 5.9	173.0	5.6	5.7	5.4	5.7	
11A 825	7	182.3	183.3	+16.7	181.0	6.2*	6.2*	6.2*	6.2	
11B 922	4	229.0	232.9	+ 7.1	216.0	4.3	4.3	4.1	4.3	
11C 922	4	209.0*	211.0*	+17.0*	207.0*	4.9	5.0	4.8	4.9	
12A 823	3	231.0*	233.0*	+17.0*	229.0*	7.7	7.7	7.6	7.8	
12B 823	3	232.0*	234.0*	+16.0*	229.0*	3.1	3.1	3.0	3.0	
12C 823	3	214.6	216.2	+23.8	215.0	9.2	9.2	9.2	9.4*	
12D 823	3	221.0*	223.0*	+ 7.0*	221.0*	3.8	3.8*	3.8*	3.8	
12A 824	3	157.9	163.8	+26.2	161.0	6.0	6.1	6.0	6.0	
12A 825	7	199.0	201.0	+19.0	200.0	10.1	10.1	9.8	10.3	
12B 825	7	210.0*	212.0*	- 2.0*	205.0*	7.7	7.7	7.6	7.9	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

1978
Annual Pump Report

October 1, 1978

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth		Distance from Bowls ±	1978 Low Static Depth	C.F.S.				Remarks
		1977	1978			1978 Peak Period Q	1978 High	1978 Low	1977 Peak Period Q	
13A 824	2	166.2	167.7	+32.3	166.0	12.1	12.1	11.8	12.1	
13B 824	2	165.9	167.5	+12.5	166.0	5.3*	5.3	5.3*	5.2	
13A 825	5	163.5	165.5	+24.5	164.0	3.0	3.0	2.8	3.0	
14A 823	3	209.1	218.5	+21.5	217.0	7.1	7.2	7.0	7.1	
14B 823	3	212.0*	217.4	+ 2.6	213.0	3.0	3.0	2.9	3.0	
14A 824	1	146.0	145.2	+14.8	143.0	8.5	8.5	8.4	8.5	
14C 825	7	169.6	174.0	+26.0	172.0	2.7	2.8	2.7	2.7	
15A 823	3	221.3	223.6	+26.4	218.0	10.1	10.2	10.0	10.0*	
15B 823	3	223.6	226.7	+33.3	223.0	4.7	4.7	4.6	4.7	
15D 823	4	201.7	208.3	+21.7	205.0	2.3	2.3	2.2	2.3	
15A 824	1	165.0*	166.0*	+ 4.0*	163.0*	6.2	6.2	5.9	6.3	Airline Leaks
15A 825	5	167.0*	170.0*	+20.0*	167.0*	10.7	11.0	10.7	10.9*	Airline Leaks
15B 825	5	162.5	165.7	+14.3	163.0	4.0	4.1	3.9	4.1	
15A 922	5	285.0*	292.0*	+ 8.0*	271.0*	2.0	2.0	1.8	1.9	Airline Leaks
15B 922	5	249.0*	256.0*	+74.0*	246.0*	2.3	2.4	2.2	2.4	Airline Leaks
17A 823	4	211.2	210.5	+29.5	209.0	6.8	6.8	6.5	6.8	
17B 823	4	216.0	215.5	+24.5	210.0	2.9	3.0	2.8	2.9	
17C 823	1	234.8	239.5	+20.5	237.0	2.2	2.2	2.1	2.2	
17A 825	5	140.4	143.0	+17.0	141.0	9.1	9.3	9.1	9.2	
18A 824	1	195.9	200.6	+11.4	193.0	9.7	9.9	9.7	9.8	
18A 922	5	262.7	262.2	+17.8	261.0	6.4	6.5	6.3	6.5	
18B 922	5	262.1	261.5	+18.5	260.0	2.8	2.9	2.7	2.9	
19A 823	4	227.7	228.3	+21.7	224.0	7.4	7.4	7.1	7.6	
19B 823	4	224.9	225.7	+24.3	224.0	3.9	3.9	3.8	3.9	
19A 825	2	132.9	135.8	+24.2	131.0	10.3	10.4	10.2	10.3	
19B 825	2	135.2	135.8	+24.2	130.0	6.2*	6.3	6.2	6.3	
19C 825	3	140.3*	140.0	+20.0	138.0	7.5	7.5	7.4	7.5	
19D 825	3	143.7*	143.4	+16.6	138.0	6.7*	6.8	6.7*	6.6	
19A 922	6	312.5	313.8	+ 6.2	309.0	4.7	4.7	4.6	4.7	
20A 922	5	278.0*	280.0*	+30.0*	270.0*	6.8	6.9	6.5	6.9	Airline Leaks
21A 823	4	201.5	206.0	+14.0	203.0	7.8	7.8	7.7	7.8	
21A 824	1	152.1	152.8	+29.2	150.0	10.9	11.0	10.7	11.9	
21B 824	2	161.8	163.4	+16.6	154.0	7.3	7.3	7.1	7.3	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1978
Annual Pump Report

October 1, 1978

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1977	Low Pumping Depth 1978	Distance from Bowls ±	1978 Low Static Depth	C.F.S. 1978 Peak Period Q	C.F.S. 1978 High	C.F.S. 1978 Low	C.F.S. 1977 Peak Period Q	Remarks
21A 825	5	138.6	140.1	+19.9	136.0	8.8	8.8	8.7	9.0	
22A 724	7	217.0*	219.0*	+ 1.0*	219.0*	2.4*	2.6	2.4*	2.4*	Airline Leaks
22B 724	7	222.5	223.6	+26.4	216.0	6.6	6.8	6.6	6.6	
22C 724	7	207.2	208.6	+21.4	207.0	6.5	6.6	6.3	6.6	
22A 821	6	316.3	319.8	+20.2	317.0	6.9	7.0	6.8	6.9	
22A 823	4	208.4	208.6	+21.4	205.0	7.1	7.1	7.1	7.2	
22A 824	2	151.1	153.8	+26.2	142.0	6.7	7.0	6.7	6.7	
22A 922	5	283.1	290.0*	+10.0*	279.0*	2.1	2.2	2.1	2.2	
23A 724	7	221.0*	225.0*	+15.0*	223.0*	5.4*	5.4*	5.4*	5.4	
23A 823	4	212.6	214.4	+15.6	213.0	6.8	7.1	6.7	6.8	
23B 823	4	211.8	213.8	+16.2	211.0	2.8	2.8	2.7	2.9*	
23A 824	2	157.0*	159.0*	+21.0*	154.0*	10.5	10.5	10.5	10.5*	
23A 825	5	174.5	177.4	+22.6	169.0	7.5	7.6	7.2	7.5*	
23B 825	5	170.1	173.2	+26.8	168.0	7.9	7.9	7.6	8.0*	
24A 821	6	322.7	329.9	+20.1	325.0	1.7	1.8	1.7	1.8	
24A 823	3	180.0*	182.0*	+18.0*	167.0*	9.6	9.8	9.5	9.7	Airline Out of Water
24B 823	3	162.7	163.2	+16.8	161.0	6.7*	6.7	6.6*	6.9	
24C 823	1	177.0*	179.0*	+ 1.0*	172.0*	7.5	7.8	7.4	7.8	No Airline
24A 825	5	164.4	166.6	+23.4	163.0	5.4*	5.4	5.1	5.6	
25A 823	3	156.7*	159.0*	+21.0*	153.0	3.5	3.6	3.4	3.5	
26A 724	7	206.6	205.7	+24.3	202.0	6.5*	6.5	6.4	6.6	
26B 724	7	197.0	201.0	+ 9.0	200.0	2.7	2.7	2.7	2.7	
26A 821	6	344.3	343.7	+26.3	331.0	5.4	5.7	5.2	5.4	
26B 821	6	348.0*	348.0*	+22.0*	330.0*	6.8	6.8	6.7	6.8	Airline Plugged
26A 823	4	174.3	175.2	+14.8	165.0	4.4	4.5	4.4	4.5	
26A 824	2	131.4	133.4*	+26.6	133.0	10.0*	10.0*	10.0*	10.0	
27A 725	7	217.2	218.0	+22.0	217.0	2.9	2.9	2.9	2.8	In-Line Booster Pump
27A 823	1	203.0*	206.0*	+24.0*	201.0*	5.4	5.6	5.3	5.5	No Airline
27B 823	4	177.9	184.0*	+16.0*	183.0*	4.0	4.0	3.8	4.1	
27C 823	1	200.2	200.6	+15.4	184.0	4.9	4.9	4.7	5.1	
28A 724	7	228.0*	232.0*	+18.0*	226.0	6.6	6.7	6.5	6.6	Airline Plugged
28B 724	7	222.7	225.4	+24.6	223.0	3.4	3.7	3.4	3.6	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1978
Annual Pump Report

October 1, 1978

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 1977	Low Pumping Depth 1978	Distance from Bowls ±	1978 Low Static Depth	C.F.S. 1978 Peak Period Q	C.F.S. 1978 High	C.F.S. 1978 Low	C.F.S. 1977 Peak Period Q	Remarks
28A 823	4	196.6	197.5	+22.5	195.0	10.5	10.7	10.2	10.6	
28B 823	4	197.0*	199.0*	+21.0*	198.0	6.2	6.3	6.1	6.3	Airline Plugged
28C 823	4	189.3	190.8	+19.2	188.0	5.5	5.5	5.4	5.5	
28A 922	6	278.0*	281.0*	- 1.0*	268.0*	2.6	2.8	2.6	2.6	Airline Plugged
29A 725	7	248.6	252.7	+17.3	251.0	4.6	4.7	4.4	4.7	
29A 823	4	206.8	205.6	+14.4	203.0	9.9	10.0	9.8	9.9	
29B 823	4	207.0*	207.0*	+13.0*	203.0*	3.8	4.1	3.6	3.9	
29A 824	3	134.0	135.5	+ 4.5	134.0	5.3	5.4	5.2	5.4	
30A 724	3	264.5	265.3	+14.7	260.0	7.7	7.7	7.4	7.7*	
30B 724	3	263.4	264.5	+15.5	260.0	5.3	5.3	5.2	5.4*	
30A 725	7	238.6	241.3	+18.9	237.0	7.1	7.2	7.1	7.2	
30A 822	6	294.7	299.5	+20.5	294.0	3.6	3.7	3.5	3.6	
30A 824	3	158.6	160.6	+19.4	153.0	5.8	6.0	5.7	5.9	
30B 824	3	135.7	137.3	+22.7	136.0	3.4	3.4	3.3	3.4	
30A 922	6	307.5	310.0*	+40.0*	293.0*	7.3	7.4	7.2	7.3	
31A 724	2	252.2	251.0	+29.0	249.0	4.2	4.2	4.1	4.2	
31A 725	7	191.3	195.4	+24.6	194.0	4.7	4.7	4.5	4.8*	
31A 823	4	187.0	189.2	+20.8	185.0	6.8	6.9	6.8	6.8	
31A 824	3	172.1	173.6	+26.4	172.0	9.2	9.3	9.1	9.1	
31B 824	3	177.0*	179.0	+21.0	178.0	4.1	4.2	4.1	4.2*	Airline Leaks
32A 724	2	224.0	227.5	+12.5	217.0	8.9	9.0	8.9	8.8*	
32B 724	2	219.9	222.9	+17.1	217.0	5.5	5.6	5.5	5.5	
32A 725	7	193.5	194.3	+25.7	192.0	4.6	4.6	4.5	4.6	
33A 724	2	215.5	215.3	+24.7	213.0	6.1	6.1	6.1	6.4*	
33B 724	7	221.9	221.3	+18.7	219.0	4.8*	4.8	4.6	4.8	
33A 725	7	218.0*	220.0*	+10.0*	217.0*	6.7	7.1	6.7	6.8	Airline Leaks
33B 922	6	275.0*	278.0*	+12.0*	274.0*	5.7	5.7	5.6	5.9*	Airline Leaks
33C 922	6	275.4	278.4	+11.6	273.0	3.4*	3.6	3.4*	3.3*	
34A 723	3	244.9	247.3	+22.7	242.0	7.3	7.4	7.3	7.4*	
34B 723	3	244.3	247.0	+13.0	242.0	3.0	3.0	3.0	3.0	
34A 724	2	197.7	199.3	+20.7	197.0	7.9	8.3	7.7	8.1	
34A 725	7	229.5	230.2	+ 9.8	214.0	7.1	7.1	7.1	7.2	
34A 823	4	157.8	158.0	+22.0	151.0	4.2	4.3	4.2	4.3	
35A 724	2	205.7	206.2	+13.8	199.0	8.4	8.6	8.4	8.6*	
35B 724	2	202.2	202.6	+17.4	199.0	3.8*	3.8*	3.8*	3.8	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

October 1, 1978

1978
Annual Pump Report

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number		Low Pumping Depth 19 77	Low Pumping Depth 19 78	Distance from Bowls ±	19 78 Low Static Depth	C.F.S. 19 78 Peak Period Q	C.F.S. 19 78 High	C.F.S. 19 78 Low	C.F.S. 19 77 Peak Period Q	Remarks
35A 821	6	317.9	318.8	+21.2	312.0	5.7	5.8	5.6	5.8	
35B 821	6	323.1	327.2	+12.8	318.0	5.5*	5.9	5.4	5.6	
35C 821	6	332.0	335.3	+24.7	333.0	6.4	6.4	6.4	6.6	
35D 821	6	323.9	324.9	+25.1	321.0	6.8	7.1	6.8	7.0	
35A 822	4	214.9	214.1	+ 5.9	211.0	9.4	9.5	9.4	9.5	
35B 822	4	212.8	211.3	+28.7	206.0	5.0	5.1	5.0	5.0	
35C 822	5	251.0	254.7	+ 5.3	243.0	2.9	3.0	2.9	3.0	
35A 823	4	170.3	170.5	+ 9.5	154.0	8.2	8.3	8.1	8.4	
35B 823	4	153.5	153.9	+26.1	152.0	2.0	2.0	2.0	2.0	
35C 823	4	159.4	161.1	+18.9	149.0	3.8	3.9	3.7	3.9	
35D 823	4	151.4	151.8	+38.2	149.0	1.8	1.9	1.8	1.8*	

* Estimated

October 1, 1979

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1979
Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth 1978	Low Pumping Depth 1979	Distance from Bowls ±	1979 Low Static Depth	C.F.S. 1979 Peak Period Q	C.F.S. 1979 High	C.F.S. 1979 Low	C.F.S. 1978 Peak Period Q	Remarks
1A - 823 3	250.5	257.4	+12.6	255.0	9.6	9.8*	9.5*	9.6	
1B - 823 3	251.7	256.3	+13.7	258.0	6.4	6.6*	6.4*	6.3	
1C - 823 3	227.8	231.2	+ 8.8	229.0	7.3	7.3	7.2	7.4	
1A - 824 3	187.0*	190.0*	+10.0*	186.0*	7.4	7.4	7.4	7.5	Airline broken
1A - 921 6	341.7	343.2	+16.8	339.9	6.6	6.9*	6.4	6.9	Private pump holding water back
2A - 823 3	232.3	234.0*	+16.0*	232.0*	5.2	5.2	5.1	5.2	
2A - 824 5	174.2	176.0	+14.0	174.0	2.1	2.2	2.0	2.1	
2A - 923 4	154.8	156.7	+23.3	156.0	2.6	2.6	2.5	2.5	
2A -1021 6	377.0*	385.0*	+25.0	355.0*	4.7	4.7	4.5*	5.0*	
3A - 824 2	201.2	204.9	+15.1	201.9	9.1	9.1	9.0	9.1*	
3B - 824 2	198.9	202.4	+17.5	200.5	4.3	4.3	4.2	4.6*	
3A - 825 7	224.2	224.6	+15.4	220.5	7.1	7.1	7.0	7.2	3A pulled Oct 2-1979
3B - 825 7	225.0	225.0	+25.0	219.0	7.3	7.4	7.1	7.3	
3C - 825 7	224.6	225.8	+14.2	224.0	5.8	5.8	5.6	5.8	
3D - 825 7	217.8	219.2	+30.8	217.0	3.9	3.9	3.8	4.0*	
3E - 825 7	217.6	221.8	+18.2	221.0	4.8	4.8	4.7	4.9	
3A - 921 6	316.9	316.5	+13.5	315.0	2.4	2.4	2.3	2.4	
3B - 921 6	320.0*	322.0*	+ 8.0*	320.0*	7.0	7.0	6.9	7.2	Air line plugged
3C - 921 5	321.5	324.9	+ 5.0	322.0	7.7	7.7	7.4	7.7	
3A - 922 5	238.0	241.0	+ 9.0	239.0	8.6	8.8	8.6	8.8	
3B - 922 5	238.4	241.1	+18.9	238.0	5.7	6.0	5.6	5.8	
3A - 923 4	179.0*	180.0*	+20.0*	166.0*	5.0	5.0	4.6	5.0	
3B - 923 4	156.7	157.6	+ 2.4	153.0	2.5	2.6	2.5	2.5	
3A -1022 6	292.1	295.9	+14.1	286.9	3.9	3.9	3.6	3.9	
4A - 823 4	249.3	251.9	+18.1	251.5	9.7	10.0	9.7	9.9	
4B - 823 4	248.2	253.9	+16.1	252.5	5.0	5.3	4.8	4.2*	
4A - 824 2	201.7*	208.8	+11.2	197.1	9.1	9.1	8.9	9.1	
4B - 824 1	211.9	212.8	+17.2	204.8	9.0	9.2	9.0	9.2	"B" pulled & R 1979
4C - 824 5	217.1	218.7	+21.3	206.7	4.1*	4.1*	4.1*	4.1	
5B - 823 4	259.0*	262.0*	+18.0*	254.0	7.0*	7.2	6.8	7.0*	
5C - 823 4	254.7	257.4	+22.6	254.0	4.4	4.5	4.4	4.4	
5A - 825 7	207.6	219.0*	11.0*	216.0*	10.8	10.9	10.6	10.9	
5B - 825 7	220.0	221.0*	+20.0*	218.0*	5.2	5.2	5.1	5.2	

October 1, 1979

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

1979
Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth 19 78	Low Pumping Depth 19 79	Distance from Bowls ±	19 79 Low Static Depth	C.F.S. 19 79 Peak Period Q	C.F.S. 19 79 High	C.F.S. 19 79 Low	C.F.S. 19 78 Peak Period Q	Remarks
6A - 824 1	240.9	245.6	+ 5.4	242.6	10.6	10.8	10.3	10.7	
6B - 824 2	247.2	251.6	+ 8.4	241.6	6.2	6.3	6.0	6.2	
6C - 824 5	214.0*	218.0*	+12.0*	215.0*	1.9	2.0	1.9	1.9	Air line leaks
6A - 825 7	177.4	178.1	+21.9	177.8	6.2	6.3	6.1	6.2	
6B - 825 7	177.9	180.8	+19.2	178.9	3.0	3.0	2.8	3.0	Will ne pulled fall 1979
6A - 923 1	189.0*	194.0*	+ 6.0	193.0	9.2	9.2	9.0	9.2	
6B - 923 4	165.7	171.9	+ 8.1	167.5	5.6	5.8	5.6	5.6	
7B - 824 1	188.6	191.5	+13.5	188.5	8.9	9.0	8.6	9.1	
7A - 922 5	304.0*	307.0*	+33.0*	295.0*	9.0	9.2	8.1	9.2	Air line leaks
7B - 922 5	296.1	297.0	+13.0	292.0	8.1	8.2	7.9	8.3	
8A - 823 1	245.9	248.6	+ 6.4	247.6	9.3	9.4	9.0	9.3	
8A - 824 1	189.3	189.9	+12.1	184.4	7.7	8.0	7.7	8.0	
9A - 922 5	271.5	268.6	+21.4	266.4	7.0	7.0	7.0	7.3	
9B - 922 5	275.8	278.0	+52.0	258.0	4.5	4.7	4.5	4.7	
10A - 823 3	217.0*	222.0*	+18.0*	221.0*	3.8	3.9	3.7	3.8	
10B - 823 3	228.5	233.0	+ 7.0	231.0	2.3	2.4	2.2	2.3*	
10A - 824 1	185.0*	187.0*	+ 3.0*	188.0*	9.3	9.5	9.2	9.3	Airline plugged
10B - 824 1	173.0*	175.0*	+ 5.0*	176.0*	6.8	6.8	6.6	6.7	Airline plugged
10C - 824 5	173.3	174.0	+26.0	172.0	5.9	6.0	5.9	6.0	
10A - 922 5	239.7	240.0	+10.0	226.0	4.3	4.3	4.1	3.9*	
11A - 824 1	180.7	183.8	+11.2	181.0	10.8	10.9	10.7	10.8	
11B - 824 2	178.7	181.8	+18.2	179.0	4.1	4.1	4.0	4.0	
11C - 824 2	174.1	174.6	+ 5.4	173.0	5.7	5.7	5.4	5.6	
11A - 825 7	183.3	183.8	+16.2	181.7	6.2	6.2	6.2	6.2*	
11B - 922 4	232.9	235.0*	+ 5.0*	222.0*	4.2	4.3	4.1	4.3	
11C - 922 4	211.0*	215.0*	+35.0	205.0*	4.8	4.9	4.7	4.9	
12A - 823 3	233.0*	237.0*	+13.0*	233.0*	7.6*	7.6*	7.3	7.7	
12B - 823 3	234.0*	238.0*	+12.0*	234.0*	3.2	3.2	3.2	3.1	Only one reading
12C - 823 3	216.2	219.0	+21.0	216.0	9.1	9.1	9.1	9.2	Only one reading
12D - 823 3	223.0*	226.0*	+ 4.0*	224.0*	3.9	3.9*	3.6	3.8	
12A - 824 3	163.8	165.9	+24.1	163.0	5.9	5.9	5.9	6.0	
12A - 825 7	201.0	203.0	+17.0	201.0	9.8	10.2	9.1	10.1	
12B - 825 7	212.0*	214.0*	- 4.0*	207.0*	7.7	7.7	7.5	7.7	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

October 1, 1979

1979
Annual Pump Report

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number	Low Pumping Depth 19 78	Low Pumping Depth 19 79	Distance from Bowls ±	19 79 Low Static Depth	C.F.S. 19 79 Peak Period Q	C.F.S. 19 79 High	C.F.S. 19 79 Low	C.F.S. 19 78 Peak Period Q	Remarks
13A - 824 2	167.7	171.5	+28.5	170.0	11.8	12.1	11.8	12.1	
13B - 824 2	167.5	171.2	+ 8.8	169.0	5.2	5.5	5.1	5.3*	
13A - 825 5	165.5	169.0	+21.0	168.0	2.9	3.0	2.8	3.0	
14A - 823 3	218.5	217.2	+22.8	215.0	7.3	7.3	7.1	7.1	
14B - 823 3	217.4	219.9	+ 0.1	215.3	2.9	2.9	2.8	3.0	
14A - 824 1	145.2	148.8	+11.2	146.0	8.5	8.5	8.3	8.5	
14C - 825 7	174.0	176.0	+24.0	174.0	2.7	2.8	2.7	2.7	
15A - 823 3	223.6	226.5	+23.5	221.0	10.2	10.4	9.9	10.1	
15B - 823 3	226.7	230.0	+30.0	226.0	4.7	4.8	4.5	4.7	
15D - 823 4	208.3	211.2	+18.8	208.0	2.3	2.4	2.2	2.3	
15A - 824 1	166.0*	170.0*	- 0.0*	167.0*	6.1	6.1	6.0	6.2	Airline leaks
15A - 825 5	170.0*	173.0*	+17.0*	170.0*	10.7*	10.7*	10.6	10.7	Airline leaks
15B - 825 5	165.7	170.0	+10.0	167.0	4.0*	4.0*	4.0*	4.0	No readings
15A - 922 5	292.0*	294.0*	+ 6.0*	272.0*	2.0	2.0	19. 1.9	2.0	Airline leaks
15B - 922 5	256.0*	260.0*	+70.0*	250.0*	2.2	2.2	2.1	2.3	Airline leaks
17A - 823 4	210.5	214.0	+26.0	212.0	6.7	6.8	6.6	6.8	
17B - 823 4	215.5	218.0	+22.0	213.0	2.8	2.8	2.8	2.9	
17C - 823 1	239.5	245.5	+14.5	243.0	2.2	2.3	2.2	2.2	
17A - 825 5	143.0	147.0	+13.0	145.0	9.0	9.3	8.7	9.1	
18A - 824 1	200.6	204.0	+ 8.0	197.0	9.7	9.9	9.5	9.7	
18A - 922 5	262.2	268.0	+12.0	266.0	6.3	6.3	6.2	6.4	
18B - 922 5	261.5	267.0	+13.0	266.0	2.7	2.7	2.7	2.8	
19A - 823 4	228.3	233.6	+16.4	229.0	7.4	7.4	7.2	7.4	
19B - 823 4	225.7	231.4	+18.6	229.5	3.9	3.9	3.9	3.9	
19A - 825 2	135.8	139.0	+21.0	135.0	10.4*	10.4	10.1	10.3	
19B - 825 2	135.8	141.9	+18.1	136.0	6.1	6.3	6.1	6.2*	
19C - 825 3	140.0	144.0	+16.0	142.0	7.3	7.4	7.2	7.5	
19D - 825 3	143.4	148.4	+11.6	143.0	6.3	6.5	6.3*	6.7*	
19A - 922 6	313.8	318.3	+ 1.7	314.0	4.6	4.6	4.5	4.7	
20A - 922 5	280.0*	282.0	+28.0	268.0	6.7	7.1	6.7	6.8	Airline leaks
21A - 823 4	206.0	208.0	+12.0	205.0	7.7	7.7	7.6	7.8	
21A - 824 1	152.8	155.4	+26.6	153.0	10.9	11.4	10.9	10.9	
21B - 824 2	163.4	165.4	+14.6	156.0	7.3	7.4	7.2	7.3	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

October 1, 1979

1979

Annual Pump Report

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number	Low Pumping Depth 1978	Low Pumping Depth 1979	Distance from Bowls ±	1979 Low Static Depth	C.F.S. 1979 Peak Period Q	C.F.S. 1979 High	C.F.S. 1979 Low	C.F.S. 1978 Peak Period Q	Remarks
21A - 825 5	140.1	143.2	+16.8	139.0	8.8	8.9	8.7	8.8	
22A - 724 7	219.0*	220.0*	0.0*	220.0*	2.7	2.7	2.7	2.4*	Airline leaks
22B - 724 7	223.6	232.0	+18.0	224.0	6.6	6.8	6.5	6.6	
22C - 724 7	208.6	211.0	+19.0	209.0	6.5	6.8	6.4	6.5	
22A - 821 6	319.8	321.0	+19.0	319.0	6.8	6.8	6.6	6.9	
22A - 823 4	208.6	211.6*	+18.4*	209.0*	7.1	7.2	7.1	7.1	
22A - 824 2	153.8	156.0	+24.0	145.0	6.8	6.9	6.8	6.7	
22A - 922 5	290.0*	292.0*	+ 8.0*	280.0*	2.1	2.1	2.0	2.1	
23A - 724 7	225.0*	229.0*	+11.0*	227.0*	5.4*	5.4*	5.4*	5.4*	
23A - 823 4	214.4	216.3	+13.7	215.0	6.8	6.9	6.8	6.8	
23B - 823 4	213.8	215.5	+14.5	213.0	2.7	2.8	2.7	2.8	
23A - 824 2	159.0*	161.0*	+19.0*	156.0*	10.5*	10.5*	10.5*	10.5	
23A - 825 5	177.4	180.7	+19.3	171.0	7.5	7.5	7.3	7.5	
23B - 825 5	173.2	176.4	+23.6	171.6	7.7	7.7	7.5	7.9	
24A - 821 6	329.9	331.0	+19.0	327.0	1.8	2.0	1.8	1.7	
24A - 823 3	182.0*	187.0*	+13.0*	172.0*	9.6	9.6	9.5	9.6	Airline out of water
24B - 823 3	163.2	167.0	+13.0	165.0	6.7	6.8	6.7	6.7*	
24C - 823 1	179.0*	180.0*	0.0*	177.0	7.4*	7.5	7.2	7.5	No airline
24A - 825 5	166.6	170.0	+20.0	167.0	5.4	5.4	5.2	5.4*	
25A - 823 3	159.0*	162.0*	+18.0*	156.0*	3.5	3.7	3.5	3.5	
26A - 724 7	205.7	211.0	+19.0	208.0	6.4	6.5	6.4	6.5*	
26B - 724 7	201.0	203.3	+ 6.7	202.0	2.7	2.8	2.7	2.7	
26A - 821 6	343.7	347.2	+22.8	334.5	5.0	5.0	4.9	5.4	To be pulled in fall
26B - 821 6	348.0*	352.0*	+18.0*	334.0*	6.7	6.7	6.6	6.8	Airline plugged 199
26A - 823 4	175.2	179.1	+10.9	169.0	4.4	4.4	4.4	4.4	
26A - 824 2	133.4*	137.4	+22.6	136.0	9.9	9.9	9.8	10.0*	
27A - 725 7	218.0	221.0	+19.0	220.0	3.1	3.1	3.0	2.9	Inline rooster pump
27A - 823 1	206.0*	208.5	+21.5	203.0	5.4	5.6	5.4	5.4	
27B - 823 4	184.0*	188.0*	+12.0*	187.0*	4.9	5.1	4.6	4.0	
27C - 823 1	200.6	203.7	+12.3	187.7	4.0	4.2	4.0	4.9	
28A - 724 7	232.0*	234.7*	+15.3*	228.7*	6.5	6.5	6.3	6.6	
28B - 724 7	225.4	227.9	+22.1	225.0	3.4	3.5	3.4	3.4	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1979
Annual Pump Report

October 1, 1979

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number	Low Pumping Depth 19 78	Low Pumping Depth 19 79	Distance from Bowls ±	19 79 Low Static Depth	C.F.S. 19 79 Peak Period Q	C.F.S. 19 79 High	C.F.S. 19 79 Low	C.F.S. 19 78 Peak Period Q	Remarks
28A - 823 4	197.5	200.0	+20.0	197.0	10.5	10.8	10.2	10.5	
28B - 823 4	199.0*	193.8*	+26.2*	192.0*	6.2	6.3	6.1	6.2	Airline plugged
28C - 823 4	190.8	195.3	+14.7	193.0	5.4	5.5	5.4	5.5	
28A - 922 6	281.0*	281.0*	- 1.0	268.0*	2.6	2.6	2.6	2.6	Airline leaks
29A - 725 7	252.7	254.9	+15.1	253.0	4.5	4.6	4.5	4.6	
29A - 823 4	205.6	208.0	+12.0	206.0	9.9	9.9	9.8	9.9	
29B - 823 4	207.0*	210.0*	+10.0*	206.0*	3.9	3.9	3.7	3.8	
29A - 824 3	135.5	135.6	+ 4.4	134.0	5.3	5.4	5.2	5.3	
30A - 724 3	265.3	265.5	+14.5	260.2	7.3*	7.5	7.2	7.7	
30B - 724 3	264.5	265.4	+14.6	261.0	5.3	5.3	5.3	5.3	
30A - 725 7	241.3	243.4	+16.6	239.0	7.2	7.3	7.1	7.1	
30A - 822 6	299.5	297.0*	+23.0*	292.0*	3.5	3.6	3.4	3.6	
30A - 824 3	160.6	162.8	+17.2	155.0	5.9	6.0	5.9	5.8	
30B - 824 3	137.3	139.3	+20.7	138.0	3.4	3.4	3.4	3.4	
30A - 922 6	310.0*	315.0*	+35.0*	298.0	7.1	7.2	7.1	7.3	
31A - 724 2	251.0	252.0	+28.0	250.0	4.1	4.1	4.1	4.2	
31A - 725 7	195.4	196.3	+23.7	194.0	4.6	4.7	4.3	4.7	
31A - 823 4	189.2	190.3	+19.7	186.0	6.8	6.8	6.7	6.8	
31A - 824 3	173.6	176.1	+23.9	174.0	9.2	9.3	9.1	9.2	
31B - 824 3	179.0	182.0*	+18.0*	181.0	4.2	4.4	4.2	4.1	Airline leaks
32A - 724 2	227.5	228.0	+12.0	218.0	8.8	9.0	8.7	8.9	
32B - 724 2	222.9	222.9	+17.1	218.0	5.5	5.5	5.3	5.5	
32A - 725 7	194.3	197.5	+22.5	194.0	4.5	4.5	4.4	4.6	
33A - 724 2	215.3	218.4	+21.6	221.0	6.1	6.2	6.0	6.1	
33B - 724 7	221.3	224.8	+15.2	222.0	4.7	4.9	4.6	4.8*	
33A - 725 7	220.0*	223.0*	+ 7.0*	220.0*	6.7	7.0	6.6	6.7	Airline leaks
33B - 922 6	278.0*	281.0*	+ 9.0*	277.0*	5.7*	5.7*	5.7	5.7	Airline leaks
33C - 922 6	278.4	281.2	+ 8.8	276.2	3.3	3.3	3.3	3.4*	
34A - 723 3	247.3	249.6	+20.4	245.0	7.1	7.4	7.0	7.3	
34B - 723 3	247.0	248.5	+11.5	244.0	3.0	3.2	3.0	3.0	
34A - 724 2	199.3	202.5	+17.5	199.5	7.7	7.7	7.3	7.9	
34A - 725 7	230.2	233.6	+ 6.4	220.0	7.1	7.1	7.0	7.1	
34A - 823 4	158.0	161.5	+18.5	152.5	4.2	4.2	4.1	4.2	
35A - 724 2	206.2	217.5	+ 2.5	210.5	8.3	8.4	8.2	8.4	
35B - 724 2	202.6	208.0	+12.0	205.0	3.7	3.8	3.7	3.8*	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO
1979
Annual Pump Report

October 1, 1979

Part 2

Hydrologic Data of Individual Wells

Well Number and Group Number	Low Pumping Depth		Distance from Bowls ±	1979 Low Static Depth	C.F.S.				Remarks
	1978	1979			1979 Peak Period Q	1979 High	1979 Low	1978 Peak Period Q	
35A - 821 6	318.8	320.2	+19.8	314.0	5.7	5.7	5.5	5.7	
35B - 821 6	327.2	327.5	+12.5	319.0	5.3	5.3*	5.2	5.5*	
35C - 821 6	335.3	337.1	+22.9	335.0	6.3	6.3	6.3	6.4	
35D - 821 6	324.9	327.4	+22.6	324.0	6.7	6.8	6.7	6.8	
35A - 822 4	214.1	215.6	+ 4.4	206.5	9.4	9.5	9.3	9.4	
35B - 822 4	211.3	212.0*	+28.0*	207.0*	5.0	5.1	4.9	5.0	
35C - 822 5	254.7	255.7	+ 4.3	251.0	2.9	3.0	2.9	2.9	
35A - 823 4	170.5	172.7	+ 7.3	156.0	8.2	8.2	8.1	8.2	
35B - 823 4	153.9	158.8	+21.2	157.0	2.1	2.2	2.1	2.0	
35C - 823 4	161.1	161.5	+18.5	149.0	3.7	3.9	3.6	3.8	
35D - 823 4	151.8	154.2	+35.8	151.0	1.9	2.0	1.9	1.8	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

October 1, 1980

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth 1979	Low Pumping Depth 1980	Distance From Bowls ±	1980 Low Static Depth	C.F.S. 1980 Peak Period Q	C.F.S. 1980 High	C.F.S. 1980 Low	C.F.S. 1979 Peak Period Q	Remarks
1A - 823	3	257.4	267.9	+ 2.1	265.5	9.6*	9.8*	9.5	9.6	
1B - 823	3	251.7	255.4	+14.6	261.7	6.4*	6.7	6.4	6.4	
1C - 823	3	227.8	233.3	+ 6.7	234.5	7.5	7.6	7.4	7.3	
1A - 824	3	190.0*	192.0*	+ 8.0*	188.0*	7.4	7.5	7.4	7.4	Air line broken
1A - 921	6	343.2	343.6	+16.4	340.3	6.5	6.5	6.2	6.6	Private pump holding water back
2A - 823	3	234.0*	235.0*	+15.0*	233.0*	5.1	5.1*	5.1	5.2	
2A - 824	5	176.0	178.8	+11.2	176.8	2.0	2.0*	2.0*	2.1	
2A - 923	4	156.7	158.4	+21.6	157.7	2.6	2.7	2.5	2.6	
2A - 1021	6	385.0*	392.0*	+18.0*	362.0*	4.6	4.6	4.2	4.7	
3A - 824	2	204.9	203.3	+16.7	200.3	9.2*	9.3	8.9	9.1	
3B - 824	2	202.4	200.7	+19.3	198.8	4.3*	4.6	4.3*	4.3	
3A - 825	7	224.6	226.7	+13.3	222.6	7.1	7.1*	7.1*	7.1	Pulled Oct. 2, 1979
3B - 825	7	225.0	227.9	+22.1	221.9	7.4*	7.4*	7.3*	7.3	
3C - 825	7	225.8	226.4	+13.6	224.6	5.8*	5.8*	5.6	5.8	
3D - 825	7	219.2	219.9	+30.1	217.7	4.0*	4.0*	3.9*	3.9	
3E - 825	7	221.8	223.8	+16.2	223.0	4.7	4.7	4.7	4.8	
3A - 921	6	316.5	319.1	+10.9	317.6	2.4	2.4	2.3	2.4	
3B - 921	6	322.0*	325.0*	+ 5.0*	323.0*	7.0	7.1	6.8	7.0	Air line plugged
3C - 921	5	324.9	326.3	+ 3.7	323.4	7.6	7.7	7.5	7.7	
3A - 922	5	241.0	243.0*	+ 7.0*	241.0*	8.6*	8.7	8.6	8.6	
3B - 922	5	241.1	243.0*	+17.0*	239.9*	5.8	6.0	5.7	5.7	
3A - 923	4	180.0*	182.0*	+18.0*	168.0*	4.9	5.0	4.8*	5.0	Air line plugged
3B - 923	4	157.6	159.0*	+ 1.0*	154.4*	2.6	2.6	2.6	2.5	
3A - 1022	6	295.9	297.3	+12.7	288.3	3.8	3.8	3.8	3.9	
4A - 823	4	251.9	248.5	+21.5	248.1	9.7	9.9	9.6	9.7	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

October 1, 1980

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth 19 79	Low Pumping Depth 1980	Distance From Bowls ±	19 80 Low Static Depth	C.F.S. 19 80 Peak Period Q	C.F.S. 19 80 High	C.F.S. 19 80 Low	C.F.S. 1979 Peak Period Q	Remarks
4B - 823 4	253.9	248.7	+21.3	247.3	4.7*	4.8	4.6	5.0	
4A - 824 2	208.8	210.6	+ 9.4	198.9	9.1	9.3	8.9	9.1	
4B - 824 1	212.8	215.0	+15.0	207.0	9.1	9.2*	9.0*	9.0	Pulled & R. 1979
4C - 824 5	218.7	220.8	+19.2	208.8	4.0*	4.0*	4.0*	4.1*	
5B - 823 4	262.0*	264.0*	+16.0*	256.0*	7.0*	7.0*	6.8	7.0*	Air line plugged
5C - 823 4	257.4	259.0*	+21.0*	255.6*	4.4*	4.4*	4.4*	4.4	
5A - 825 7	219.0*	221.0*	+ 9.0*	218.0*	10.9*	11.0	10.9*	10.8	Air line plugged
5B - 825 7	221.0*	220.7	+ 9.3	217.7	5.0*	5.2	5.0*	5.2	
6A - 824 1	245.6	241.3	+ 9.7	238.3	10.6	10.9	10.5	10.6	
6B - 824 2	251.6	249.4	+10.6	239.4	6.2	6.3	6.0	10.2	
6C - 824 5	218.0*	217.0*	+13.0*	214.0*	1.9	2.0	1.9	1.9	Air line leaks
6A - 825 7	178.1	178.1	+21.9	177.8	6.2	6.3*	6.1*	6.2	
6B - 825 7	180.8	178.3	+21.7	176.4	3.0	3.0	3.0	3.0	Pulled 10-10-79
6A - 923 1	194.0*	210.2	-10.2	209.2	9.0	9.1	8.9	9.2	Question on this one
6B - 923 4	171.9	170.4	+ 9.6	166.0	5.6	5.6	5.5	5.6	
7B - 824 1	191.5	188.5	+16.5	185.5	8.9	8.8	8.8	8.9	
7A - 922 5	307.0*	312.0*	+28.0*	300.0*	9.0*	9.2	8.2	9.0	Air line leaks
7B - 922 5	297.0	302.0	+ 8.0	297.0	8.0	8.3	8.0	8.1	
8A - 823 1	248.6	250.4	+ 4.6	249.4	9.1	9.1	9.0	9.3	
8A - 824 1	189.9	191.0*	+11.0*	185.5*	7.8	8.0*	7.7*	7.7	
9A - 922 5	268.6	267.7	+22.3	265.5	7.0	7.1	7.0	7.0	
9B - 922 5	278.0	278.0*	+52.0*	258.0*	4.5	4.6	4.5	4.5	
10A - 823 3	220.0*	220.0*	+20.0*	221.0*	3.8	3.9	3.7	3.8	Air line leaks
10B - 823 3	233.0	232.1	+ 7.9	230.1	2.3	2.4	2.3	2.3	
10A - 824 1	187.0*	190.0*	- 0.0*	191.0*	9.3	9.4	9.2	9.3	Air line plugged

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth 19 79	Low Pumping Depth 1980	Distance From Bowls ±	1980 Low Static Depth	C.F.S. 19 80 Peak Period Q	C.F.S. 1980 High	C.F.S. 19 80 Low	C.F.S. 19 79 Peak Period Q	Remarks
10B - 824 1	175.0*	178.0*	+ 2.0*	179.0*	6.8	6.8	6.6	6.8	Air line plugged
10C - 824 5	174.0	177.1	+22.9	175.1	5.8	5.9	5.8	5.9	
10A - 922 5	240.0	233.3	+16.7	219.3	4.3	4.4*	4.3*	4.3	
11A - 824 1	183.8	185.5	+ 9.5	182.7	10.7	10.7	10.4	10.8	
11B - 824 2	181.8	183.4	+16.6	180.6	4.0	4.0	4.0	4.1	
11C - 824 2	174.6	176.7	+ 3.3	175.1	5.5	5.5	5.5	5.7	
11A - 825 7	183.8	185.0*	+15.0*	182.9*	6.2*	6.2*	6.2*	6.2	
11B - 922 4	235.0*	237.0*	+ 3.0*	224.0*	4.1	4.2	4.1	4.2	
11C - 922 4	215.0*	217.0*	+33.0*	207.0*	4.8	4.8	4.8	4.8	Air line leaks
12A - 823 3	237.0*	238.0*	+12.0*	234.0*	7.7	7.8	7.6	7.6*	Air line out of water
12B - 823 3	238.0*	239.0*	+11.0*	235.0*	2.9*	3.0*	2.8	3.2	Air line plugged
12C - 823 3	219.0	219.1	+20.9	216.1	9.1	9.4	9.1	9.1	
12D - 823 3	226.0*	227.0*	+ 3.0*	225.0*	3.8*	3.9	3.8*	3.9	
12A - 824 3	165.9	166.6	+23.4	163.7	5.9	5.9	5.9	5.9	
12A - 825 7	203.0	204.9	+15.1	202.9	9.8*	10.0*	9.1*	9.8	
12B - 825 7	214.0*	216.0*	- 6.0*	209.0*	7.7	7.8*	7.6*	7.7	Air line leaks
13A - 824 2	171.5	171.7	+28.3	170.2	11.8	11.9	11.8	11.8	
13B - 824 2	171.2	171.4	+ 8.6	169.2	5.3	5.5	5.2	5.2	
13A - 825 5	169.0	171.4	+18.6	170.4	2.9	2.9	2.8	2.9	
14A - 823 3	217.2	213.8	+26.2	211.6	7.3	7.3	7.1	7.3	
14B - 823 3	219.9	214.8	+ 5.2	210.2	2.9	2.9	2.8*	2.9	
14A - 824 1	148.8	149.4	+10.6	146.6	8.4	8.5	8.4	8.5	
14C - 825 7	176.0	176.2	+23.8	174.2	2.7	2.8	2.7	2.7	
15A - 823 3	226.5	224.8	+25.2	219.3	10.2	10.3	10.0	10.2	
15B - 823 3	230.0	230.4	+29.6	226.4	4.7*	4.7*	4.5	4.7	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

October 1, 1980

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth 19 79	Low Pumping Depth 19 80	Distance From Bowls ±	19 80 Low Static Depth	C.F.S. 19 80 Peak Period Q	C.F.S. 19 80 High	C.F.S. 19 80 Low	C.F.S. 1979 Peak Period Q	Remarks
5D - 823 4	211.2	210.6	+19.4	207.4	2.3	2.3	2.2	2.3	
5A - 824 1	170.0*	173.0*	- 3.0*	170.0*	6.1	6.2	6.0	6.1	Air line leaks
5A - 825 5	173.0*	172.0*	+18.0*	169.0*	10.4	10.5	10.4	10.7*	Air line leaks
5B - 825 5	170.0	168.1	+11.9	165.1	4.0*	4.0*	3.8	4.0*	Can't read
5A - 922 5	294.0*	293.0*	+ 7.0*	271.0*	1.9	1.9	1.8	2.0	Air line leaks
5B - 922 5	260.0*	259.0*	+71.0*	249.0*	2.2	2.2	2.2	2.2	Air line leaks
17A - 823 4	214.0	212.0	+28.0	210.0	6.7	6.7*	6.6	6.7	
17B - 823 4	218.0	216.6	+23.4	211.6	2.9	2.9	2.8*	2.8	
17C - 823 1	245.5	242.8	+17.2	240.3	2.2	2.2	2.2	2.2	
17A - 825 5	147.0	146.7	+13.3	144.7	8.9	9.2	8.9	9.0	
18A - 824 1	204.0	201.5	+10.5	194.5	9.6	9.6	9.5	9.7	
18A - 922 5	268.0	267.2	+12.8	265.2	6.4	6.4	6.4	6.3	
18B - 922 5	267.0	266.7	+13.3	265.7	2.8	2.8	2.8	2.7	
19A - 823 4	233.6	229.3	+20.7	224.7	7.4	7.4	7.3	7.4	
19B - 823 4	231.4	226.9	+23.1	225.0	3.9	3.9	3.7	3.9	
19A - 825 2	139.0	139.7	+20.3	135.7	10.3*	10.3	10.1*	10.4*	
19B - 825 2	141.9	142.0	+18.0	136.1	6.1	6.3*	6.1	6.1	
19C - 825 3	144.0	146.0	+14.0	144.0	7.2	7.2	7.2	7.3	
19D - 825 3	148.4	149.4	+10.6	144.0	6.7	7.0	6.7	6.3	
19A - 922 6	318.3	318.8	+ 1.2	314.5	4.5	4.6	4.4	4.6	Pump fell off in water late
20A - 922 5	280.0*	283.4	+46.6	271.4	6.6	7.1	5.9	6.7	Air line leaks
21A - 823 4	208.0	207.9	+12.1	204.9	7.5	7.6	7.5	7.7	
21A - 824 1	155.4	156.7	+25.3	154.3	11.5	11.8	11.3	10.9	
21B - 824 2	165.4	166.2	+13.8	156.8	7.3	7.3	7.2	7.3	
21A - 825 5	143.2	144.6	+15.4	140.4	8.8	9.0	8.6	8.8	

Well Number and Group Number	Low Pumping Depth 1979	Low Pumping Depth 1980	Distance From Bowls ±	1980 Low Static Depth	C.F.S. 1980 Peak Period Q	C.F.S. 1980 High	C.F.S. 1980 Low	C.F.S. 1979 Peak Period Q	Remarks
22A - 724 7	220.0*	221.0*	- 1.0*	221.0*	2.7	2.7*	2.7*	2.7	Air line leaks
22B - 724 7	232.0	234.0	+16.0	226.0	6.6	6.7	6.5	6.6	
22C - 724 7	211.0	212.0	+18.0	210.0	6.6	6.6	6.3	6.5	
22A - 821 6	321.0	322.0	+18.0	320.0	6.8	6.9	6.6	6.8	
22A - 823 4	211.6*	212.6	+17.4	210.0	7.1	7.1	7.1	7.1	
22A - 824 2	156.0	156.7	+23.3	145.7	6.9	7.0	6.9	6.8	
22A - 922 5	292.0*	286.2	+13.8	274.2	2.1	2.1	2.1	2.1	Air line out of water
23A - 724 7	229.0*	228.0*	+12.0*	226.0*	5.4*	5.4*	5.4*	5.4*	Air line leaks
23A - 823 4	216.3	212.9	+17.1	211.6	6.7	6.7	6.7	6.8	
23B - 823 4	215.5	212.5	+17.5	210.0	2.7	2.7	2.6*	2.7	
23A - 824 2	161.0*	162.0*	+18.0*	157.0*	10.5*	10.5*	10.5*	10.5*	Can't Handle all water
23A - 825 5	180.7	181.5	+18.5	171.8	7.4	7.4*	7.4*	7.5	
23B - 825 5	176.4	177.2	+22.8	172.4	7.7*	7.7*	7.5*	7.7	
24A - 821 6	325.0	327.1	+22.9	329.1	1.9	2.0	1.8	1.8	
24A - 823 3	187.0*	187.0*	+13.0*	172.0*	9.6	9.6	9.5	9.6	Air line out of water
24B - 823 3	167.0	166.9	+13.1	164.9	6.7*	6.8	6.6	6.7	
24C - 823 1	180.0*	180.0*	- 0.0*	177.0*	7.5	7.7	7.5	7.4*	No air line
24A - 825 5	170.0	172.4	+17.6	169.4	5.4	5.5	5.4	5.4	
25A - 823 3	162.0*	163.0*	+17.0*	157.0*	3.5	3.6	3.5	3.5	Air line leaks
26A - 724 7	211.0	210.7	+19.3	207.7	6.4	6.5	6.3	6.4	
26B - 724 7	203.3	203.8	+ 6.2	202.5	2.7	2.7	2.6	2.7	
26A - 821 6	347.2	348.8	+21.2	336.1	5.2	5.3	5.2	5.0	
26B - 821 6	352.0*	354.0*	+16.0*	336.0*	6.7	6.9	6.5	6.7	Air line plugged
26A - 823 4	179.1	180.7	+ 9.3	170.6	4.4	4.5	4.4	4.4	
26A - 824 2	137.4	138.9	+21.1	137.5	9.8	9.9*	9.8*	9.9	

Well Number and Group Number	Low Pumping Depth 19 79	Low Pumping Depth 19 80	Distance From Bowls ±	19 80 Low Static Depth	C.F.S. 19 80 Peak Period Q	C.F.S. 19 80 High	C.F.S. 19 80 Low	C.F.S. 19 79 Peak Period Q	Remarks
7A - 725 7	221.0	222.9	+17.1	221.9	3.1	3.2*	3.0*	3.1	Inline booster pump
7A - 823 1	208.5	209.0*	+21.0*	203.5*	5.5	5.5	5.4	5.4	
7B - 823 4	188.0*	189.0*	+11.0*	188.0*	4.0	4.0	3.9	4.9	Air line out of water
7C - 823 1	203.7	204.2	+11.8	188.2	4.7	4.8	4.7	4.0	
8A - 724 7	234.7*	235.0*	+15.0*	229.0*	6.5*	6.6	6.4*	6.5	Air line plugged
8B - 724 7	227.9	228.5	+21.5	225.6	3.5*	3.6	3.5*	3.4	
8A - 823 4	200.0	201.2	- 1.2	198.2	10.6	10.7	10.4	10.5	
8B - 823 4	193.8*	195.0*	+25.0*	193.2*	6.2	6.3	6.1	6.2	Air line plugged
8C - 823 4	195.3	195.4	+14.6	193.1	5.4	5.7	5.4	5.4	
8A - 922 6	281.0*	284.0*	- 4.0*	271.0*	2.6	2.6	2.6	2.6	Air line leaks
9A - 725 7	254.9	255.4	+14.6	253.5	4.4	4.6	4.2	4.5	Pulled pump 10-29-79
9A - 823 4	208.0	209.2	+10.8	207.2	9.8	10.0	9.8	9.9	
9B - 823 4	210.0*	211.0*	+ 9.0*	207.0*	3.9	4.0	3.7	3.9	Air line leaks
9A - 824 3	135.6	137.1	+ 2.9	135.5	5.3	5.4	5.2	5.3	
0A - 724 3	265.5	268.9	+11.1	263.6	7.5	7.5	7.2	7.3*	
0B - 724 3	265.4	269.4	+10.6	265.0	5.3*	5.3*	5.3	5.3	
0A - 725 7	243.4	243.7	+16.3	239.3	7.2	7.3*	7.1*	7.2	
0A - 822 6	297.0*	303.1	+16.9	298.1	3.5	3.5	3.5	3.5	
0A - 824 3	162.8	164.8	+15.2	157.0	6.1	6.1	6.1	5.9	
0B - 824 3	139.3	139.5	+20.5	138.2	3.4	3.4	3.4	3.4	
0A - 922 6	315.0*	322.9*	+67.1*	305.9	8.6	8.6	7.0	7.1	Put in new pump 8-7-80
1A - 724 2	252.0	255.0	+25.0	253.0	4.1	4.1	4.1	4.1	
1A - 725 7	196.3	198.9	+21.1	196.6	4.6	4.7	4.6	4.6	
1A - 823 4	190.3	187.5	+22.5	183.2	6.7	6.8	6.6	6.8	
1A - 824 3	176.1	175.8	+24.2	173.7	9.2	9.3	9.1	9.2	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth 19 79	Low Pumping Depth 19 80	Distance From Bowls ±	19 80 Low Static Depth	C.F.S. 19 80 Peak Period Q	C.F.S. 19 80 High	C.F.S. 1980 Low	C.F.S. 19 79 Peak Period Q	Remarks
31B - 824 3	182.0*	182.0*	+18.0*	181.0*	4.2	4.3	4.2	4.2	Air line leaks
32A - 724 2	230.5	230.6	+ 9.4	218.1	8.8*	8.9	8.5	8.8	
32B - 724 2	224.4	225.2	+14.8	218.8	5.5*	5.7	5.5*	5.5	
32A - 725 7	197.5	200.8	+19.2	197.3	4.4	4.5*	4.4*	4.5	
33A - 724 2	218.4	219.4	+20.6	222.0	6.1	6.1	6.0	6.1	
33B - 724 7	224.8	225.2	+14.8	222.4	4.8	4.8	4.7	4.7	
33A - 725 7	223.0*	222.0*	+ 8.0*	219.0*	6.8	6.8	6.6	6.7	Air line leaks
33B - 922 6	281.0*	284.0*	+ 6.0*	280.0*	5.7*	5.8	5.7*	5.7*	Air line leaks
33C - 922 6	281.2	284.3	+ 5.7	279.3	3.4	3.4	3.2	3.3	
34A - 723 3	249.6	252.2	+17.8	247.6	7.2	7.2	7.2	7.1	
34B - 723 3	248.5	249.0	+ 1.0	244.5	3.0*	3.0*	3.0	3.0	
34A - 724 2	202.5	202.3	+17.7	199.3	7.6	7.7	7.4	7.7	
34A - 725 7	233.6	235.6	+ 4.4	222.0	7.1	7.1*	7.0*	7.1	
34A - 823 4	161.5	159.2	+20.8	150.2	4.2	4.3	4.2	4.2	
35A - 724 2	217.5	219.3	+ .7	212.3	8.3*	8.4*	8.2*	8.3	
35B - 724 2	208.0	209.7	+10.3	206.7	3.7	3.7*	3.7*	3.7	
35A - 821 6	320.2	323.0	+17.0	316.8	5.5	5.5	5.5	5.7	
35B - 821 6	327.5	329.0*	+11.0*	320.5*	5.5	5.5	5.5	5.3	
35C - 821 6	337.1	338.6	+21.4	336.5	6.3*	6.3*	6.3*	6.3	
35D - 821 6	327.4	329.0	+21.0	325.6	6.8	6.8	6.8*	6.7	
35A - 822 4	215.6	217.6	+ 2.4	208.5	9.3	9.4	9.3	9.4	
35B - 822 4	212.0*	214.0*	+26.0*	209.0*	5.0	5.0	4.9	5.0	Air line plugged
35C - 822 5	255.7	258.0	+ 2.0	253.3	3.0	3.0	3.0	2.9	
35A - 823 4	172.7	173.0*	+ 7.0*	156.3	8.2	8.2	8.1	8.2	
35B - 823 4	158.8	159.1	+20.9	157.3	2.1	2.2	2.1	2.1	

A & B IRRIGATION DISTRICT, RUPERT, IDAHO

October 1, 1980

Part 2

Annual Pump Report
Hydrologic Data of Individual Wells

Well Number and Group Number	Low Pumping Depth 1979	Low Pumping Depth 1980	Distance From Bowls ±	1980 Low Static Depth	C.F.S. 1980 Peak Period Q	C.F.S. 1980 High	C.F.S. 1980 Low	C.F.S. 1979 Peak Period Q	Remarks
35C - 823 4	161.5	162.7	+17.3	150.2	3.7	3.8	3.6	3.7	
35D - 823 4	154.2	156.4	+33.6	153.2	1.9	2.0	1.9	1.9	

A&B IRRIGATION DISTRICT - Rupert, Idaho

1981

Annual Pump Report

Hydrologic Data of Individual Wells

art 2

Well Number and Group Number	Low Pumping Depth 1980	Low Pumping Depth 1981	Distance from Bowls ±	1981 Low Static Depth	INCHES 1981 Peak Period Q	INCHES 1981 High	INCHES 1981 Low	INCHES 1980 Peak Period Q	Remarks Report to 9-20-81
1A - 823 3	267.9	271.4	- 1.4	267.2*	479*	479*	479	480*	
1B - 823 3	255.4	259.3	+10.7	255.5*	320*	325*	320*	320*	
1C - 823 3	233.3	235.0	+ 5.0	228.0*	375	375	368	375	
1A - 824 3	192.0*	194.0*	+ 6.0*	190.0*	365	365	362	370	
1A - 921 6	343.6	345.5	+14.5	339.0*	357	363	351	325	Private pump holding water back
2A - 823 3	235.0*	237.4	+12.6	235.0*	265	265	258	255	
2A - 824 5	178.8	181.2	+ 8.8	180.0*	102	102	99	100	
2A - 923 4	158.4	159.8	+20.2	157.0*	125	126	121	130	
2A - 1021 6	392.0*	395.0*	+15.0*	364.0*	236	236	229	230	
3A - 824 2	203.3	207.4	+12.6	202.0*	461*	463	461	460*	
3B - 824 2	200.7	204.9	+15.1	203.0*	233*	233	222	215*	
3A - 825 7	226.7	227.5	+12.5	220.0*	345*	345	345*	355	Pulled 10-2-79 Dropped after 7/7
3B - 825 7	227.9	229.5	+20.5	220.5*	371*	372	365	370*	
3C - 825 7	226.4	229.6	+10.4	217.0*	280	280	271	290*	
3D - 825 7	219.9	222.1	+27.9	220.0*	180	184	180	200*	
3E - 825 7	223.8	224.8	+15.2	222.0*	228	231	227	235	
3A - 921 6	319.1	321.6*	+ 8.4*	319.0*	128*	128	128*	125	
3B - 921 6	325.0*	328.0*	+ 2.0*	326.0*	351	358	346	350	Air line plugged
3C - 921 5	326.3	328.6	+ 1.4	325.0*	377	380	372	380	
3A - 922 5	243.0*	246.0*	+ 4.0*	243.0*	431*	431	430*	430*	
3B - 922 5	243.0*	246.0*	+14.0*	244.0*	292*	300*	292*	290	
3A - 923 4	182.0*	186.0*	+14.0*	180.0*	252	265	249	245	Air line plugged
3B - 923 4	159.0*	161.7	- 1.7	154.0*	132	135	130	130	
3A - 1022 6	297.3	300.5	+ 9.5	292.0*	193	193	189	190	
4A - 823 4	248.5	255.4	+14.6	253.0*	484	493	481	485	

A&B IRRIGATION DISTRICT - Rupert, Idaho

1981

Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth		Distance from Bowls ±	1981 Low Static Depth	INCHES				Remarks
	1980	1981			1981 Peak Period Q	1981 High	1981 Low	1980 Peak Period Q	
4B - 823 4	248.7	254.8	+15.2	251.0*	230*	251	212	235*	R-1979
4A - 824 2	210.6	214.7	+ 5.3	211.0*	457	463	449	455	
4B - 824 1	215.0	215.2	+14.8	209.0*	450*	466	446	455	
4C - 824 5	220.8	221.4	+18.6	210.0*	201	210	201	200*	
5B - 823 4	264.0*	265.5*	+14.5	260.0*	339	339*	333	350*	
5C - 823 4	259.0*	260.5	+19.5	255.0*	217*	217	215	220*	
5A - 825 7	221.0*	226.0*	+ 4.0*	224.0*	532	542	524	545*	
5B - 825 7	220.7	225.0*	+ 5.0*	221.0*	260*	260	260*	250*	
6A - 824 1	241.3	247.0*	+ 4.0*	244.0*	534	534	522	530	
6B - 824 2	249.4	255.2	+ 4.8	244.0*	303	306	301	310	
6C - 824 5	217.0*	220.0*	+10.0*	215.0*	95	95	95	95	Air line leaks
6A - 825 7	178.1	182.2	+17.8	182.0*	305*	305*	301	310	
6B - 825 7	178.3	181.7	+18.3	181.0*	145*	145	145*	150	Pulled 10-10-79
6A - 923 1	210.2	212.4	-12.4	210.0*	449	451	447	450	
6B - 923 4	170.4	173.3	+ 6.7	170.0*	284	285	277	280	
7B - 824 1	188.5	193.7	+11.3	193.0*	420*	435	400	445	
7A - 922 5	312.0*	331.0	+29.0	301.0	424*	464	383	450*	Lowered pump 20' 3-6-81 dropped after peak
7B - 922 5	302.0	306.4	+ 3.6	306.0	403	410	403	400	
8A - 823 1	250.4	252.1	+ 2.9	251.0*	456	463	454	455	
8A - 824 1	191.0*	197.1	+4.9	191.0*	373	376	370	390	
9A - 922 5	267.7	276.5	+13.5	271.0*	350	355	350	350	
9B - 922 5	278.0*	280.0*	+50.0	260.0*	220	222	220	225	
10A - 823 3	220.0*	224.9	+15.1	223.0*	192	192	189	190	
10B - 823 3	232.1	234.7	+ 5.3	231.0*	115	121	113	115	
10A - 824 1	190.0*	192.0*	- 2.0*	185.0*	471	475	462	465	Air line plugged

A&B IRRIGATION DISTRICT - Rupert, Idaho

1981

Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth		Distance from Bowls ±	19 81 Low Static Depth	INCHES				Remarks
	19 80	19 81			19 81 Peak Period Q	19 81 High	19 81 Low	19 80 Peak Period Q	
10B - 824 1	178.0*	174.8	+ 5.2	170.0*	341	346	332	340	
10C - 824 5	177.1	179.0*	+21.0*	177.0*	294	294	285	290	
10A - 922 5	233.3	246.3	+ 3.7	235.0*	197 ?	205 ?	197 ?	215	
11A - 824 1	185.5	189.6	+ 5.4	118.0*	531	534	520	535	
11B - 824 2	183.4	185.8	+14.2	182.0*	200*	200	196	200	
11C - 824 2	176.7	178.8	+ 1.2	177.0*	276	278	270	275	
11A - 825 7	185.0*	188.8	+11.2	184.0*	330*	354	330*	310*	
11B - 922 4	237.0*	240.0*	- 0.0*	222.0*	207	210	201	205	
11C - 922 4	217.0*	220.0*	+30.0*	219.0*	238	241	238	240	Air line leaks
12A - 823 3	238.0*	241.0*	+ 9.0*	238.0*	365*	365*	358	385	Air line broken off
12B - 823 3	239.0*	242.0*	+ 8.0*	239.0*	155	159	142	145*	
12C - 823 3	219.1	222.0*	+18.0*	219.0*	450*	469	438	455	
12D - 823 3	227.0*	230.0*	- 0.0*	225.0*	176*	195	168	190*	Part of air line missing
12A - 824 3	166.6	169.0	+21.0	165.0*	310	320	300	295	
12A - 825 7	204.9	204.6	+15.4	201.0*	490*	500*	490*	490*	
12B - 825 7	216.0*	216.0*	- 6.0*	205.0*	380*	380*	377	385	Air line leaks
13A - 824 2	171.7	174.7	+25.3	174.0	565	620	555	590	System fluctuated
13B - 824 2	171.4	176.4	+ 3.6	176.0	274	274	260	265	in water through summer
13A - 825 5	171.4	173.4	+16.6	170.0*	145*	145*	132	145	
14A - 823 3	213.8	218.0	+22.0	217.0*	341	353	341	365	
14B - 823 3	214.8	217.0*	+ 3.0*	212.0*	147	147	143	145	
14A - 824 1	149.4	152.9	+ 7.1	151.0*	420	423	413	420	
14C - 825 7	176.2	178.4	+21.6	177.0*	137	141	135	135	
15A - 823 3	224.8	227.8	+22.2	226.0	510	521	502	510	
15B - 823 3	230.4	233.9	+26.1	227.0*	235*	239	234	235*	

A&B IRRIGATION DISTRICT - Rupert, Idaho

1981
Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth		Distance from Bowls ±	1981 Low Static Depth	INCHES				Remarks
	1980	1981			1981 Peak Period Q	1981 High	1981 Low	1980 Peak Period Q	
15D - 823 4	210.6	210.6	+19.4	207.0*	117	119	110	115	
15A - 824 1	173.0*	168.8	+ 1.2	166.0*	308	308	291	305	Air line leaks
15A - 825 5	172.0*	173.0*	+17.0	170.0*	518	518	512	520	Air line leaks
15B - 825 5	168.1	170.0	+10.0	168.0*	195	195	190	200*	?
15A - 922 5	293.0*	302.0*	- 2.0*	273.0*	92	95	90	95	Air line leaks
15B - 922 5	259.0*	268.0*	+62.0	253.0*	105	108	105	110	Air line leaks
17A - 823 4	212.0	215.0*	+25.0*	212.0*	336	341	330	335	
17B - 823 4	216.6	219.0*	+21.0*	213.0*	144	152	139	145	
17C - 823 1	242.8	246.3	+13.7	243.0*	110	112	108	110	
17A - 825 5	146.7	147.7	+12.3	145.0*	446	459	440	445	
18A - 824 1	201.5	206.5	+ 5.5	199.0*	480	485	472	480	
18A - 922 5	267.2	270.3	+ 9.7	269.0*	308*	315	308	320	
18B - 922 5	266.7	269.1	+10.9	266.0*	142	142	142	240	
19A - 823 4	229.3	234.7	+15.3	230.0*	368	371	361	370	
19B - 823 4	226.9	232.1	+17.9	231.0*	195	195	193	195	
19A - 825 2	139.7	141.6	+18.4	136.0*	513	514	500	515*	
19B - 825 2	142.0	144.1	+15.9	139.0*	309	313	309	305	
19C - 825 3	146.0	147.3	+12.7	145.0*	357	357	351	360	
19D - 825 3	149.4	151.1	+ 8.9	146.0*	335	345	330	335	
19A - 922 6	318.8	321.4	- 1.4	317.0*	222	226	220	225	
20A - 922 5	283.4	284.7	+65.3	268.7*	315	355	243	330	Lowered pump dropped after peak
21A - 823 4	207.9	211.0	+ 9.0	208.0*	384	386	378	375	
21A - 824 1	156.7	158.2	+23.8	156.0*	560	573	520	575	
21B - 824 2	166.2	168.4	+11.6	160.0*	361	379	358	365	
21A - 825 5	144.6	146.4	+13.6	142.0*	424	431	422	440	

A&B IRRIGATION DISTRICT - Rupert, Idaho

1981
Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth		Distance from Bowls ±	1981 Low Static Depth	INCHES				Remarks
	1980	19 81			1981 Peak Period Q	1981 High	1981 Low	19 80 Peak Period Q	
22A - 724 7	221.0*	225.0*	- 5.0*	223.0*	122	128	121	135	Air line leaks
22B - 724 7	234.0	239.0	+11.0	231.0*	329	332	320	330	
22C - 724 7	212.0	214.7	+15.3	213.0*	335	335	332	330	
22A - 821 6	322.0	332.4	+17.6	320.0*	333	336	326	340	
22A - 823 4	212.6	214.0*	+16.0*	211.0*	354	359	353	355	
22A - 824 2	156.7	157.9	+22.1	149.0*	335	340	327	345	
22A - 922 5	286.2	290.0*	+10.0*	279.0*	105	108	105	105	From July pump on air line out of water
23A - 724 7	228.0*	230.0*	+10.0*	228.0*	324*	324	304?	270*	Air line leaks
23A - 823 4	212.9	220.4	+ 9.6	218.0*	338	340	336	335	
23B - 823 4	212.5	218.6	+11.4	213.0*	135*	135*	135*	135	
23A - 824 2	162.0*	164.0*	+16.0*	158.0*	525*	525*	525*	525*	Cann't handle water to get open valve
23A - 825 5	181.5	183.4	+16.6	173.0*	370*	370	361	370	
23B - 825 5	177.2	179.1	+20.9	174.0*	374	385	371	385*	
24A - 821 6	327.1	329.2	+20.8	323.0*	91	91	89	95	
24A - 823 3	187.0*	188.0*	+12.0	176.0*	480	508?	480	480	From July pump on air line out of water
24B - 823 3	166.9	168.4	+11.6	164.0*	330*	330*	320*	335*	
24C - 823 1	180.0*	182.0*	- 2.0*	180.0*	371	371	342	375	No Air line
24A - 825 5	172.4	174.2	+15.8	168.0*	260	260	259	270	
25A - 823 3	163.0*	160.1	+19.9	155.0*	180	180	176	175	
26A - 724 7	210.7	214.7	+15.3	211.0*	324	328	317	320	
26B - 724 7	203.8	207.1	+ 2.9	206.0*	133	133	130	135	
26A - 821 6	348.8	350.0*	+20.0*	337.0*	258	272	258	260	
26B - 821 6	354.0*	356.0*	+14.0*	341.0*	340*	344	331	335	Air line plugged
26A - 823 4	180.7	182.4	+ 7.6	175.0*	224	230	222	220	
26A - 824 2	138.9	140.0*	+20.0*	137.0*	507*	519	507*	490	

A&B IRRIGATION DISTRICT - Rupert, Idaho

1981
Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth 1980	Low Pumping Depth 1981	Distance from Bowls ±	1981 Low Static Depth	INCHES 1981 Peak Period Q	INCHES 1981 High	INCHES 1981 Low	INCHES 1980 Peak Period Q	Remarks
27A - 725 7	222.9	224.6	+15.4	223.0*	155*	155*	155*	155	Inline Booster pump
27A - 823 1	209.0*	211.0*	+19.0*	205.0*	270	271	269	275	
27B - 823 4	189.0*	190.0*	+10.0*	188.0*	238	247	233	200	From only pump on air line out of water
27C - 823 1	204.2	204.8	+11.2	189.0*	197	201	194	235	
28A - 724 7	235.0*	237.0*	+13.0*	234.0*	314*	314*	314*	325*	Air line plugged
28B - 724 7	228.5	231.2	+19.0	229.0*	178*	178	174	175*	
28A - 823 4	201.2	206.5	+13.5	203.0*	530	535	520	530	
28B - 823 4	195.0*	201.0*	+19.0*	199.0*	313*	314	290	310	Air line plugged
28C - 823 4	195.4	197.5	+12.5	194.0*	278	279	271	270	
28A - 922 6	284.0*	290.0*	+10.0*?	270.0*	130	130	108	130	Lowered pump 20'9-24-81
29A - 725 7	255.4	257.0	+13.0	256.0*	220	228	216	220	Pulled pump 10-29-79
29A - 823 4	209.2	210.6	+ 9.4	208.0*	495	500	495	490	
29B - 823 4	211.0*	212.0*	+ 8.0*	209.0*	190*	190	190*	195	Air line leaks
29A - 824 3	137.1	140.4	- .4	139.0*	260	261	254	265	
30A - 724 3	268.9	271.1	+ 8.9	266.0*	376	380?	361	375	
30B - 724 3	269.4	271.8	+ 8.2	266.0*	260*	279	260*	265*	
30A - 725 7	243.7	246.4	+13.6	242.0*	353*	353	353*	360	
30A - 822 6	303.1	306.6	+13.4	300.0*	171	173	169	175	
30A - 824 3	164.8	166.3	+13.7	156.0*	305*	305*	305*	305	
30B - 824 3	139.5	142.6	+17.4	140.0*	170	171	170	170	
30A - 922 6	322.9*	326.0*	+64.0*	306.0*	411	414	411	430	New pump 8-7-80
31A - 724 2	255.0	260.4	+19.6	255.0*	204	211	201	205	
31A - 725 7	198.9	201.7	+18.3	200.0*	230	234	230	230	
31A - 823 4	187.5	193.3	+16.7	190.0*	333	337	329	335	
31A - 824 3	175.8	179.3	+20.7	178.0*	453	460	453*	460	

A&B IRRIGATION DISTRICT - Rupert, Idaho

1981
Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth		Distance from Bowls ±	1981 Low Static Depth	INCHES				Remarks
	1980	1981			1981 Peak Period Q	1981 High	1981 Low	1980 Peak Period Q	
31B - 824 3	182.0*	185.0*	+15.0	183.0*	208*	208	208*	210	Air line leaks
32A - 724 2	230.6	233.0	+ 7.0	224.0*	430*	439	426	440*	
32B - 724 2	225.2	226.8	+13.2	222.0*	281*	290	280	275*	
32A - 725 7	200.8	204.1	+15.9	202.0*	218	223	214	220	
33A - 724 2	219.4	223.0*	+17.0*	221.0*	306*	307	300	305	
33B - 724 7	225.2	229.0*	+11.0*	224.0*	244*	245	242	240	
33A - 725 7	222.0*	223.0*	+ 7.0*	222.0*	340	341	330	340	Air line leaks
33B - 922 6	284.0*	288.0*	+ 2.0*	284.0*	270*	285	264	285*	Air line leaks
33C - 922 6	284.3	288.8	+21.2	285.0*	168*	168	160	170	Lowered pump 20'8-21-81
34A - 723 3	252.2	254.0	+16.0	248.0*	351*	351	348	360	
34B - 723 3	249.0	251.3	- 1.3	246.0*	150*	150*	150*	150*	
34A - 724 2	202.3	205.7	+14.3	203.0*	375	389	363	380	
34A - 725 7	235.6	237.4	+ 2.6	225.0*	350	351	345	355	
34A - 823 4	159.2	163.3	+16.7	156.0*	210	218	207	210	
35A - 724 2	219.3	221.0*	- 1.0*	213.0*	420	420	419	415*	
35B - 724 2	209.7	211.0*	+ 9.0	208.0*	187	189	187	185	
35A - 821 6	323.0	324.6	+15.4	318.0*	279	279	270	275	
35B - 821 6	329.0*	331.0	+ 9.0	322.0*	260*	260*	260*	275	
35C - 821 6	338.6	340.3	+19.7	338.0*	317	322	313	315*	
35D - 821 6	329.0	331.0	+19.0	229.0*	334	336	328	340	
35A - 822 4	217.6	219.0*	+ 1.0*	216.0*	463	464	463	465	
35B - 822 4	214.0*	216.0*	+24.0	209.0*	245*	245*	245*	250	Air line plugged
35C - 822 5	258.0	258.0*	+ 2.0*	245.0*	161	164	155	150	
35A - 823 4	173.0*	176.0*	+ 4.0*	158.0*	411	414	407	410	
35B - 823 4	159.1	160.1	+19.9	154.0*	102	105	101	105	

A&B IRRIGATION DISTRICT - Rupert, Idaho

1981

Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number	Low Pumping Depth		Distance from Bowls ±	1981 Low Static Depth	INCHES				Remarks
	1980	1981			1981 Peak Period Q	1981 High	1981 Low	1980 Peak Period Q	
35C - 823 4	162.7	163.6	+16.4	151.0*	184	189	179	185	
35D - 823 4	156.4	158.0*	+32.0*	156.0*	95	97	91	95	

L - Lowered

D - Drilled

R - Rectified

* Estimated

File

* Estimated
D.H.-Direct Hookup

Part 2

A&B IRRIGATION DISTRICT - Rupert, Idaho
1982
Annual Pump Report
Hydrologic Data of Individual Wells

September 20, 1982

Well Number and Group Number		Low Pumping Depth 19 81	Low Pumping Depth 19 82	Distance from Bowls ±	19 82 Low Static Depth	INCHES 19 82 Peak Period Q	INCHES 1982 High	INCHES 19 82 Low	INCHES 19 81 Peak Period Q	Remarks
1A - 823	3	271.4	271.00	- 1.0	265.10	478	499	478	479*	
1B - 823	3	259.3	258.60	+ 11.4	255.40	321	334	321	320*	
1C - 823	3	235.0	233.90	+ 6.1	227.80	375	382	375	375	
1A - 824	3	194.0*	187.90	+ 12.1	185.00	365	365	365	365	
1A - 921	6	345.5	345.90	+ 14.1	340.90*	366	366	340	357	Private pump holding water back D.H.
2A - 823	3	237.4	238.60	+ 11.4	237.40	265	265	261	265	
2A - 824	5	181.2	181.10	+ 8.9	179.30	101	101	100	102	D.H.
2A - 923	4	159.8	160.30	+ 19.7	159.35	118	126	117	125	
2A - 1021	6	395.0*	397.00*	+ 13.0*	204.00*	236	236	229	236	Airline out of water in irrigation season
3A - 824	2	207.4	207.90	+ 12.1	204.50	456	464	440	461*	
3B - 824	2	204.9	207.10	+ 12.9	205.00	220*	220*	215	233*	
3A - 825	7	227.5	233.80	+ 6.2	228.30	350*	350*	350*	345*	
3B - 825	7	229.5	229.40	+ 20.6	222.90	365*	365	361	371*	
3C - 825	7	229.6	229.60	+ 10.4	222.60	283*	283	280*	280	
3D - 825	7	222.1	222.50	+ 27.5	220.20	190*	197	190*	180	
3E - 825	7	224.8	224.90	+ 15.1	224.40	234	234	229	228	
3A - 921	6	321.6*	320.60	+ 9.4	318.60	120	123	98	128*	D.H.
3B - 921	6	328.0*	330.00*	0*	328.60	349	351	345	351	Airline plugged
3C - 921	5	328.6	328.50	+ 1.5	325.00	366	371	361	377	
3A - 922	5	246.0*	246.40	+ 3.6	243.40*	428	430	424	431*	
3B - 922	5	246.0*	246.00*	+ 14.0*	245.00*	289	296	278	292*	
3A - 923	4	186.0*	178.00*	+ 22.0*	172.00*	244	248	241	252	Airline plugged
3B - 923	4	161.7	161.90	- 1.9	157.20	125	136	125	132	D.H.
3A - 1022	6	300.5	303.40	+ 6.6	299.50	193	194	189	193	
4A - 823	4	255.4	255.30*	+ 14.7*	253.00*	487	487	479	484	

*ESTIMATED

A&B IRRIGATION DISTRICT - Rupert, Idaho
1982
Annual Pump Report
Hydrologic Data of Individual Wells

* Estimated
D.H.-Direct Hookup

September 20, 1982

Part 2

Well Number and Group Number		Low Pumping Depth 19 81	Low Pumping Depth 19 82	Distance from Bowls ±	1982 Low Static Depth	INCHES 1982 Peak Period Q	INCHES 1982 High	INCHES 1982 Low	INCHES 1981 Peak Period Q	Remarks
4B - 823	4	254.8	253.60	+ 16.4	250.00*	235	238	229	230*	
4A - 824	2	214.7	214.2	+ 5.8	197.40	450	463	441	457	
4B - 824	1	215.2	217.10	+ 12.9	206.50*	447?	464	441	450*	
4C - 824	5	221.4	224.00	+ 16.0	212.00*	210	224	210	201	
5B - 823	4	265.5*	263.30	+ 16.7	255.00*	337*	365	328	339	
5C - 823	4	260.5	257.10	+ 22.9	254.00*	212*	212	211	217*	
5A - 825	7	226.0*	214.30*?	+ 15.7*	211.00*	546	546	538	532	?
5B - 825	7	225.0*	214.00*	+ 16.0*	211.00*	260	260	258	260*	Cannot install airline
6A - 824	1	247.0*	247.40	+ 3.6	244.60	545	565	543	534	
6B - 824	2	255.2	251.60	+ 8.4	244.70*	307	307	302	303	
6C - 824	5	220.0*	218.30	+ 11.7	215.00*	95	95	95	95	
6A - 825	7	182.2	182.60	+ 17.4	182.00*	324	325	317	305*	
6B - 825	7	181.7	182.80	+ 17.2	182.10*	184	184	184	145*	
6A - 923	1	212.4	212.20	- 12.2	211.00*	445	449	443	449	
6B - 923	4	173.3	171.60	+ 8.4	167.00*	281	286	281	284	
7B - 824	1	193.7	195.10	+ 9.9	192.00*	437	460?	427	420*	
7A - 922	5	331.0	340.00	+ 20.0	328.00*	456	465	282	424*	Dropped after peak
7B - 922	5	306.4	308.30	+ 1.7	303.00*	403	407	382	403	out of water after 7th mo. of irrig. season
8A - 823	1	252.1	254.00*	+ 1.0*	253.00*	461	461	458?	456	water surface below air line
8A - 824	1	197.1	198.60	+ 3.4	193.00*	370	383	370	373	
9A - 922	5	276.5	275.70	+ 14.3	273.00*	443	443	427	350	
9B - 922	5	280.0*	279.00*	+ 51.0*	259.00*	227	227	224	220	Plugged
10A - 823	3	224.9	225.20	+ 14.8	233.00*	186	196	184	192	
10B - 823	3	234.7	235.50	+ 4.5	232.00*	117	121	116	115	D.H.
10A - 824	1	192.0*	188.00	+ 2.0	187.00	444	467	440	471	

*ESTIMATED

* Estimated
D.H.-Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth 1981	Low Pumping Depth 1982	Distance from Bowls ±	1982 Low Static Depth	INCHES 1982 Peak Period Q	INCHES 1982 High	INCHES 1982 Low	INCHES 1981 Peak Period Q	Remarks
10B - 824	1	174.8	174.60	+ 5.4	170.00*	330	334	327	341	
10C - 824	5	179.0*	179.60	+ 20.4	177.00*	288	288	282	294	
10A - 922	5	246.3	240.00?	+ 10.0?	230.00?*	185	195	185	197?	D.H.
11A - 824	1	189.6	189.00*	+ 6.0*	188.00*	530	530	527	531	?
11B - 824	2	185.8	185.10	+ 14.9	184.90	198	200	194	200*	
11C - 824	2	178.8	187.50	+ 12.5	178.20	276	279	202	276	
11A - 825	7	188.8	188.40	+ 11.6	184.00*	330*	330*	330*	330*	D.H.
11B - 922	4	240.0*	252.80	+ 7.2	232.00	224	228	173	207	
11C - 922	4	220.0*	214.60	+ 35.4	213.00*	226	243?	226	238	
12A - 823	3	241.0*	245.00*	+ 5.0*	242.00*	354*	354	341	365*	Air line broken off
12B - 823	3	242.0*	245.00*	+ 5.0*	243.00*	152*	152	143	155	
12C - 823	3	222.0*	223.40	+ 16.6	220.40	465*	470	459	450*	
12D - 823	3	230.0*	231.00*	- 1.0*	226.00*	178	200*	178	176*	
12A - 824	3	169.0	165.80	+ 24.2	164.50	310	310*	310*	310	
12A - 825	7	204.6	206.00	+ 14.0	205.20	485	491	485	490*	
12B - 825	7	216.0*	210.30	- .3	205.00*	377	386	377	380*	Air line leaks
13A - 824	2	174.7	175.60	+ 24.4	175.00	533*	590	533*	565	System Fluctuates
13B - 824	2	176.4	174.60	+ 5.4	174.60	255	255	255*	274	in water through summer
13A - 825	5	173.4	173.85	+ 16.15	167.45	135	135	128	145*	D.H.
14A - 823	3	218.0	221.80	+ 18.2	220.00*	345	348	334	341	
14B - 823	3	217.0*	227.40	- 7.4	223.00*	144	145	137	147	
14A - 824	1	152.9	152.70	+ 7.3	151.00*	420	424	419	420	
14C - 825	7	178.4	178.60	+ 21.4	177.00*	134	137	134	137	
15A - 823	3	227.8	228.80	+ 21.2	227.00*	518	518	491	510	
15B - 823	3	233.9	233.00	+ 27.0	227.00*	236	236	231	235*	

*ESTIMATED

A&B IRRIGATION DISTRICT - Rupert, Idaho

1982

Annual Pump Report

Hydrologic Data of Individual Wells

September 20, 1982

Part 2

* Estimated
D.H.-Direct Hookup

Well Number and Group Number		Low Pumping Depth 1981	Low Pumping Depth 1982	Distance from Bowls ±	1982 Low Static Depth	INCHES 1982 Peak Period Q	INCHES 1982 High	INCHES 1982 Low	INCHES 1981 Peak Period Q	Remarks
15D - 823	4	210.6	213.70	+ 16.3	210.00*	115	115	112	117	
15A - 824	1	168.8	169.00	+ 1.0	168.50	306	308	294	308	
15A - 825	5	173.0*	172.70	+ 17.3	170.00*	519	529	519	518	
15B - 825	5	170.0	170.70	+ 9.3	169.00*	186*	186*	179?	195	
15A - 922	5	302.0*	286.30	+ 13.7	275.00*	95	108	85	92	D.H. ?
15B - 922	5	268.0*	260.00*	+ 70.0*	245.00*	109	110	106	105	D.H.
17A - 823	4	215.0*	216.40	+ 23.6	214.40	334	334	334	336	
17B - 823	4	219.0*	221.29	+ 18.7	218.99	144	147	144	144	
17C - 823	1	246.3	242.00	+ 18.0	239.00*	112	112	106	110	
17A - 825	5	147.7	150.00	+ 10.0	147.00*	442	457	442	446	
18A - 824	1	206.5	207.68	+ 4.3	200.00*	496	530	487	480	
18A - 922	5	270.3	271.00	+ 9.0	270.00*	311	315	308	308*	
18B - 922	5	269.1	269.70	+ 10.3	269.10	142	142	137	142	
19A - 823	4	234.7	235.20	+ 14.8	231.00*	366	366	361	368	
19B - 823	4	232.1	232.80	+ 17.2	232.00*	195	195	190	195	
19A - 825	2	141.6	142.00	+ 18.0	136.50	509	512	504	513	
19B - 825	2	144.1	144.10	+ 15.9	140.50	304	305	304	309	
19C - 825	3	147.3	147.70	+ 12.3	145.00*	358	358	350	357	
19D - 825	3	151.1	150.74	+ 9.3	145.00*	320	320	320*	335	D.H.
19A - 922	6	321.4	322.93	- 2.9	318.00*	223	226	218	222	
20A - 922	5	284.7	289.70	+ 20.3	275.00*	310	391	290	315	Dropped after peak
21A - 823	4	211.0	207.70	+ 12.3	206.00*	380	388	379	384	
21A - 824	1	158.2	159.50	+ 22.5	158.00*	557	564	555	560	
21B - 824	2	168.4	169.30	+ 10.7	162.40	358	359	350	361	
21A - 825	5	146.4	146.60	+ 13.4	143.00*	432	434	432	424	

*ESTIMATED

* Estimated
D.H.- Direct Hookup

Well Number and Group Number		Low Pumping Depth 1981	Low Pumping Depth 1982	Distance from Bowls ±	1982 Low Static Depth	INCHES 1928 Peak Period Q	INCHES 1982 High	INCHES 1982 Low	INCHES 1981 Peak Period Q	Remarks
22A - 724	7	225.0*	219.70	+ .3	219.00	122	123	121	122	
22B - 724	7	239.0	239.70	+ 10.3	228.00	321	328	319	329	
22C - 724	7	214.7	214.95	+ 15.0	214.50	326?	336	317	335	
22A - 821	6	332.4	323.30	+ 16.7	320.00*	327	327	325	333	
22A - 823	4	214.0*	211.80	+ 18.6	209.00*	357	357	357*	354	
22A - 824	2	157.9	159.00*	+21.0*	150.00*	335	339	332	335	
22A - 922	5	290.0*	287.60	+ 12.4	260.00*	108	112	105	105	
23A - 724	7	230.0*	224.40	+ 15.6	223.40	342	355	338	324*	D.H.
23A - 823	4	220.4	219.80	+ 10.2	210.00*	343	343	323?	338	
23B - 823	4	218.6	218.60	+ 11.4	213.00*	135	135	134	135*	
23A - 824	2	164.0*	165.00*	+ 15.0	159.00*	525*	525*	525*	525*	cann't handle water to get open valve
23A - 825	5	183.4	184.70	+ 15.3	174.00*	368*	378	357	370*	
23B - 825	5	179.1	180.00	+ 20.0	175.00*	370*	370	369	374	
24A - 821	6	329.2	330.10	+ 19.9	324.00*	95	97	88	91	
24A - 823	3	188.0*	189.00	+ 11.0	177.00*	473	482	471	480	From July pump on air line out of water
24B - 823	3	168.4	165.40	+ 14.6	163.20	336	341	336	330*	
24C - 823	1	182.0*	167.60	+ 12.4	166.00*	361*	361	354	371	
24A - 825	5	174.2	174.60	+ 15.4	169.20	267	267	263	260	
25A - 823	3	160.1	160.10	+ 19.9	155.00*	176	180	172	180	
26A - 724	7	214.7	214.30	+ 15.7	211.00*	317	322	317	324	
26B - 724	7	207.1	207.70	+ 2.3	206.00*	133	133	126	133	
26A - 821	6	350.0*	351.10	+ 18.9	338.00*	268	271	252	258	
26B - 821	6	356.0*	357.00*	+ 13.0*	342.00*	330	339	330	340*	Air line Plugged
26A - 823	4	182.4	182.70	+ 7.3	175.00*	223	224	218	224	
26A - 824	2	140.0*	140.00*	+ 20.0	137.00*	506	519*	506*	507*	

* ESTIMATED

A&B IRRIGATION DISTRICT - Rupert, Idaho

*Estimated
D.H.-Direct Hookup

1982
Annual Pump Report
Hydrologic Data of Individual Wells

September 20, 1982

Part 2

Well Number and Group Number		Low Pumping Depth 1981	Low Pumping Depth 1982	Distance from Bowls ±	1982 Low Static Depth	INCHES 1982 Peak Period Q	INCHES 1982 High	INCHES 1982 Low	INCHES 1981 Peak Period Q	Remarks
27A - 725	7	224.6	225.30	+ 14.7	224.00*	145	145*	145*	155*	Trouble with meter D.H.
27A - 823	1	211.0*	212.60	+ 17.4	207.00*	272	272	267	270	
27B - 823	4	190.0*	187.90	+ 12.1	186.70	199	200	192	238	
27C - 823	1	204.8	203.40	+ 12.6	188.00*	238	238	232	197	
28A - 724	7	237.0*	233.00	+ 17.0	231.60	328	328	313	314*	
28B - 724	7	231.2	231.90	+ 18.1	231.90	169*	173	163	178*	
28A - 823	4	206.5	202.00*	+ 18.0*	205.00*	531	535	529	530	
28B - 823	4	201.0*	200.20	+ 19.8	200.00*	310	321	310	313*	
28C - 823	4	197.5	196.70	+ 13.3	195.60	247	270	220	278	D.H.
28A - 922	6	290.0*	280.80	+ 19.2	268.80	128	130	126	130	
29A - 725	7	257.0	257.90	+ 12.1	256.00*	222	230	218	220	
29A - 823	4	210.6	210.30	+ 9.7	208.50	500	500	496	495	
29B - 823	4	212.0*	211.00*	+ 9.0	209.00*	170	190	169	190*	
29A - 824	3	140.4	140.10	- .1	139.40	257	259	250	260	
30A - 724	3	271.1	270.20	+ 9.8	266.70	365	365	357	376	
30B - 724	3	271.8	271.20	+ 8.8	268.50	262	279	262	260*	
30A - 725	7	246.4	247.70	+ 12.3	243.00*	354	356	351	353*	
30A - 822	6	306.6	299.50	+ 20.5	293.51*	184	191	181	171	
30A - 824	3	166.3	163.40	+ 16.6	159.00*	259	265	259	305*	D.H.
30B - 824	3	142.6	141.62	+ 18.4	140.82	170*	171*	170*	170	D.H.
30A - 922	6	326.0*	328.00*	+ 62.0*	308.00*	419*	419	407	411	Air line plugged
31A - 724	2	260.4	260.50	+ 19.5	255.00*	199	204	192	204	
31A - 725	7	201.7	201.00	+ 19.0	201.00	230	234	228	230	
31A - 823	4	193.3	205.40	+ 4.6	201.00*	328	334	321	333	
31A - 824	3	179.3	179.80	+ 20.2	178.00*	458	468	458	453	

* ESTIMATED

*Estimated
D.H.-Direct Hookup

Part 2

A&B IRRIGATION DISTRICT - Rupert, Idaho
1982
Annual Pump Report
Hydrologic Data of Individual Wells

Septemer 20, 1982

Well Number and Group Number		Low Pumping Depth 19 81	Low Pumping Depth 19 82	Distance from Bowls ±	1982 Low Static Depth	INCHES 19 82 Peak Period Q	INCHES 1982 High	INCHES 1982 Low	INCHES 1981 Peak Period Q	Remarks
31B - 824	3	185.0*	179.70	+ 20.3	179.70	208	212	208	208*	
32A - 724	2	233.0	232.70	+ 7.3	223.00*	435	438	431	430*	
32B - 724	2	226.8	228.10	+ 11.9	224.00*	281	281	275*	281*	
32A - 725	7	204.1	203.10	+ 16.9	201.30	215	216	212	218	
33A - 724	2	223.0*	223.90	+ 16.1	222.00	307*	310	300	306*	
33B - 724	7	229.0*	229.10	+ 10.9	227.60	244*	244*	244*	244*	
33A - 725	7	223.0*	225.00*	+ 5.0*	224.00*	335	336	333	340	No air line
33B - 922	6	288.0*	287.00*	+ 3.0*	283.00*	280	285	280	270*	Air line leaks
33C - 922	6	288.8	288.00*	+ 22.0*	284.00*	170	170	168	168*	?
34A - 723	3	254.0	254.00*	+ 16.0*	248.00*	350	352	347	351*	
34B - 723	3	251.3	252.00*	- 2.0*	242.00*	149	150	147	150*	
34A - 724	2	205.7	205.30	+ 14.7	204.20	377	378	351	375	
34A - 725	7	237.4	239.70	+ .3	237.00*	344	357	344	350	
34A - 823	4	163.3	163.40	+ 16.6	159.60	213	217	204	210	
35A - 724	2	221.0*	222.10	- 2.1	211.80	425	428	406?	420	
35B - 724	2	211.0*	210.90	+ 9.1	210.10	185*	190	180	187	
35A - 821	6	324.6	325.00	+ 15.0	320.00	277	279	274	279	
35B - 821	6	331.0	332.00*	+ 8.0*	323.00*	255	255	252	260*	Water below air line
35C - 821	6	340.3	341.30	+ 18.7	339.00*	319	322	313	317	
35D - 821	6	331.0	329.10	+ 20.9	227.00*	338	341	334	334	
35A - 822	4	219.0*	219.90	+ .1	216.90	472	476	471	463	
35B - 822	4	216.0*	219.90	+ 20.1	212.00*	250	263	245	245*	
35C - 822	5	258.0*	262.90	- 2.9	248.90	161*	164*	145*	161	D.H.
35A - 823	4	176.0*	174.90	+ 5.1	160.90?	408	416	396	411	
35B - 823	4	160.1	160.80	+ 19.2	160.50	101	102	96	102	D.H.

* ESTIMATED

A&B IRRIGATION DISTRICT - Rupert, Idaho

1982
Annual Pump Report
Hydrologic Data of Individual Wells

September 20, 1982

* Estimated
D.H.-Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth 1981	Low Pumping Depth 19 82	Distance from Bowls ±	19 82 Low Static Depth	INCHES 1982 Peak Period Q	INCHES 1982 High	INCHES 1982 Low	INCHES 1981 Peak Period Q	Remarks
35C - 823	4	163.6	164.90	+ 15.1	160.60	178	187	170	184	
35D - 823	4	158.0*	158.10	+ 31.9	157.30	97	100	94	95	D.H.

L - Lowered

D - Drilled

R - Rectified

*ESTIMATED

A & B IRRIGATION DISTRICT - Rupert, Idaho

1983

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1979	1980	1981	1982	1983	Distance From Bowls ±	INCHES 1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	REMARKS
1A - 823	3	257.4	267.9	271.4	271.0	262.6	+27.4	490	470	490	475	479	479	499	478	477	464	
1B - 823	3	256.3	255.4	259.3	258.6	258.1	+11.9	330	320	335	320	325	320	334	321	325	313	
1C - 823	3	231.2	233.3	235.0	234.0	233.3	+6.7	365	360	380	370	375	368	382	375	375	361	
1A - 824	3	NOT ABLE TO GET PUMP OPEN						370	370	375	370	365	362	365	365	388	388	One reading 8-15-83
1A - 921	6		343.6	341.5	345.9	345.8	+14.2	345	320	325	310	363	351	366	340	369	357	Private Pump Restricts D.H.
2A - 823	3	231.8		237.4	238.6	236.2	+13.8	260	255	255	255	265	258	265	261	267	260	
2A - 824	5	176.0	178.8	181.2	181.1	180.8	+9.2	110	100	100	100	102	99	101	100	101	99	D.H.
2A - 923	4	156.7	158.4	159.8	160.3	158.6	+21.4	130	125	135	125	126	120	126	117	127	122	
2A - 1021	6	AIR LINE OUT OF WATER						235	225	230	210	236	229	236	229	239	239	
3A - 824	2	204.9	203.3	207.4	209.1	206.2	+13.8	455	450	465	445	463	461	464	440	460	445	
3B - 824	2	202.5	200.7	204.9	207.1	203.6	+16.4	265	260	230	215	233	222	220	215	226	217	
3A - 825	7	224.6	226.7	228.6	228.0	227.1	+32.9	355	350	355	355	345	345	350	350	365	345	
3B - 825	7	225.0	227.9	229.5	229.7	228.4	+21.6	370	355	370	365	372	365	365	361	377	365	
3C - 825	7	225.8	226.4	229.6	229.6	228.6	+11.4	290	280	290	280	280	271	283	280	274	272	
3D - 825	7	219.2	219.9	222.1	222.5	221.5	+28.5	195	190	200	195	184	180	197	190	195	185	
3E - 825	7	222.2	223.8	224.8	224.9	224.2	+15.8	240	235	235	235	231	227	234	229	237	226	
3A - 921	6	316.5	319.1		320.6	320.3	+9.7	120	115	120	115	123	120	123	120	122	106	D.H. Private Pump Restricts

A & B IRRIGATION DISTRICT – Rupert, Idaho

1983

D.H. - Direct Hookup

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1979	1980	1981	1982	1983	Distance From Bowls ±	INCHES 1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	REMARKS
3B – 921	6	NO AIR LINE				321.9	+8.1	350	345	355	340	358	346	351	345	348	343	
3C – 921	5	324.9	326.3	328.6	330.1	325.7	+4.3	385	370	385	375	380	372	371	361	375	364	
3A – 922	5	241.3			246.4	246.3	+3.7	440	430	435	430	431	430	430	424	431	424	
3B – 922	5	241.1			237.8	246.3	+13.7	300	280	300	285	300	292	296	278	291	283	
3A – 923	4	NO WORKABLE AIR LINE			177.3	176.8	+23.2	250	230	250	240	265	244	248	241	248	239	
3B – 923	4	157.6		161.7	161.9	154.1	+25.9	130	125	130	130	135	130	136	125	133	125	D.H.
3A – 1022	6	295.9	297.3	300.5	303.4	306.3	+23.7	195	180	190	190	193	189	194	189	193	178	
4A – 823	4	251.9	248.5	255.4	255.3	252.0	+18.0	500	485	495	480	493	481	487	479	490	490	
4B – 823	4	253.9	248.7	254.8	253.6	250.7	+19.3	265	240	240	230	251	212	238	229	252	232	
4A – 824	2	208.8	210.6	214.7	214.2	223.9	+16.1	455	445	465	445	463	441	463	441	462	451	New Air Line 3-23-1983
4B – 824	1	213.5	215.0	215.2	217.1	215.4	+14.6	460	450	460	450	466	446	464	441	455	454	
4C – 824	5	219.2	220.8	221.4	224.0	221.7	+18.3	205	205	200	200	210	201	224	210	210	210	
5B – 823	4	AIR LINE PLUGGED			263.3	263.8	+16.2	360	340	350	340	339	333	365	328	349	348	
5C – 823	4	257.4		260.5	257.1	259.4	+20.6	225	220	220	220	217	215	212	211	215	212	
5A – 825	7	AIR LINE PLUGGED			214.3	213.2	+16.8	545	530	550	545	542	524	546	538	541	519	
5B – 825	7	222.2	220.7	Air Line Leaks to bad		? to read 221.0	? +9.0	260	255	260	250	260	260	260	258	260	250	
6A – 824	1	245.6	241.3	245.4	247.4	247.1	+3.9	540	515	545	511	534	522	565	531	540	534	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1983

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1979	1980	1981	1982	1983	Distance From Bowls ±	INCHES 1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	REMARKS
6B - 824	2	251.6	249.4	255.2	251.6	252.3	+7.7	315	300	315	300	306	300	307	302	316	302	
6C - 824	5	Air Line Leaks to bad			218.3	212.4	+17.6	100	95	100	95	95	95	95	95	98	95	
6A - 825	7	178.1	178.1	182.2	182.6	180.9	+19.1	315	305	315	305	305	301	325	317	327	315	
6B - 825	7	178.8	178.3	181.7	182.8	181.1	+18.9	150	140	150	150	145	145	184	184	186	186	Last of Season
6A - 923	1	209.1	210.2	212.4	212.2	191.6	+8.4	460	450	455	445	451	447	449	443	450	442	
6B - 923	4	171.9	170.6	173.3	171.6	172.0	+8.0	290	280	280	275	285	277	286	279	285	278	
7B - 824	1	191.5	188.5	193.7	195.1	193.9	+11.1	450	430	440	440	435	400	460	427	460	416	8-1-83
7A - 922	5			331.1	340.6	334.0	+26.0	460	405	460	410	464	383	465	282	468	412	
7B - 922	5	295.2	302.2	307.5	308.3	300.5	+9.5	410	395	415	400	410	403	407	382	445	435	
8A - 823	1	248.6	250.4	NO AIR LINE				470	450	455	450	463	454	461	458	462	460	
8A - 824	1	186.4	Not sure on measure	197.3	198.6	196.3	+5.7	400	385	400	385	376	370	383	370	390	371	
9A - 922	5	268.6	267.6	276.5	275.7	Air Line Leaks	+14.3	350	350	355	350	355	350	443	427	444	444	One Reading 6-3-83
9B - 922	5	277.6	Air Line Plugged					235	225	230	225	222	220	227	224	231	223	
10A - 823	3			224.9	225.2	224.4	+15.6	195	185	190	185	192	189	196	184	198	189	
10B - 823	3	233.0	232.1	234.7	235.5	228.9	+31.1	120	110	120	114	121	113	121	116	128	123	D.H.
10A - 824	1				188.0	186.9	+23.1	475	460	470	460	475	462	467	440	460	332	
10B - 824	1			174.8	175.2	173.6	+11.4	340	330	340	330	346	332	334	327	340	332	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1983

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1979	1980	1981	1982	1983	Distance From Bowls ±	INCHES 1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	REMARKS
10C - 824 5	173.5	177.1		179.6	177.5	+22.5	300	295	295	289	294	285	288	282	291	285	
10A - 922 5	238.2	233.3	246.3	240.0	237.7	+12.3	215	205	220	215	205	197	195	185	205	190	D.H.
11A - 824 1	183.8	185.5	189.6	Air Line Leaks too much	190.0?	+5.0?	545	535	535	520	534	520	530	527	542	535	
11B - 824 2	181.8	183.4	185.8	185.1	183.8	+16.2	205	200	200	200	200	196	200	194	201	195	
11C - 824 2	174.6	176.7	178.8	191.0	179.4	+20.6?	285	270	275	275	278	270	279	202	299	281	
11A - 825 7	183.8		188.8	188.4		+8.8	310	310	310	310	354	330	330	330			D.H. No Readings in 1983
11B - 922 4	229.2	231.3	WATER BELOW AIRLINE	252.8	251.2	-1.2	215	205	210	205	210	201	228	173	227	219	
11C - 922 4				214.6	214.0?	+36.0?	245	235	240	240	241	238	243	226	245	235	
12A - 823 3	AIR LINE DOESN'T WORK					?	380	365	390	380	365	358	354	341	370	357	
12B - 823 3			232.7		232.7	+14.3	160	160	150	140	159	142	152	143	162	158	
12C - 823 3	218.2	219.1		223.4	223.0	+17.0	455	455	470	455	469	438	470	459	462	462	One Reading in 1983
12D - 823 3					224.6	+25.4	195	180	195	190	195	168	200	178	187	174	
12A - 824 3	165.9	166.6	169.0	165.8	166.0?	+30.0?	295	294	295	295	320	300	310	310			D.H. No Readings in 1983
12A - 825 7	203.0	204.9	204.6	206.0	205.3	+14.7	510	485	500	455	500	490	491	485	491	485	
12B - 825 7				210.3	202.6	+7.4	385	375	390	380	380	377	386	377	403	390	
13A - 824 2	171.5	171.7	174.7	175.5	174.0	+26.0	605	595	595	590	620	555	590	533	594	580	D.H.
13B - 824 2	171.2	171.4	176.4	175.0	173.4	+6.6	275	255	275	260	274	260	255	255	266	254	D.H.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1983

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1979	1980	1981	1982	1983	Distance From Bowls ±	INCHES 1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	REMARKS
13A - 825 5	169.05	171.3		173.8	171.5	+18.5	150	140	145	140	145	132	135	128	137	133	D.H.
14A - 823 3	217.2	213.8	221.0	221.8	219.3	+20.7	365	355	365	355	353	341	348	334	350	336	
14B - 823 3	219.9	?	229.3	228.8	231.4	-11.4	145	140	145	140	147	143	145	137			No Readings in 1983
14A - 824 1	148.8	149.4	152.9	152.7	149.2	+10.8	425	415	425	420	423	413	424	419	428	422	
14C - 825 7	174.5	176.2	178.4	178.6	176.8	+23.2	140	135	140	135	141	135	137	134	141	135	
15A - 823 3	226.5	224.8	227.8	228.8	229.3	+20.7	520	495	515	500	521	502	518	491	520	510	
15B - 823 3	230.0	230.4	233.9	235.5	233.8	+26.2	240	225	235	225	239	234	236	231	232	232	1983 - Two readings Both same- 4/27-5/27
15D - 823 4	211.2	210.6	210.6	213.7	212.3	+17.7	120	110	115	110	119	110	115	112	119	115	
15A - 824 1			168.8	169.0	167.2	+22.8	305	298	310	300	308	283	308	294	304	293	
15A - 825 5				172.7	171.7	+18.3	535	530	525	520	518	512	529	519	535	526	
15B - 825 5	166.8	168.1	170.0	170.7	169.2	+10.8	200	200	200	190	195	190	186	179	184	183	
15A - 922 5				286.3	284.3	+15.7	100	95	95	90	95	90	108	85	95	83	D.H.
15B - 922 5	AIR LINE PLUGGED			252.0			110	105	110	110	108	105	110	106	108	103	D.H.
17A - 823 4	213.3	212.0		216.4	PLUGGED 220.0?	+20.0?	340	330	335	330	341	330	334	334	338	331	
17B - 823 4	217.8	216.5		221.2	219.3	+20.7	140	140	145	140	152	139	147	144	147	146	
17C - 823 1	245.4	242.8	246.3	242.9	242.8	+17.2	115	110	110	110	112	108	112	106	112	108	
17A - 825 5	147.1	146.7	147.7	150.0	148.6	+11.4	465	435	460	445	459	440	457	442	454	440	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1983

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1979	1980	1981	1982	1983	Distance From Bowls ±	INCHES 1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	REMARKS
18A – 824	1	204.1	201.5	206.7	207.7	205.8	+6.2	495	475	480	447	485	472	530	487	500	487	
18A – 922	5	268.3	267.2	270.3	271.0	271.8	+5.2	315	310	320	320	315	308	315	308	316	312	
18B – 922	5	267.7	266.7	269.1	269.7	270.4	+9.6	135	135	140	140	142	142	142	137	142		One Reading 4-22-83
19A – 823	4	233.6	229.3	234.7	235.2	234.3	+15.7	370	360	370	365	371	361	366	361	366	360	
19B – 823	4	231.4	226.9	232.1	232.8	231.2	+18.8	195	195	195	185	195	193	195	190	189	185	
19A – 825	2	139.0	139.7	141.6	142.0	140.6	+19.4	520	505	515	505	514	500	512	504	513	507	
19B – 825	2	141.9	142.0	144.1	144.1	142.2	+17.8	315	305	315	305	313	309	305	304	314		One Reading 8-22-83
19C – 825	3	144.7	146.0	147.3	147.7	148.0?	+12.0?	370	360	360	360	357	351	358	350	354	341	Air Line Leaks
19D – 825	3	148.4	149.4	151.1	150.7	150.0?	+10.0?	325	315	350	335	345	330	320	320	320		One Reading 8-8-83
19A – 922	6	320.5	318.8	321.4	324.8	325.0	-5.0	230	225	230	220	226	220	226	218	223	213	Back Flushing up to 217"
20A – 922	5	282.3	283.4	286.5	289.7	290.4	+69.6	355	240	335	295	355	243	391	290	372	321?	Question on 321
21A – 823	4	208.6	207.9	211.0	207.7	208.9	+11.1	385	380	380	375	386	376	388	379	387	380	
21A – 824	1	155.4	156.7	158.2	159.5	157.6	+24.4	570	545	590	565	573	520	564	555	559	545	
21B – 824	2	164.3	166.2	168.4	169.3	166.2	+13.8	370	360	365	360	379	358	359	350	369	356	
21A – 825	5	143.2	144.6	146.4	146.6	145.2	+14.8	445	435	450	430	431	422	434	432	437	428	
22A – 724	7				219.7	221.8	+8.2	135	135	135	135	128	121	123	114	110		Water being restricted by private pump – D.H.
22B – 724	7	234.1	234.6	239.3	239.7	240.0?	+10.0	340	325	335	325	332	320	328	319	331	325	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1983

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1979	1980	1981	1982	1983	Distance From Bowls ±	INCHES 1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	REMARKS
22C - 724 7	209.2	212.0	214.7	214.9	213.1	+16.9	340	320	330	315	335	325	336	317	340	326	
22A - 821 6	321.0	322.0	322.4	223.3	322.3	+17.7	340	329	345	330	336	326	327	325	334	330	
22A - 823 4		212.6		211.8	212.2	+17.7	360	354	355	355	359	353	357	357	356	350	
22A - 824 2	154.2	156.7	157.9		156.3	+23.7	345	340	350	345	340	327	339	332	339	335	
22A - 922 5	283.6	286.2		287.6	286.6	+13.4	105	100	105	105	108	105	112	105	105	103	
23A - 724 7				224.4	223.5	+16.5	270	270	270	270	324	304	355	338			D.H. No Readings in 1983
23A - 823 4	216.3	212.9	220.4	219.8	218.5	+11.5	345	240	335	335	340	336	343	323	339	334	
23B - 823 4	215.5	212.5	218.6	218.6	217.4	+12.6	140	135	135	130	135	135	135	134	136	136	Early Readings 4-23 - 5-16 1983
23A - 824 2	HAVE NOT BEEN ABLE TO OPEN PUMP						525	525	525	525	525	525	525	525			No Readings in 1983
23A - 825 5	180.1	181.5	183.4	184.7	182.4	+17.6	375	365	370	370	370	361	378	357			No Readings in 1983
23B - 825 5	176.4	177.2	179.1	180.0	178.2	+21.8	385	375	385	375	385	371	370	369	375	373	
24A - 821 6	325.0	328.3	329.2	330.1	328.6	+21.4	100	95	100	90	91	89	97	88	95	88	
24A - 823 3	WATER BELOW AIR LINE				184.9	+15.1	480	475	480	475	508	480	482	471	487	462	
24B - 823 3	167.0	166.9	168.4	169.0	166.8	+13.2	340	335	340	330	330	320	341	336	345	332	
24C - 823 1				167.6	167.6?	+12.4?	375	360	385	375	371	342	361	354	368		One Reading 4-20-83
24A - 825 5	170.5	172.4	174.2	174.6	174.6?	+15.4?	270	260	275	270	260	259	267	263			No Readings in 1983
25A - 823 3			160.1	160.1	159.0	+21.0	185	175	180	175	180	176	180	172	184	168?	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1983

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

Part 2

Well Number and Group Number	Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
	1979	1980	1981	1982	1983		1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	
26A - 724 7	211.0	210.7	214.7	214.3	213.3	+17.7	325	320	325	315	328	317	322	317	319	312	
26B - 724 7	203.3	203.8	207.1	207.7	204.1	+5.9	140	135	135	130	133	130	133	126	110	107	D.H.
26A - 821 6	347.5	348.8	348.7	351.1	349.5	+20.5	250	245	265	260	272	258	271	252	274	252	
26B - 821 6	AIR LINE PLUGGED						335	330	345	325	344	331	339	330	343	331	
26A - 823 4	179.3	180.7	182.4	182.7	179.9	+10.1	220	220	225	220	230	222	224	218	222	216	
26A - 824 2	137.4	138.9	CANNOT	READ	142.0?	+18.0?	495	490	495	465	519	507	519	506	504		One Reading in 1983 D.H.
27A - 725 7	222.4	222.9	224.6	225.3	225.3?	+14.7?	155	150	160	150	155	155	145	145	147	140	D.H.
27A - 823 1	208.5			212.6	210.7	+19.3	280	270	275	270	271	269	272	267	275	267	
27B - 823 4	183.2	180.8	180.5	187.9	183.8	+16.2	255	230	200	195	201	294	200	192	198	196	
27C - 823 1	203.7	204.2	204.8	203.4	203.8	+12.2	210	200	240	235	247	233	238	232	245	233	
28A - 724 7				232.3	231.3	+18.7	325	215	330	320	314	314	328	313	321	312	
28B - 724 7	227.9	228.5	231.2	231.9	230.2	+19.8	175	170	180	175	178	174	173	163	168	168	
28A - 823 4	199.3	201.2	206.5	201.9	202.1	+17.9	540	510	535	520	535	520	535	529	535	522	
28B - 823 4				200.2	201.6	+18.4	315	305	315	305	314	290	321	310	314	307	
28C - 823 4	195.3	195.4	197.5	196.7	196.7?	+13.3?	275	270	285	270	279	271	270	246	242	222?	D.H. Question on 222
28A - 922 6			281.5	280.8	282.4	+17.6	130	130	130	130	130	108	130	126	128	124	
29A - 725 7	254.9	255.4	257.0	257.9	256.1	+13.9	230	225	230	210	228	220	230	218	227	220	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1983

D.H. - Direct Hookup

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1979	1980	1981	1982	1983	Distance From Bowls ±	INCHES 1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	REMARKS
29A - 823	4	208.0	209.2	210.6	210.3	208.8	+11.2	495	440	500	490	500	495	500	496	506	487	
29B - 823	4					204.8	+15.2	195	185	200	185	190	190	190	169	190	170	
29A - 824	3	135.9	137.1	140.5	140.5	140.5?	-.5?	270	260	270	260	261	254	259	250	314	308	
30A - 724	3	265.5	268.9	271.1	270.2	269.6	+10.4	375	360	375	360	380	361	365	357	369	368	
30B - 724	3	265.4	269.4	271.8	271.2	271.2	+8.8	265	265	265	265	279	260	279	262	266		One Reading in 1983
30A - 725	7	243.4	243.7	246.4	247.7	245.3	+14.7	365	355	365	355	353	350	356	351	363	351	
30A - 822	6	294.9	303.1	306.6	299.5	295.8	+24.2	180	170	170	170	173	169	191	181	189	182	
30A - 824	3	162.8	164.8	166.3	163.4	164.0	+16.0	300	295	305	304	305	305	265	259			D.H. No Readings in 1983
30B - 824	3	139.3	139.5	142.6	141.6	141.4	+18.6	170	170	170	170	171	170	171	170	172		D.H. One Reading in 1983
30A - 922	6		322.9	AIR LINE PLUGGED				360	353	430	349	414	411	419	407	418	416	Two Readings in 1983
31A - 724	2	251.0	258.2	260.4	260.4	260.4	+39.6	205	205	205	204	211	201	204	192	222	209	
31A - 725	7	196.3	198.9	201.7	201.0	200.7	+19.3	235	215	235	229	234	230	234	228	236	229	
31A - 823	4	190.3	187.5	193.3	205.4	195.5	+34.5	340	335	340	330	337	329	334	321	361	356	
31A - 824	3	176.1	175.8	179.3	179.8	176.7	+23.3	465	455	465	455	460	453	468	458	467	457	
31B - 824	3			179.5	179.7	178.0	+22.0	220	210	215	210	208	208	212	208	211	211	
32A - 724	2	230.5	230.6	233.0	232.7	231.1	+8.9	450	435	445	425	439	426	438	431	439	430	
32B - 724	2	224.4	225.2	226.8	228.1	225.0	+15.0	275	265	285	275	290	280	281	275	299	282	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1983

D.H. - Direct Hookup

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1979	1980	1981	1982	1983	Distance From Bowls ±	INCHES 1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	REMARKS
32A - 725	7	197.5	200.8	204.1	203.1	205.1	+14.9	225	220	225	220	223	214	216	212	221	212	
33A - 724	2	218.4	219.4		223.9	222.1	+17.9	310	300	305	300	307	300	310	300	304	300	
33B - 724	7	224.8	225.2		229.1	229.0	+11.0	245	230	240	235	245	242	244	244	243	238	
33A - 725	7	AIR LINE LEAKS						350	330	340	330	341	330	336	333			No Readings in 1983
33B - 922	6					295.5	-5.5	235	235	290	285	285	264	285	280	289	267	
33C - 922	6	281.2	284.3	288.8	AIR LINE BY WIRE	300.0?	+10.0?	165	165	170	160	168	160	170	168	173		One Reading in 1983
34A - 723	3	249.7	252.2	255.0	254.5	250.1	+19.9	370	350	360	360	351	348	352	347	354	349	
34B - 723	3	248.5	249.0	252.3	248.7	247.3	+32.7	160	150	150	150	150	150	150	147	170	168	
34A - 724	2	202.5	202.3	205.7	206.9	204.0	+16.0	385	363	385	370	389	363	378	351	378	358	
34A - 725	7	233.6	236.6	237.4	239.7	236.5	+3.5	355	350	355	350	351	345	357	344	358	347	
34A - 823	4	161.5	159.2	163.3	163.4	163.7	+16.3	210	205	215	210	218	207	217	204	210	202	
35A - 724	2	217.5	219.3		222.1	220.1	+19.9	420	410	420	410	420	419	428	406	411	408	
35B - 724	2	208.0	209.7		211.5	209.0	+11.0	190	185	185	185	189	187	190	180	179		One Reading in 1983
35A - 821	6	321.9	323.0	324.6	325.0	324.2	+15.8	285	275	275	273	279	270	279	274	280	269	
35B - 821	6	327.5	WATER BELOW AIR LINE		326.8	339.2	+20.8	265	260	275	275	260	260	255	252	290	276	
35C - 821	6	337.8	338.6	340.3	341.3	340.1	+19.9	315	315	315	135	322	313	322	313	319	313	
35D - 821	6	328.5	329.0	331.0	329.1	329.0	+21.0	340	335	340	340	336	328	341	334	337	321	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1983

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1979	1980	1981	1982	1983	Distance From Bowls ±	INCHES 1979 High	1979 Low	1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	REMARKS
35A – 822 4	213.6	217.6		219.9	219.0	+1.0	475	465	470	465	464	463	476	471	482	477	
35B – 822 4				220.2	219.4	+20.6	255	245	250	245	245	245	263	245	*254	248	
35C – 822 5	261.8?	258.0		262.9	254.5	+5.5	150	145	150	150	164	155	164	145	198	160	D.H. QUESTION THIS READING
35A – 823 4	172.7			174.9	173.3	+6.7	410	405	410	405	414	407	416	396	408	403	
35B – 823 4	158.8	159.1	160.1	160.8	160.9	+19.1	110	105	110	105	105	101	102	96	110	103	D.H.
35C – 823 4	161.5	162.7	163.6	165.2	165.2?	+14.8	195	180	190	180	189	184	187	170	185	180	
35D – 823 4	154.2	156.4		158.1	155.9	+34.1	100	95	100	95	97	91	100	94			D.H. NO READINGS IN 1983

A & B IRRIGATION DISTRICT - Rupert, Idaho

1984

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls ±	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
1A-823	3	267.9	271.4	271.0	262.6	256.7	+ 33.3	490	475	479	479	499	478	477	464	487	464	
1B-823	3	255.4	259.3	258.6	258.1	254.2	+ 15.8	335	320	325	320	334	321	325	313	329	328	Three readings
1C-823	3	233.3	235.0	234.0	233.3	230.7	+ 9.3	380	370	375	368	382	375	375	361	375	368	
1A-824	3	NOT ABLE TO GET PUMP OPEN				184.2	+ 15.8	375	370	365	362	365	365	388	388	374	367	
1A-921	6	343.3	341.5	345.9	345.8	339.2	+ 20.8	325	310	363	351	366	340	369	357	365	Booster off 330	D.H.- Private Pump Restricts
2A-823	3		237.4	238.6	236.2	232.7	+ 17.3	255	255	265	258	265	261	267	260	263	262	Three readings
2A-824	5	178.8	181.2	181.1	180.8	176.5	+ 13.5	100	100	102	99	101	100	101	99	103	100	D.H.
2A-923	4	158.4	159.8	160.3	158.6	157.2	+ 27.5	135	125	126	120	126	117	127	122	126	119	
2A-1021	6	AIR LINE OUT OF WATER						230	210	236	229	236	229	239	239	238	229	
3A-824	2	203.3	207.4	209.1	206.2	203.6	+16.4	465	445	463	461	464	440	460	445	460	455	Two readings single
3B-824	2	200.7	204.9	207.1	203.6	201.0	+ 19.0	230	215	233	222	220	215	226	217	230	225	
3A-825	7	226.7	228.6	228.0	227.1	228.0	+ 32.0	355	355	345	345	350	350	365	345	408	398	
3B-825	7	227.9	229.5	229.7	228.4	226.6	+ 23.4	370	365	372	365	365	361	377	365	373	373	One reading single
3C-825	7	226.4	229.6	229.6	228.6	225.3	+ 14.7	290	280	280	271	283	280	274	272	282	280	
3D-825	7	219.9	222.1	222.5	221.5	218.5	+ 31.5	200	195	184	180	197	190	195	185	198	192	
3E-825	7	223.8	224.8	224.9	224.2	221.4	+ 18.6	235	235	231	227	234	229	237	226	238	232	
3A-921	6	319.1		320.6	320.3	318.3	+ 11.7	120	115	123	120	123	120	122	106	111	107	D.H. Three readings Private pump restricts

D.H. - Direct Hookup

A & B IRRIGATION DISTRICT - Rupert, Idaho

1984

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls ±	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
3B-921	6	NO AIR LINE			321.9	316.8	+ 33.2	355	340	358	346	351	345	348	343	396	374	
3C-921	5	326.3	328.6	330.1	325.7	325.8	+ 24.2	385	375	380	372	371	361	375	364	396	382	
3A-922	5			246.4	246.3	245.9	+ 24.1	435	430	431	430	430	424	431	424	441	431	
3B-922	5			237.8	246.3	242.5	+ 17.5	300	285	300	292	296	278	291	283	293	292	
3A-923	4	No workable air line		177.3	176.8	175.9	+ 24.1	250	240	265	244	248	241	248	239	244	243	
3B-923	4		161.7	161.9	154.1	152.6	+ 27.4	130	130	135	130	136	125	133	125	131	124	D.H.
3A-1022	6	297.3	300.5	303.4	306.3	307.5	+ 22.5	190	190	193	189	194	189	193	178	184	178	
4A-823	4	248.5	255.4	255.3	252.0	251.1	+ 18.9	495	480	493	481	487	479	490	490	489	489	Two readings
4B-823	4	248.7	254.8	253.6	250.7	249.8	+ 20.2	240	230	251	212	238	229	252	232	267	245	?
4A-824	2	210.6	214.7	214.2	223.9	218.0	+ 22.0	465	445	463	441	463	441	462	451	469	460	
4B-824	1	215.0	215.2	217.1	215.4	214.4	+ 15.6	460	450	466	446	464	441	455	454	458	451	
4C-824	5	220.8	221.4	224.0	221.7	219.7	+ 20.3	200	200	210	201	224	210	210	210	218	209	
5B-823	4	Air line plugged		263.3	263.8	261.7	+ 18.3	350	340	339	333	365	328	349	348	356	342?	
5C-823	4		260.5	257.1	259.4	258.9	+ 21.1	220	220	217	215	212	211	215	212	218	208?	
5A-825	7	Air line plugged		214.3	213.2	211.0	+ 39.0	550	545	542	524	546	538	541	519	565	550	
5B-825	7	220.7	AIR	LINE	NO GOOD		Air Line plugged	260	250	260	260	260	258	260	250	260	260	
6A-824	1	241.3	245.4	247.4	247.1	No air line	No air line	545	511	534	522	565	531	540	534	615	611	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1984

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls ±	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
6B-824	2	249.4	255.2	251.6	252.3	248.2	+ 11.8	315	300	306	300	307	302	316	302	311	302	
6C-824	5	Air Leaked	line	218.3	212.4	209.4	+ 20.6	100	95	95	95	95	95	98	95	98	98	
6A-825	7	178.1	182.2	182.6	180.9	178.3	+ 21.7	315	305	305	301	325	317	327	315	326	320	
6B-825	7	178.3	181.7	182.8	181.1	178.0	+ 22.0	150	150	145	145	184	184	186	186	194	186	
6A-923	1	210.2	212.4	212.2	191.6	189.9	+ 10.1	455	445	451	447	449	443	450	442	448	440	
6B-923	4	170.4	173.3	171.6	172.0	170.6	+ 9.4	280	275	285	277	286	279	285	278	282	282	
7B-824	1	188.5	193.7	195.1	193.9	190.0	+ 15.0	440	440	435	400	460	427	460	416	460	438	
7A-922	5		331.1	340.6	334.0	7-5-84 316.0	+ 44.0	460	410	464	383	465	282	468	412	467	441	Something went wrong with air line 7-5-84
7B-922	5	302.2	307.5	308.3	300.5	297.0	+ 33.0	415	400	410	403	407	382	445	435	445	438	Air line "Question"
8A-823	1	250.4	NO AIR	LINE				455	450	463	454	461	458	462	460	467	454?	New air line 1984
8A-824	1	Not Sure On Measure	197.3	198.6	196.3	194.0	+ 28.0	400	385	376	370	383	370	390	371	388	376	
9A-922	5	267.6	276.5	275.7	Air Line Leaks			355	350	355	350	443	427	One Reading 6-3 444	444	449	436	No reading during peak New air line 1984
9B-922	5	Air	line	plugged				230	225	222	220	227	224	231	223	234	231	Three readings New air line 1984
10A-823	3		224.9	225.2	224.4	220.8	+ 19.2	190	185	192	189	196	184	198	189	196	186	
10B-823	3	232.1	234.7	235.5	228.9	231.2	+ 28.8	120	114	121	113	121	116	128	123	126	121	D.H. Private pump restricts water
10A-824	1			188.0	186.9	184.4	+ 25.6	470	460	475	462	467	440	460	332	460	454	
10B-824	1		174.8	175.2	173.6	171.1	+ 8.9	340	330	346	332	334	327	340	332	334	330	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1984

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls +	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
10C-824	5	177.1		179.6	177.5	175.9	+ 24.1	295	289	294	285	288	282	291	285	285	284	
10A-922	5	233.3	246.3	240.0	237.7	232.0	+ 18.0	220	215	205	197	195	185	205	190	211	211	D.H. one reading
11A-824	1	185.5	189.6	Air too	Line much	Leaks		535	520	534	520	530	527	542	535	540	535	New Air Line 1984
11B-824	2	183.4	185.8	185.1	183.8	181.6	+ 18.4	200	200	200	196	200	194	201	195	200	200	
11C-824	2	176.7	178.8	191.0	179.4	176.4	+ 23.6	275	275	278	270	279	202	299	281	290	288	
11A-825	7		188.8	188.4		185.4	+ 14.6	310	310	354	330	330	330	No Readings		?	?	D.H. Private Pump Restricts Water
11B-922	4	231.3	Water Below Airline	252.8	251.2	237.3	+ 22.7	210	205	210	201	228	173	227	219	229	225	
11C-922	4			214.6	214.0	216.1	+ 33.9	240	240	241	238	243	226	245	235	247	238	
12A-823	3	Air Line Doesn't work						390	380	365	358	354	341	370	357	374	365	
12B-823	3		232.7		232.7	229.5	+ 20.5	150	140	159	142	152	143	162	158	160	156?	
12C-823	3	219.1		223.4	223.0	219.2	+ 20.8	470	455	469	438	470	459	One reading 462	462	477	465	
12D-823	3	Air Line Doesn't work			224.6	220.9	+ 29.1	195	190	195	168	200	178	187	174	191	181	
12A-824	3	166.6	169.0	165.8	166.0	No open Valve		295	295	320	300	310	310	No readings		No readings		D.H. Private Pump Restricts Water
12A-825	7	204.9	204.6	206.0	205.3	202.7	+ 17.3	500	455	500	490	491	485	491	485	491	487	
12B-825	7			210.3	202.6	201.2	+ 28.8	390	380	380	377	386	377	403	390	396	390	
13A-824	2	171.7	174.7	175.5	174.0	171.8	+ 28.2	595	590	620	555	590	533	594	580	601	595	D.H.
13B-824	2	171.4	176.4	175.0	173.4	171.8	+ 28.2	275	260	274	260	255	255	266	254	266	260	D.H. One reading single

A & B IRRIGATION DISTRICT – Rupert, Idaho

1984

D.H. – Direct Hookup

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls ±	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
13A-825	5	171.3		173.8	171.5	168.5	+ 21.5	145	140	145	132	135	128	137	133	140	135	D.H.
14A-823	3	213.8	221.0	Air line Leaks 221.8	219.3	? 223.7	+ 16.3?	365	355	353	341	348	334	350	336	348	340	Not Sure on air line
14B-823	3	?	229.3	Air line Leaks 228.8	231.4	? 228.0	+ 12.0?	145	140	147	143	145	137	No Readings		147	139	New Air line 1984
14A-824	1	149.4	152.9	152.7	149.2	149.1	+ 10.9	425	420	423	413	424	419	428	422	428	427	
14C-825	7	176.2	178.4	178.6	176.8	174.9	+ 25.1	140	135	141	135	137	134	141	135	141	140	
15A-823	3	224.8	227.8	228.8	229.3	226.2	+ 23.8	515	500	521	502	518	491	520	510	518	510	
15B-823	3	230.4	233.9	235.5	233.8	229.7	+ 30.3	235	225	239	234	236	231	232	232	240	224?	
15D-823	4	210.6	210.6	213.7	212.3	208.9	+ 21.1	115	110	119	110	115	112	119	115	119	119	
15A-824	1		168.8	169.0	167.2	164.9	+ 25.1	310	300	308	285	308	294	304	293	313	307	
15A-825	5			172.7	171.7	168.7	+ 21.3	525	520	518	512	529	519	535	526	531	524	No reading in peak single
15B-825	5	168.1	170.0	170.7	169.2	166.6	+ 13.4	200	190	195	190	186	179	184	183	195	186	One readings single
15A-922	5			286.3	284.3	278.7	+ 21.3	95	90	95	90	108	85	95	83	90	86	D.H.
15B-922	5	Air line plugged		252.0				110	110	108	105	110	106	108	103	114	105	D.H.
17A-823	4	212.0		216.4	plugged ?	212.0	+ 28.0?	335	330	341	330	334	334	338	331	340	332	New air line 1984
17B-823	4	216.5		221.2	219.3	218.5	+ 21.5	145	140	152	139	147	144	147	146	154?	137?	
17C-823	1	242.8	246.3	242.9	242.8	240.7	+ 19.3	110	110	112	108	112	106	112	108	112	112	
17A-825	5	146.7	147.7	150.0	148.6	145.7	+ 14.3	460	445	459	440	457	442	454	440	452	439?	Some cases all water is not accounted for

A & B IRRIGATION DISTRICT - Rupert, Idaho

1984

D.H. - Direct Hookup

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls ±	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
18A-824	1	201.5	206.7	207.7	205.8	202.4	+ 29.6	480	447	485	472	530	487	500	487	502	494	
18A-922	5	267.2	270.3	271.0	271.8	265.4	+ 14.6	320	320	315	308	315	308	316	312	319	315	
18B-922	5	266.7	269.1	269.7	270.4	265.1	+ 14.9	140	140	142	142	142	137	142	One Reading	142	140	
19A-823	4	229.3	234.7	235.2	234.3	231.6	+ 18.4	370	365	371	361	366	361	366	360	368	361	
19B-823	4	226.9	232.1	232.8	231.2	229.4	+ 20.6	195	185	195	193	195	190	189	185	195	195	
19A-825	2	139.7	141.6	142.0	140.6	138.6	+ 22.4	515	505	514	500	512	504	513	507	526	526	Two single readings
19B-825	2	142.0	144.1	144.1	142.2	141.2	+ 18.8	315	305	313	309	305	304	314	one reading	320	312	No single from 5/9 to 7/23
19C-825	3	146.0	147.3	147.7	148.0	144.4	+ 15.6	360	360	357	351	358	350	354	341	360	353	Air line leaks
19D-825	3	149.4	151.1	150.7	150.0	147.6	+ 12.4	350	335	345	330	320	320	320	one reading	320	300	
19A-922	6	318.8	321.4	324.8	325.0	324.5	+ 15.5	230	220	226	220	226	218	223	213	231	231	
20A-922	5	283.4	286.5	289.7	290.4	276.2	+ 83.8	355	243	391	290	372	321	372	321 ?	377	368	7-27-84 pumping 342"
21A-823	4	207.9	211.0	207.7	208.9	205.8	+ 14.2	380	375	386	376	388	379	387	380	388	372?	
21A-824	1	156.7	158.2	159.5	157.6	153.8	+ 28.2	590	565	573	520	564	555	559	545	564?	559	One single 7/19
21B-824	2	166.2	168.4	169.3	166.2	166.1	+ 13.9	365	360	379	358	359	350	369	356	371	368	
21A-825	5	144.6	146.4	146.6	145.2	141.7	+ 18.3	450	430	431	422	434	432	437	428	436	426	
22A-724	7			219.7	221.8	3-8-84 214.8	+ 27.2	135	135	128	121	123	114	110		Pulled on 165	123	Water restricted by Private Pump D.H.
22B-724	7	234.6	239.3	239.7	240.0?	225.3	+ 44.7	335	325	332	320	328	319	331	325	342	330	Very hard to get measurement question

A & B IRRIGATION DISTRICT - Rupert, Idaho

1984

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls ±	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
22C-724	7	212.0	214.7	214.9	213.1	210.8	+ 19.2	330	315	335	325	336	317	340	326	334	320	
22A-821	6	322.0	322.4	323.3	322.3	319.1	+ 20.9	345	330	336	326	327	325	334	330	330	324	
22A-823	4	212.6		211.8	212.2	210.2	+ 19.8	355	355	359	353	357	357	356	350	377?	354	
22A-824	2	156.7	157.9		156.3	154.3	+ 25.7	350	345	340	327	339	332	339	335	350	346	
22A-922	5	286.2		287.6	286.6	281.4	+ 18.6	105	105	108	105	112	105	105	103	108	105	
23A-724	7			224.4	223.5	Not open	+ 18.0?	270	270	324	304	355	338	No Readings		No readings		Private pumps restrict water D.H.
23A-823	4	212.9	220.4	219.8	218.5	214.7	+ 15.3	335	335	340	336	343	323	339	334	348	343	
23B-823	4	212.5	218.6	218.6	217.4	214.1	+ 15.9	135	130	135	135	135	134	Early 136	Reading 136	138	130	
23A-824	2	Have not been able to open pump					+ 20.0?	525	525	525	525	525	525	No Reading		No Readings		
23A-825	5	181.5	183.4	184.7	182.4	179.4	+ 20.6	370	370	370	361	378	357	No Reading		367	367	One single reading
23B-825	5	177.2	179.1	180.0	178.2	175.4	+ 24.6	385	375	385	371	370	369	375	373	375	369	
24A-821	6	328.3	329.2	330.1	328.6	325.0	+ 25.0	100	90	91	89	97	88	95	88	112	105	
24A-823	3	Water below air line				185.2	+ 34.8	480	475	508	480	482	471	487	462	531	525	
24B-823	3	166.9	168.4	169.0	166.8	166.2	+ 13.8	340	330	330	320	341	336	345	332	340	340	
24C-823	1			167.6	167.6?	4-24 157.7	+ 22.3	385	375	371	342	361	354	368	one reading	368	354	
24A-825	5	172.4	174.2	174.6	174.6?	169.9	+ 20.1	275	270	260	259	267	263	No reading		263	262	
25A-823	3		160.1	160.1	159.0	157.8	+ 22.2	180	175	180	176	180	172	184	168?	184	172	

A & B IRRIGATION DISTRICT – Rupert, Idaho
1984

D.H. – Direct Hookup

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls ±	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
26A-724	7	210.7	214.7	214.3	213.3	209.9	+ 20.1	325	320	328	317	322	317	319	312	328	320	
26B-724	7	203.8	207.1	207.7	204.1	203.4	+ 26.6	135	130	133	130	133	126	110	107	130	113?	Private pump restricts water - D.H.
26A-821	6	348.8	348.7	351.1	349.5	347.0	+ 23.0	265	260	272	258	271	252	274	252	271	258	
26B-821	1	Air Line Plugged					+ 17.0?*	345	325	344	331	339	330	343	331	343	333?	*Based on "A" pump
26A-823	4	180.7	182.4	182.7	179.9	180.0	+ 10.0	225	220	230	222	224	218	222	216	222	219	
26A-824	2	138.9	Cannot	read	142.0?	137.5	+ 22.5	495	465	519	507	519	506	504	one reading	511	503	Private pump restricts
27A-725	7	222.9	224.6	225.3				160	150	155	155	145	145	147	140	163	140?	Private pump restricts water-new air line '84
27A-823	1			212.6	210.7	206.0	+ 24.0	275	270	271	269	272	267	275	267	278	272	
27B-823	4	180.8	180.5	187.9	183.8	184.4	+ 15.6	200	195	201	194	200	192	198	196	196	195	
27C-823	1	204.2	204.8	203.4	203.8	200.7	+ 19.3	240	235	247	233	238	232	245	233	245	238	
28A-724	7			232.3	231.3	228.5	+ 41.5	330	320	314	314	328	313	321	312	325	321	
28B-724	7	228.5	231.2	231.9	230.2	227.5	+ 22.5	180	175	178	174	173	163	168	168	178	170	
28A-823	4	201.2	206.5	201.9	202.1	199.2	+ 20.8	535	535	535	520	535	529	535	522	535	531	
28B-823	4			200.2	201.6	198.7	+ 21.3	315	305	314	290	321	310	314	307	321	310	
28C-823		195.4	197.5	196.7	196.7	193.4	+ 36.6	285	270	279	271	270	246	242	222	258	224?	Private pump restricts water - D.H.
28A-922			281.5	280.8	282.4	280.5	+ 19.5	130	130	130	108	130	126	128	124	130	122	New air line 1984
29A-725			225.4	257.0	256.1	254.7	+ 35.3	230	210	228	220	230	218	227	220	268	262	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1984

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls ±	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
29A-823	4	209.2	210.6	210.3	208.8	207.4	+ 12.6	500	490	500	495	500	496	506	487	510	500	
29B-823	4				204.8	206.8	+ 13.2	200	185	190	190	190	169	190	170	196	182	
29A-824	3	137.1	140.5	140.5	140.5?	137.6	+ 22.4	270	260	261	254	259	250	314	308	315	309	
30A-724	3	268.9	271.1	270.2	269.6	267.3	+ 12.7	375	360	380	361	365	357	369	368	380	377	
30B-724	3	269.4	271.8	271.2	271.2	267.1	+ 12.9	265	265	279	260	279	262	266	One reading	275	267	
30A-725	7	243.7	246.4	247.7	245.3	242.3	+ 17.7	365	355	353	350	356	351	363	351	355?	353	
30A-822	6	303.1	306.6	299.5	295.8	291.6	+ 28.4	170	170	173	169	191	181	189	182	187	186	
30A-824	3	164.8	166.3	163.4	164.0	pump not open		305	304	305	305	265	259	No readings		No readings		Water restricted by private pump - D.H.
30B-824	3	139.5	142.6	141.6	141.4	140.3	+ 19.7	170	170	171	170	171	170	172	One reading	174	162?	Water Restricted D.H.
30A-922	6		322.9	Air line plugged				430	349?	414	411	419	407	418	416	406	400	Three readings
31A-724	2	258.2	260.4	260.4	260.4	256.6	+ 43.4	205	204	211	201	204	192	222	209	214	209	
31A-725	7	198.9	201.7	201.0	200.7	197.9	+ 22.1	235	229	234	230	234	228	236	229	232	231	
31A-823	4	187.5	193.3	205.4	195.5	193.2	+ 36.8	340	330	337	329	334	321	361	356	366	361	
31A-824	3	175.8	179.3	179.8	176.7	175.9	+ 24.1	465	455	460	453	468	458	467	457	470	464	
31B-824	3		179.5	179.7	178.0	175.8	+ 24.2	215	210	208	208	212	208	211	211	211	211	only reading single was on 5-11-12-14
32A-724	2	230.6	233.0	232.7	231.1	227.9	+ 12.1	445	425	439	426	438	431	439	430	438	434	
32B-724	2	225.2	226.8	228.1	225.0	223.1	+ 16.9	285	275	290	280	281	275	299	282	290	271?	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1984

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls ±	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
32A-725	7	200.8	204.1	203.1	205.1	199.3	+ 20.7	225	220	223	214	216	212	221	212	222	217	
33A-724	2	219.4		223.9	222.1	219.5	+ 20.5	305	300	307	300	310	300	304	300	310	304	No single readings
33B-724	7	225.2		229.1	229.0	225.7	+ 14.3	240	235	245	242	244	244	243	238	250	247	During peak
33A-725	7	Air Line Leaks						340	330	341	330	336	333	No readings		339	336	Air Line Leaks
33B-922	6				295.5	294.8	+ 15.2	290	285	285	264	285	280	289	267	299	296	
33C-922	6		284.3	288.8	air no	line good		170	160	168	160	170	168	173	one reading	169	163	
34A-723	3	252.2	255.0	254.5	250.1	248.6	+ 21.4	360	360	351	348	352	347	354	349	358	346	No single during peak total two
34B-723	3	249.0	252.3	248.7	247.3	245.9	+ 34.1	150	150	150	150	150	147	170	168	164	152 ?	Three readings
34A-724	2	202.3	205.7	206.9	204.0	201.5	+ 18.5	385	370	389	363	378	351	378	358	380	371	Very hard to get accurate readings
34A-725	7	236.6	237.4	239.7	236.5	244.9	+ 35.6	355	350	351	345	357	344	358	347	355	333 ?	Two readings
34A-823	4	159.2	163.3	163.4	163.7	160.3	+ 19.7	215	210	218	207	217	204	210	202	213	205	
35A-724	2	219.3		222.1	220.1	215.4	+ 24.6	420	410	420	419	428	406	411	408	417	405	
35B-724	2	209.7		211.5	209.0	206.9	+ 13.1	185	185	189	187	190	180	179	one reading	191	186	
35A-821	6	323.0	324.6	325.0	324.2	321.6	+ 18.4	275	273	279	270	279	274	280	269	278	274	
35B-821	6	water air	below line	? 326.8	339.2	339.8	+ 20.2	275	275	260	260	255	252	290	276	290	282	No single readings during peak
35C-821	6	338.6	340.3	341.3	340.1	336.8	+ 23.2	315	315	322	313	322	313	319	313	317	311	No single readings during peak
35D-821	6	329.0	331.0	329.1	329.0	328.3	+ 21.7	340	340	336	328	341	328	337	321	334	330	No single readings during peak

A & B IRRIGATION DISTRICT - Rupert, Idaho
1984

D.H. - Direct Hookup

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1980	1981	1982	1983	1984	Distance From Bowls ±	INCHES 1980 High	1980 Low	1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	REMARKS
35A-822	4	217.6		219.9	219.0	215.9	+ 14.1	470	465	464	463	476	471	482	477	488	487	
35B-822	4			220.2	219.4	216.8	+ 23.2	250	245	245	245	263	245	254	248	252	245	
35C-822	5	258.0		262.9	254.5	248.8	+ 31.2	150	150	164	155	164	145	198	160 ?	161	150 ?	private pump restricts water - D.H.
35A-823	4			174.9	173.3	172.6	+ 7.4	410	405	414	407	416	396	408	403	412	405	
35B-823	4	159.1	160.1	160.8	160.9	157.9	+ 22.1	110	105	110	105	105	101	102	96	115	96	Private Pump Restricts water - D.H.
35C-823	4	162.7	163.6	165.2	165.2?	161.5	+ 18.5	190	180	189	184	187	170	185	180	191	186	
35D-823	4	156.4		158.1	155.9	no reading		100	95	97	91	100	94	No readings		93	87	Private pump restricts water - D.H.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
R.W. - Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
	1981	1982	1983	1984	1985		1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	
1A 823 - 3	271.4	271.0	262.6	256.7	253.4	+ 36.6	479	479	499	478	477	464	487	464	487	482	
1B 823 - 3	259.3	258.6	258.1	254.2	251.9	+ 18.1	325	320	334	321	325	313	329	328	328	324	
1C 823 - 3	235.0	234.0	233.3	230.7	229.8	+ 10.2	375	368	382	375	375	361	375	368	375	370	
1A 824 - 3				184.2	182.6	+ 17.4	365	362	365	365	388	388	374	367			
1A 921 - 6	341.5	345.9	345.8	339.2	342.2	+ 17.8	363	351	366	340	369	357	365	Bouyer off 330	363	363	D.H. private pump R.W.
2A 823 - 3	237.4	238.6	236.2	232.7	231.4	+ 18.6	265	258	265	261	267	260	263	262	269	262	
2A 824 - 5	181.2	181.1	180.8	176.5	175.0	+ 15.0	102	99	101	100	101	99	103	100	103	100	D.H.
2A 923 - 4	159.8	160.3	158.6	157.2	154.7	+ 25.3	126	120	126	117	127	122	126	119	126	122	
2A 1021 - 6	AIR	LINE	OUT OF	WATER			236	229	236	229	239	239	238	229	237	234	
3A 824 - 2	207.4	209.1	206.2	203.6	201.4	+ 18.6	463	461	464	440	460	445	460	455	459	453	
3B 824 - 2	204.9	207.1	203.6	201.0	Leaks 199.4	+ 20.6	233	222	220	215	226	217	230	225	227	226	
3A 825 - 7	228.6	228.0	227.1	228.0	225.8	+ 34.2	345	345	350	350	365	345	408	398	400	395	
3B 825 - 7	229.5	229.7	228.4	226.6	224.1	+ 25.9	372	365	365	361	377	365	373	373	374	368	
3C 825 - 7	229.6	229.6	228.6	225.3	5-31 221.4	+ 18.6?	280	271	283	280	274	272	282	280	290	280	
3D 825 - 7	222.1	222.5	221.5	218.5	5-31 214.7	+ 35.3?	184	180	197	190	195	185	198	192	195	187	
3E 825 - 7	224.8	224.9	224.2	221.4	219.8	+ 20.2	231	227	234	229	237	226	238	232	238	232	
3A 921 - 6		320.6	320.3	318.3	317.5	+ 12.5	123	120	123	120	122	106	111	107	114	104	D.H. Private Pump R.W.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
R.W. - Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1981	1982	1983	1984	1985	Distance From Bowls ±	INCHES 1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	REMARKS
3B 921 - 6			321.9	316.8	318.15	+ 31.8	358	346	351	345	348	343	396	374	411	389	
3C 921 - 5	328.6	330.1	325.7	325.8	325.3	+ 24.7	380	372	371	361	375	364	396	382	382	378	
3A 922 - 5		246.4	246.3	245.9	"B" off 243.2	+ 26.8	431	430	430	424	431	424	441	431	439	432	
3B 922 - 5		237.8	246.3	242.5	air line plugged	+ 19.0?	300	292	296	278	291	283	293	292	296	289	
3A 923 - 4		177.3	176.8	175.9	175.3	+ 24.7	265	244	248	241	248	239	244	243	249	240	
3B 923 - 4	161.7	161.9	154.1	152.6	150.7	+ 29.3	135	130	136	125	133	125	131	124	133	125	D.H.
3A 1022 - 6	300.5	303.4	306.3	307.5	301.4	+ 28.6	193	189	194	189	193	178	184	178	189	184	
4A 823 - 4	255.4	255.3	252.0	251.1	250.5	+ 19.5	493	481	487	479	490	490	489	489	500	490	
4B 823 - 4	254.8	253.6	250.7	249.8	249.5	+ 20.5	251	212	238	229	252	232	267	245?	271	260	
4A 824 - 2	214.7	214.2	223.9	218.0	5-31 206.1	+ 33.9?	463	441	463	441	462	451	469	460 -	479	461	
4B 824 - 1	215.2	217.1	215.4	214.4	211.9	+ 18.1	466	446	464	441	455	454	458	451	464?	464?	One single reading
4C 824 - 5	221.4	224.0	221.7	219.7	218.3	+ 21.7	210	201	224	210	210	210	218	209	217	210	
5B 823 - 4		263.3	263.8	261.7	256.8	+ 23.2	339	333	365	328	349	346	356	342?	356	341?	
5C 823 - 4	260.5	257.1	259.4	258.9	5-28 253.8	+ 26.2?	217	215	212	211	215	212	218	208?	214	211	
5A 825 - 7		214.3	213.2	211.0	208.5	+ 41.5	542	524	546	538	541	519?	565	550	561	555	
5B 825 - 7	AIR	LINE	NO	GOOD			260	260	260	258	260	250	260	260	260	260	
6A 824 - 1	NO AIR	LINE			NO FOR	PLACE AIRLINE	534	522	565	531	540	534	615	611	608?	595	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
R.W. - Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1981	1982	1983	1984	1985	Distance From Bowls ±	INCHES 1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	REMARKS
6R 824 - 2	255.2	251.6	252.3	248.2	246.0	+ 14.0	306	300	307	302	316	302	311	302	317	305	
6C 824 - 5		218.3	212.4	209.4	208.7	+ 21.3	95	95	95	95	98	95	98	98	98	98	
6A 825 - 7	182.2	182.6	180.9	178.3	176.5	+ 23.5	305	301	325	317	327	315	326	320	326	314?	
6B 825 - 7	181.7	182.8	181.1	178.0	175.8	+ 24.2	145	145	184	184	186	186	194	186	196	192	
6A 923 - 1	212.4	212.2	191.6	189.9	187.9	+ 12.1	451	447	449	443	450	442	448	440	448	443	
6B 923 - 4	173.3	171.6	172.0	170.6	168.3	+ 11.7	285	277	286	279	285	278	282	282	286	280	
7B 824 - 1	193.7	195.1	193.9	190.0	190.0	+ 15.0	435	400	460	427	460	416	460	438	467	447	
7A 922 - 5	331.1	340.6	334.0	316.0	7-25 air line broke 323.4	+ 37.6	464	383	465	282	468	412	467	441	464	450	Air line broke 7-25-85
7B 922 - 5	307.5	308.3	300.5	297.0	7-30 air line leaks 297.5	+ 32.5	410	403	407	382	445	435	445	438	440	433	Air line question
8A 823 - 1	No air	line	11-28-	84	7-26 247.5	+ 27.5	463	454	461	458	462	460	467	454?	460	450	New Air Line 11-28-84
8A 824 - 1	197.3	198.6	196.3	194.0	8-7 190.6	+ 31.4	376	370	383	370	390	371	388	376	410	375	No allotment New Air line 12-12-84
9A 922 - 5	276.5	275.7	Air Leaks	Line	Unable to get Open valve		355	350	443	427	One reading 63 444	444	449	436	364	360	New air line 11-21-84
9B 922 - 5	Air Line Plugged				273.8	+ 56.2	222	220	227	224	231	223	234	231	238	229	New air line 12-13-84
10A 823 - 3	224.9	225.2	224.4	220.8	215.6	+ 24.4	192	189	196	184	198	189	196	186	189	181	
10B 823 - 3	234.7	235.5	228.9	231.2	226.1	+ 33.9	121	113	121	116	128	123	126	121	126	119	D.H. Private pump R.W.
10A 824 - 1		188.0	186.9	184.4	6-14 180.9	+ 29.1	475	462	467	440	460	332?	460	454	467	457	
10B 824 - 1	174.8	175.2	173.6	171.1	169.5	+ 10.5	345	332	334	327	340	332	334	330	336	330	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
R.W. – Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1981	1982	1983	1984	1985	Distance From Bowls ±	INCHES 1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	REMARKS
10C 824 - 5		179.6	177.5	175.9	173.7	+ 26.3	294	285	288	282	291	285	285	284	294	284	
10A 922 - 5	246.3	240.0	237.7	232.0	Unable to get open	valve	205	297	195	185	205	190	211	211	209	198	
11A 824 - 1	189.6	air to mugh to	line	leaks read	180.7	+ 39.3	534	420	530	527	542	535	540	535	539	522	New air line 11-26-84
11B 824 - 2	185.8	185.1	183.8	181.6	178.9	+ 21.1	200	196	200	194	201	195	200	200	200	200	
11C 824 - 2	178.8	191.0	179.4	176.4	174.2	+ 25.8	278	270	279	202	299	281	290	288	296	292	
11A 825 - 7	188.8	188.4		185.4	182.6	+ 17.4	354	330	330	330	No Readings		?	?	247	241	D.H. Private Pump R.W.
11B 922 - 4		252.8	251.2	237.3	239.6	+ 20.4	210	201	228	173	227	219	229	225	228	223	
11C 922 - 4		214.6	214.0	216.1	215.0	+ 35.0	241	238	243	226	245	235	247	238	241	238	
12A 823 - 3	Air	line	doesn't	work			365	358	354	341	370	357	374	365	383	368?	
12B 823 - 3	232.7		272.7	229.5	225.6	+ 24.4	159	142	152	143	162	158	160	156.	162	159	
12C 823 - 3		223.4	223.0	219.2	218.6	+ 21.4	469	438	470	459	One 462	reading 462	477	465	474	465	
12D 823 - 3			224.6	220.9	220.0	+ 30.0	195	168	200	178	187	174	191	181	203	195	
12A 824 - 3	169.0	165.8	166.0	no open valve	Readings		320	300	310	310	No readings		No readings		One reading 326	326	D.H. Private Pump R.W.
12A 825 - 7	204.6	206.0	205.3	202.7	"B" off 200.5	+ 19.5	500	490	491	485	491	485	491	487	510	491?	
12B 825 - 7		210.3	202.6	201.2	"A" off 197.9	+ 32.1	380	377	386	377	403	390	396	390	403	394	
13A 824 - 2	174.7	175.5	174.0	171.8	170.3	+ 29.7	620	555	590	533	594	480	601	595	Est. 594	594	D.H. One single reading
13B 824 - 2	176.4	175.0	173.4	171.8	170.4	+ 29.6	274	260	255	255	266	254	266	260	260	260	D.H. New air line 4-6-85

A & B IRRIGATION DISTRICT – Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
R.W. - Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1981	1982	1983	1984	1985	Distance From Bowls ±	INCHES 1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	REMARKS
13A 825 - 5		173.8	171.5	168.5	165.0	+ 25.0	145	132	135	128	137	133	140	135	137	136	D.H.
14A 823 - 3	221.0	air 221.8	line leaks ? 219.3	223.7	221.2	+ 18.8	.353	341	348	334	350	336	348	340	349	341	Air line leaks-Not sure on Readings-new air line 11-27-84
14B 823 - 3	229.3	air 228.8	line 231.4	leaks? 228.0	212.0	+ 28.0	147	143	145	137	No readings		147	139	142	137	
14A 824 - 1	152.9	152.7	149.2	149.1	5-28 146.8	+ 13.2	423	413	424	419	428	422	428	427	433	427	
14C 825 - 7	178.4	178.6	176.8	174.9	5-31 170.8	+ 29.2	141	135	137	134	141	135	141	140	137	137	
15A 823 - 3	227.8	228.8	229.3	226.2	5-28 221.1	+ 28.9	521	502	518	491	520	510	518	510	523	520	
15B 823 - 3	233.9	235.5	233.8	229.7	5-28 224.4	+ 35.6	239	234	236	231	232	232	240	224?	240	228?	
15D 823 - 4	210.6	213.7	212.3	208.9	208.2	+ 21.8	119	110	115	112	119	115	119	119	119	112	
15A 824 - 1	168.8	169.0	167.2	164.9	5-28 160.7	+ 29.3	308	285	308	294	304	293	313	307	310	300?	
15A 825 - 5		172.7	171.7	168.7	"B" off 166.6	+ 23.4	518	512	529	519	535	526	531	524	541	525?	
15B 825 - 5	170.0	170.7	169.2	166.6	6-12 163.2	+ 16.8	195	190	186	179	184	183	195	186	183	183?	One single
15A 922 - 5		286.3	284.3	278.7	281.1	+ 18.9	95	90	108	85	95	83	90	86	90	86	D.H.
15B 922 - 5	No	Air	Line				108	105	110	106	108	103	114	105	115	104	D.H.
17A 823 - 4		216.4	Plugged	212.0	215.0	+ 25.0	341	330	334	334	338	331	340	332	341	332	New air line 12-19-84
17B 823 - 4		221.2	219.3	218.5	217.0	+ 23.0	152	139	147	144	147	146	154	137?	148	144	
17C 823 - 1	246.3	242.9	242.8	240.7	235.0	+ 25.0	112	108	112	106	112	108	112	112	115	112	
17A 825 - 5	147.7	150.0	148.6	145.7	141.6	+ 18.4	459	440	457	442	454	440	452	439?	449	443	Some cases all water not accounted for

A & B IRRIGATION DISTRICT - Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
R.W. - Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1981	1982	1983	1984	1985	Distance From Bowls ±	INCHES 1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	REMARKS
18A 824 -1	206.7	207.7	205.8	202.4	200.9	+ 31.1	485	472	530	487	500	487	502	494	513	499	No allotment
18A 922 - 5	270.3	271.0	271.8	265.4	8-22 267.8	+ 12.2	315	308	315	308	316	312	319	315	315	308	
18B 922 - 5	269.1	269.7	270.4	265.1	8-22 267.2	+ 12.8	142	142	142	137	142	one reading	142	140	139	137	Two singles
19A 823 - 4	234.7	235.2	234.3	231.6	230.3	+ 19.7	371	361	366	361	366	360	368	361	362	354	
19B 823 - 4	232.1	232.8	231.2	229.4	227.7	+ 22.3	195	193	195	190	189	185	195	195	190	189	Two singles
19A 825 - 2	141.6	142.0	140.6	138.6	136.6	+ 23.4	514	500	512	504	513	507	526	526	524	513	
19B 825 - 2	144.1	144.1	142.2	141.2	138.9	+ 21.1	313	309	315	305	314	one reading	320	312	320	316	
19C 825 - 3	147.3	147.7	148.0	144.4	142.1	+ 19.0	357	351	358	350	354	341	360	353	360	356	
19D 825 - 3	151.1	150.7	150.0	147.6	146.0	+ 14.0	345	330	320	320	320	one reading	320	300	265	265	New air line 4-12-85
19A 922 - 6	321.4	324.8	325.0	324.5	321.4	+ 18.6	226	220	226	218	223	213	231	231	238	234	
20A 922 - 5	286.5	289.7	290.4	276.2	8-5 277.8	+ 82.2	391	290	372	321	372	321?	377	368	372	360	Most of time Throttled
21A 823 - 4	211.0	207.7	208.9	205.8	unable to get open valve		386	376	388	379	387	380	388	372?	389	377?	
21A 824 - 1	158.2	159.5	157.6	153.8	153.8	+ 28.2	573	520?	564	555	559	545	564	559	568	568	One reading
21B 824 - 2	168.4	169.3	166.2	166.1	164.6	+ 15.4	379	358	359	350	369	356	371	368	374	365?	I don't understand readings
21A 825 - 5	146.4	146.6	145.2	141.7	141.0	+ 19.0	431	422	434	432	437	428	436	426	447	431?	I don't understand Variation
22A 724 - 7		219.7	221.8	214.8	unable to get open valve		128	121	123	114	110		Booster 165	123	two readings 155	155	D.H. Private pump R.W.
22B 724 - 7	239.3	239.7	240.0?	225.3	220.7	+ 49.3	332	320	328	319	331	325	342	330	343	334	Very hard to get accurate water measurement

A & B IRRIGATION DISTRICT - Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
R.W. - Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1981	1982	1983	1984	1985	Distance From Bowls ±	INCHES 1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	REMARKS
22C 724 - 7	214.7	214.9	213.1	210.8	208.5	+ 21.5	335	325	336	317	340	326	334	320	334	329	
22A 821 - 6	322.4	323.3	322.3	319.1	8-9 319.7	+ 20.3	336	326	327	325	334	330	330	324	334	328	
22A 823 - 4		211.8	212.2	210.2	208.8	+ 21.2	359	353	357	357	356	350	377?	354	356	353	
22A 824 - 2	157.9		156.3	154.3	152.9	+ 27.1	340	327	339	332	339	335	350	346	350	340?	3 readings
22A 922 - 5		287.6	286.6	281.4	282.2	+ 17.8	108	105	112	105	105	103	108	105	108	101	
23A 724 - 7		224.4	223.5	Have to open	not been able pump		324	304	355	338	No readings		No readings		287	277	D.H. private pump R.W. ~~pump throttled when allotment taken~~
23A 823 - 4	220.4	219.8	218.5	214.7	215.2	+ 14.8	340	336	343	323	339	334	348	343	349	340	
23B 823 - 4	218.6	218.6	217.4	214.1	214.6	+ 15.4	135	135	135	134	early 136	readings 136	138	130	145	137?	Two singles
23A 824 - 2	Have to	not open	been pump	able	8-13 156.9	+ 23.1	525	525	525	525	No	readings	No	readings	No	reading	No place to run water
23A 825 - 5	183.4	184.7	182.4	179.4	8-7 178.1	+ 21.9	370	361	378	357	No	readings	single 367	readings 367	No	single	No single readings
23B 825 - 5	179.1	180.0	178.2	175.4	8-7 173.8	+ 26.2	385	371	370	369	375	373	375	369	No	single	No single readings
24A 821 - 6	329.2	330.1	328.6	325.0	325.7	+ 24.3	91	89	97	88	95	88	112	105	112	101	
24A 823 - 3	water	below	airline	185.2	unable open	to get valve	508	480	482	471	487	462	531	525	526	514	
24B 823 - 3	168.4	169.0	166.8	166.2	unable open	to get valve	330	320	341	336	345	332	340	340	345	342	
24C 823 - 1		167.6	167.6?	4-24 157.7	9-17 161.5	+ 18.5	371	342	361	354	368	one reading	368	354	362	348?	Something wrong
24A 825 - 5	174.2	174.6	174.6?	169.9	6-12 170.2	+ 19.8	260	259	267	263	no	reading	263	262	274	268	
25A 823 - 3	160.1	160.1	159.0	157.8	156.7	+ 23.3	180	176	180	172	184	168?	184	172	184	172?	I asked for this to be checked-no help

A & B IRRIGATION DISTRICT - Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
R.W. - Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1981	1982	1983	1984	1985	Distance From Bowls ±	INCHES 1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	REMARKS
26A 724 - 7	214.7	214.3	213.3	209.9	208.5	+ 21.5	328	317	322	317	319	312	328	320	326	314	
26B 724 - 7	207.1	207.7	204.1	203.4	unable to get open	valve	133	130	133	126	110	107	130	113?	130	130?	D.H. private pump. R.W. one reading
26A 821 - 6	348.7	351.1	349.5	347.0	347.1	+ 22.9	272	258	271	252	274	252	271	258	264	250	
26B 821 - 1	Air	Line	Plugged				344	331	339	330	343	331	343	333	344	334	
26A 823 - 4	182.4	182.7	179.9	180.0	179.8	+ 10.2	230	222	224	218	222	216	222	219	224	219	
26A 824 - 2			142.0?	137.5	135.5	+ 24.5	519	507	519	506	504	one reading	511	503	510	509	Semi-D.H. Private pump R.W.
27A 725 - 7	224.6	225.3			220.2	+ 19.8	155	155	145	145	147	140	163	140?	two readings 147?	147?	new air line 12-13-84 D.H. private pump R.W.
27A 823 - 1		212.6	210.7	206.0	205.1	+ 24.9	271	269	272	267	275	267	278	272	275	268	
27B 823 - 4	180.5	187.9	183.8	184.4	8-20 183.6	+ 16.4	201	194	220	192	198	196	196	195	205	195	
27C 823 - 1	204.8	203.4	203.8	200.7	8-9 200.7	+ 19.3	247	233	238	232	245	233	245	238	242	239	
28A 724 - 7		232.3	231.3	228.5	6-10 224.7	+ 45.0	314	314	328	313	321	312	325	321	328	325	
28B 724 - 7	231.2	231.9	230.2	227.5	6-10 223.6	+ 26.4	178	174	173	163	168	168	178	170	170	168	
28A 823 - 4	206.5	201.9	202.1	199.2	6-13 195.4	+ 24.6	535	520	535	529	535	522	535	531	537	530	
28B 823 - 4		200.2	201.6	198.7	194.9	+ 25.1	314	290	321	310	314	307	321	310	313	310	
28C 823 - 4	197.5	196.7	196.7	193.4	192.2	+ 37.8	279	271	270	246	242	222	258	224?	255	231	R.W.-hard to get true measure D.H.private pump
28A 922 - 6	281.5	280.8	282.4	280.5	278.1	+ 21.9	130	108	130	126	128	124	130	122	128	120	D.H. private pump new air line 12-14-84
29A 725 - 7	257.0	257.9	256.1	254.7	253.3	+ 36.7	228	220	230	218	227	220	268	262	268	260	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
R.W. – Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1981	1982	1983	1984	1985	Distance From Bowls ±	INCHES 1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	REMARKS
29A 823 - 4	210.6	210.3	208.8	207.4	8-15 206.6	+ 13.4	500	495	500	496	506	487?	510	500	500	495	
29B 823 - 4			204.8	206.8	8-15 206.0	+ 14.0	190	190	190	169	190	170	196	182	190	183	
29A 824 - 3	140.5	140.5	140.5?	137.6	136.2	+ 23.8	261	254	259	250	314	308	315	309	314	310	
30A 724 - 3	271.1	270.2	269.6	267.3	267.3	+ 12.7	380	361	365	357	369	368	380	377	377	370	
30B 724 - 3	271.8	271.2	271.2	267.1	267.7	+ 12.3	279	260	279	262	266	one reading	275	267	269	267	Two singles
30A 725 - 7	246.4	247.7	245.3	242.3	unable to get open valve		353	350	356	351	363	351	355?	353	390	375?	Private pump R.W. D.H.
30A 822 - 6	306.6	299.5	295.8	291.6	9-3 293.2	+ 26.8	173	169	191	181	189	182	187	186	189	183	
30A 824 - 3	166.3	163.4	164.0	not open	161.7	+ 18.3	305	305	265	259	no readings		no readings		279	272	D.H. private pump R.W.
30B 824 - 3	142.6	141.6	141.4	140.3	unable to get open valve		171	170	171	170	172	one readings	174	162?			D.H. private pump R.W. no readings
30A 922 - 6	322.9	air	line	plugged			414	411	419	407	418	416	406	400	419	400	
31A 724 - 2	260.4	260.4	260.4	256.6	256.6	+ 43.4	211	201	204	192	222?	209	214	209	218	212	
31A 725 - 7	201.7	201.0	200.7	197.9	195.0	+ 25.0	234	230	234	228	236	229	232	231	243	231?	
31A 823 - 4	193.3	205.4	195.5	193.2	192.9	+ 37.1	337	329	334	321	361	356	366	361	363	359	one allotment early 5/21
31A 824 - 3	179.3	179.8	176.7	175.9	6-13 172.5	+ 27.5	460	453	468	458	467	457	470	464	468	462	two allot. same day one 6/13-675 & 668
31B 824 - 3	179.5	170.7	178.0	175.8	6-13 172.5	+ 27.5	208	208	212	208	211	211	211	211	211	206	Something wrong
32A 724 - 2	233.0	232.7	231.3	227.9	227.6	+ 12.4	439	426	438	431	439	430	438	434	437	436	No single reading in peak: two in all
32B 724 - 2	226.8	228.1	225.0	223.1	222.6	+ 17.4	290	280	281	275	299	282	290	271?	287	280	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
R.W. – Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1981	1982	1983	1984	1985	Distance From Bowls ±	INCHES 1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	REMARKS
32A 725 - 7	204.1	203.1	205.1	199.3	196.6	+ 23.4	223	214	216	212	221	212	222	217	227	221	
33A 724 - 2		223.9	222.1	219.5	218.7	+ 21.3	307	300	310	300	304	300	310	304	304	301	
33B 724 - 7		229.1	229.0	225.7	225.4	+ 14.6	245	242	244	244	243	238	250	247	245	237	
33A 725 - 7	Air	Line	Leaks	No readings			341	330	336	333	No readings		339	336	350	343	
33B 922 - 6			295.5	294.8	294.2	+ 15.8	285	264	285	280	289	267	299	296	296	est. 296	One single
33C 922 - 6	284.3	288.8	Air line	no	good		168	160	170	168	173	one reading	169	163	164	162	Two singles
34A 723 - 3	255.0	254.5	250.1	248.6	247.7	+ 22.3	351	348	352	347	354	349	358	346	345	336	
34B 723 - 3	252.3	248.7	247.3	245.9	246.5	+ 33.5	150	150	150	147	170	168	164	152?	172	164	
34A 724 - 2	205.7	206.9	204.0	201.5	6-14 198.3	+ 21.7	389	363	378	351	Hard to get accurate readings 378	358	380	371	379	368?	Hard to read
34A 725 - 7	237.4	239.7	236.5	244.9	223.4	+ 36.6	351	345	357	344	358	347	355	333?	360	355	
34A 823 - 4	163.3	163.4	163.7	160.3	159.3	+ 20.7	218	207	217	204	210	202	213	205	211	205	
35A 724 - 2		222.1	220.1	215.4	6-14 208.9	+ 31.1	420	419	428	406	411	408	417	405	427	420	More water on combination than rider gets on single reading combined
35B 724 - 2		211.5	209.0	206.9	6-14 203.5	+ 16.5	189	187	190	180	179	one reading	191	186	195	182	
35A 821 - 6	324.6	325.0	324.2	321.6	322.8	+ 17.2	279	270	279	274	280	269	278	274	289	274?	No allotment
35B 821 - 6	new air line 3-4-83		339.2	339.8	340.6	+ 19.4	260	260	255	252	290	276	290	282	290	270	
35C 821 - 6	340.3	341.3	340.1	336.8	337.8	+ 22.2	322	313	322	313	319	313	317	311	317	305	
35D 821 - 6	331.0	329.1	329.0	328.3	unable to get open	valve	336	328	341	328	337	321	334	330	334	328	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1985

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
R.W. - Restricts Water

Part 2

Well Number and Group Number	Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
	1981	1982	1983	1984	1985		1981 High	1981 Low	1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	
35A 822 - 4		219.9	219.0	215.9	216.1	+ 13.9	464	463	476	471	482	477	488	487	482	481	
35B 822 - 4		220.2	219.4	216.8	216.9	+ 23.1	245	245	263	245	254	248	252	245	252	245	
35C 822 - 5		262.9	254.5	248.8	6-25 248.7	+ 31.3	164	155	164	145	198?	160	161	160	155	148?	D.H. private pump R.W.
35A 823 - 4		174.9	173.3	172.6	172.6	+ 27.4	414	407	416	396	408	403	412	405	410	402	D.H. private pump R.W.
35B 823 - 4	160.1	160.8	160.9	157.9	156.3	+ 23.7	110	105	105	101	102	96	115	96	108	103	
35C 823 - 4	163.6	165.2	165.2?	161.5	160.4	+ 19.6	189	184	187	170	185	180	191	186	199	188	
35D 823 - 4		158.1	155.9	No reading	6-26 152.5	+ 37.5	97	91	100	94	No readings		93	87	99	89	D.H. private pump R.W.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1986

D.H. - Direct Hookup
N.R. - No Reading

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1982	1983	1984	1985	1986	Distance From Bowls ±	INCHES 1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	REMARKS
1A 823	3	271.0	262.6	256.7	253.4	253.5	+36.6	499	478	477	464	487	464	487	482	475	470	
1B 823	3	258.6	258.1	254.2	251.9	251.9	+18.1	334	321	325	313	329	328	328	324	327	324	
1C 823	3	234.0	233.3	230.7	229.8	227.8	+12.2	382	375	375	361	375	368	375	370	382	361	
1A 324	3			184.2	182.6			365	365	388	388	374	367	379	372	379	373	Airline "no good"
1A 921	6	345.9	345.8	339.2	342.2	339.1	+20.9	366	340	369	357	365	330	363	363	363	340	D.H.
2A 823	3	238.6	236.2	232.7	231.4	N.R.	N.R.	265	261	267	260	263	262	269	262	267	264	
2A 824	5	181.1	180.8	176.5	175.0	N.R.	+N.R.	101	100	101	99	103	100	103	100	108	95	D.H.
2A 923	4	160.3	158.6	157.2	154.7	154.2	+25.8	126	117	127	122	126	119	126	122	130	120	
2A 1021	6	airline out of water						236	229	239	239	238	229	237	234	231	221	
3A 824	2	209.1	206.2	203.6	201.4	201.0	+19.0	464	440	460	445	460	455	459	453	466	456	
3B 824	2	207.1	203.6	201.0	199.4	198.8	+21.2	220	215	226	217	230	225	227	226	226	223	
3A 825	7	228.0	227.1	228.0	225.8	224.8	+35.2	350	350	365	345	408	398	400	395	400	400	
3B 825	7	229.7	228.4	226.6	224.1	222.9	+27.1	365	361	377	365	373	373	374	368	378	372	
3C 825	7	229.6	228.6	225.3	221.4	222.8	+17.2	283	280	274	272	282	280	290	280	284	282	
3D 825	7	222.5	221.5	218.5	214.7	216.1	+33.9	197	190	195	185	198	192	195	187	195	195	
3E 825	7	224.9	224.2	221.4	219.8	219.4	+20.6	234	229	237	226	238	232	238	232	240	237	
3A 921	6	320.6	320.3	318.3	317.5	N.R.	N.R.	123	120	122	106	111	107	114	104	103	97	D.H. ??

A & B IRRIGATION DISTRICT - Rupert, Idaho

1986

D.H. - Direct Hookup
N.R. - No Reading

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 19 82	19 83	19 84	19 85	19 86	Distance From Bowls ±	INCHES 1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	REMARKS
3B 921	6		321.9	316.8	318.1	airline	broke	351	345	348	343	396	374	411	389	400	391	airline "no good"
3C 921	6	330.1	325.7	325.8	325.3	324.7	+25.3	371	361	375	364	396	382	382	378	376	374	
3A 922	5	246.4	246.3	245.9	243.2	242.2	+27.8	430	424	431	424	441	431	439	432	441	420	
3B 922	5	237.8	246.3	242.5	airline plugged		N.R.	296	278	291	283	293	292	296	289	278	274	airline "no good"
3A 923	4	177.3	176.8	175.9	175.3	174.0	+26.0	248	241	248	239	244	243	249	240	246	242	
3B 923	4	161.9	154.1	152.6	150.7	149.9	+30.1	136	125	133	125	131	124	133	125	137	128	D.H.
3A 1022	6	303.4	306.3	307.5	301.4	301.1	+28.9	194	189	193	178	184	178	189	184	189	184	
4A 823	4	255.3	252.0	251.1	250.5	248.9	+21.1	487	479	490	490	489	489	500	490	494	489	
4B 823	4	253.6	250.7	249.8	249.5	N.R.	N.R.	238	229	252	232	267	245	271	260	274	265	
4A 824	2	214.2	223.9	218.0	206.1	207.9	+32.1	463	441	462	451	469	460	479	461	481	472	airline "no good"
4B 824	1	217.1	215.4	214.4	211.9	206.8	+23.2	464	441	455	454	458	451	464	464	472	454	
4C 824	5	224.0	221.7	219.7	218.3	208.4	+31.6	224	210	210	210	218	209	217	210	223	215	
5B 823	4	263.3	263.8	261.7	256.8	256.8	+23.2	365	328	349	348	356	342	356	341	354	352	
5C 823	4	257.1	259.4	258.9	253.8	254.0	+26.0	212	211	215	212	218	208	214	211	212	212	
5A 825	7	214.3	213.2	211.0	208.5	208.2	+41.8	546	538	541	519	565	550	561	555	559	535	
5B 825	7	airline no good						260	258	260	250	260	260	260	260	260	250	airline "no good"
6A 824	1	no airline						565	531	540	534	615	611	608	595	586	559	airline "no good" need hole cut in base

A & B IRRIGATION DISTRICT - Rupert, Idaho

1986

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Reading

Part 2

Well Number and Group Number		Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
		19 82	19 83	19 84	19 85	19 86		19 82 High	19 82 Low	19 83 High	19 83 Low	19 84 High	19 84 Low	19 85 High	19 85 Low	1986 High	19 86 Low	
6B 824	2	251.6	252.3	248.2	246.0	245.0	+15.0	307	302	316	302	311	302	317	305	308	296	
6C 824	5	218.3	212.4	209.4	208.7	203.0	+27.0	95	95	98	95	98	98	98	98	98	95	
6A 825	7	182.6	180.9	178.3	176.5	175.3	+24.7	325	317	327	315	326	320	326	314	326	320	
6B 825	7	182.8	181.1	178.0	175.8	174.9	+25.1	184	184	186	186	194	186	196	192	195	195	
6A 923	1	212.2	191.6	189.9	187.9	N.R.	N.R.	449	443	450	442	448	440	448	443	450	444	
6B 923	4	171.6	172.0	170.6	168.3	166.7	+13.3	286	279	285	278	282	282	286	280	286	280	
7B 824	1	195.1	193.9	190.0	190.0	186.5	+18.5	460	427	460	416	460	438	467	447	455	445	
7A 922	5	340.6	334.0	316.0	323.4	airline broke		482	465	468	412	467	441	464	450	470	452	airline "no good"
7B 922	5	308.3	300.5	297.0	297.5	airline leaks		407	382	445	435	445	438	440	433	436	433	
8A 823	1	no airline			247.5	246.0	+34	461	458	462	460	467	454	460	450	401	401	
8A 824	1	198.6	196.3	194.0	190.6	189.5	+32.5	383	370	390	371	388	376	410	375	390	374	
9A 922	5	275.7					N.R.	443	427	444	444	449	436	364	360	357	346	
9B 922	5	airline plugged			273.8		N.R.	227	224	231	223	234	231	238	229	233	224	airline "no good"
10A 823	3	225.2	224.4	220.8	215.6	219.6	+20.9	196	184	198	189	196	186	189	181	190	182	
10B 823	3	235.5	228.9	231.2	226.1	228.6	+31.4	121	116	128	123	126	121	126	119	122	120	D.H.
10A 824	1	188.0	186.9	184.4	180.9	181.6	+28.4	467	440	460	332	460	454	467	457	470	462	
10B 824	1	175.2	173.6	171.1	169.5	168.4	+11.6	334	327	340	332	334	330	336	330	344	336	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1986

D.H. - Direct Hookup
N.R. - No Reading

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 19 82	19 83	19 84	19 85	19 86	Distance From Bowls ±	INCHES 19 82 High	19 82 Low	19 83 High	19 83 Low	19 84 High	19 84 Low	19 85 High	1985 Low	1986 High	1986 Low	REMARKS
10C 824	5	179.6	177.5	175.9	173.7	172.5	+27.5	288	282	291	285	285	284	294	284	295	290	
10A 922	5	240.0	237.7	232.0	airline leaks			195	185	205	190	211	211	209	198	198	190	
11A 824	1				180.7	187.5	+32.5	530	527	542	535	540	535	539	522	524	518	
11B 824	1	185.1	183.8	181.6	178.9	178.4	+21.6	200	194	201	195	200	200	200	200	212	190	
11C 824	3	191.0	179.4	176.4	174.2	173.6	+26.4	279	202	299	281	290	288	296	292	297	293	
11A 825	7	188.4	N.R.	185.4	182.6	182.1	+17.9	330	330					247	241	247	240	D.H.
11B 922	4	252.8	251.2	237.3	239.6	229.8	+30.2	228	173	227	219	229	225	228	223	228	223	
11C 922	4	214.0	214.0	216.1	215.0	209.8	+40.2	243	226	245	235	247	238	241	238	238	234	
12A 823	3	airline does		not work				354	341	370	357	374	365	383	368	381	377	
12B 823	3	N.R.	224.6	229.5	225.6	227.4	+22.6	152	143	162	158	160	156	162	159	N.R.	N.R.	
12C 823	3	223.4	223.0	219.2	218.6	215.9	+24.1	470	459	462	462	477	465	474	465	467	446	
12D 823	3	N.R.	224.6	220.9	220.0	218.4	+31.6	200	178	187	174	191	181	203	195	N.R.	N.R.	
12A 824	3	165.8	166.0	N.R.	N.R.	N.R.	N.R.	310	310	N.R.	N.R.	N.R.	N.R.	326	326	305	305	D.H.
12A 825	7	206.0	205.3	202.7	200.5	N.R.	N.R.	491	485	491	485	491	487	510	491	485	485	
12B 825	7	210.3	202.6	201.2	197.9	N.R.	N.R.	386	377	403	390	396	390	403	394	390	390	
13A 824	2	175.5	174.0	171.8	170.3	168.2	+31.8	590	533	594	480	601	595	594	594	602	594	D.H.
13B 824	2	175.0	173.4	171.8	170.4	168.5	+31.5	255	255	266	254	266	260	260	260	264	260	D.H.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1986

D.H. - Direct Hookup
N.R. - No Reading

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
		19 82	19 83	19 84	19 85	19 86		19 82 High	19 82 Low	19 83 High	19 83 Low	19 84 High	19 84 Low	19 85 High	19 85 Low	19 86 High	19 86 Low	
13A 825	5	173.8	171.8	168.5	165.0	N.R.	N.R.	135	128	137	133	140	135	137	136	N.R.	N.R.	D.H.
14A 823	3	221.8	219.3	223.7	221.2	220.3	+19.7	348	334	350	336	348	340	349	341	348	345	
14B 823	3	228.8	231.4	228.0	212.0	211.1	+28.9	145	137	no reading		147	139	142	137	142	142	
14A 824	1	152.7	149.2	149.1	146.8	146.2	+13.8	424	419	428	422	428	427	433	427	430	417	
14C 825	7	178.6	176.8	174.9	170.8	170.2	+29.8	137	134	141	135	141	140	137	137	145	140	
15A 823	3	228.8	229.3	226.2	221.1	224.1	+25.9	518	491	520	510	518	510	523	520	530	520	
15B 823	3	235.5	233.8	229.7	224.4	227.3	+32.7	236	231	232	232	240	224	240	228	234	230	
15D 823	4	213.7	212.3	208.9	208.2	206.8	+23.2	115	112	119	115	119	119	119	112	115	112	
15A 824	1	169.0	167.2	164.9	160.7	161.2	+28.8	308	294	304	293	313	307	310	300	314	305	
15A 825	5	172.7	171.7	168.7	166.6	165.0	+25.0	529	519	535	526	531	524	541	525	537	530	
15B 825	5	170.7	169.2	166.6	163.2	162.8	+17.2	186	179	184	183	195	186	183	183	183	183	
15A 922	5	286.3	284.3	278.7	281.1	277.0	+23.0	108	85	95	83	90	86	90	86	95	89	D.H.
15B 922	5	no airline						110	106	108	103	114	105	115	104	114	105	D.H.
17A 823	4	216.4	plugged	212.0	215.0	212.1	+27.9	334	334	338	331	340	332	341	332	334	332	new airline 12-19-84
17B 823	4	221.3	219.3	218.5	217.0	213.9	+26.1	147	144	147	146	154	137	148	144	147	147	
17C 823	1	242.9	242.8	240.7	235.0	237.9	+22.1	112	106	112	108	112	112	115	112	112	112	
17A 825	5	150	148.6	145.7	141.6	142.9	+17.1	457	442	454	440	452	439?	449	443	467	445	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1986

D.H. - Direct Hookup
N.R. - No Reading

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 19 82	19 83	19 84	19 85	19 86	Distance From Bowls ±	INCHES 19 82 High	19 82 Low	19 83 High	19 83 Low	19 84 High	19 84 Low	19 85 High	1985 Low	1986 High	19 86 Low	REMARKS
18A 824	1	207.7	205.8	202.4	200.9	199.6	+32.4	530	487	500	487	502	494	513	499	506	494	
18A 922	5	271.0	271.8	265.4	267.8	266.0	+14.0	315	308	316	312	319	315	315	308	315	307	
18B 922	5	269.7	270.4	265.1	267.2	265.5	+14.5	142	137	142	142	142	140	139	137	140	137	
19A 823	4	235.2	234.3	231.6	230.3	228.4	+21.6	366	361	366	360	368	361	362	354	361	359	
19B 823	4	232.8	231.2	229.4	227.7	no reading		195	190	189	185	195	195	190	189	195	195	
19A 825	2	142.0	140.6	138.6	136.6	133.6	+26.4	512	504	513	507	526	526	524	513	518	500	
19B 825	2	144.1	142.2	141.2	138.9	135.8	+24.2	315	305	314	314	320	312	320	316	328	310	
19C 825	3	147.7	148.0	144.4	142.1	airline broke		358	350	354	341	360	353	360	356	357	351	
19D 825	3	150.7	150.0	147.6	146.0	no reading		320	320	320	320	320	300	265	265	279	262	
19A 922	6	324.8	325.0	324.5	321.4	319.4	+20.6	226	218	223	213	231	231	238	234	241	234	
20A 922	5	289.7	290.4	276.2	277.8	274.2	+85.8	372	321	372	321?	377	368	372	360	361	347	
21A 823	4	207.7	208.9	205.8	N.R.	202.7	+17.3	388	379	387	380	388	372	389	377	390	380	
21A 824	1	159.5	157.6	153.8	153.8	152.2	+29.8	564	555	559	545	564	559	568	568	577	554	
21B 824	2	169.3	166.2	166.1	164.6	161.5	+18.5	359	350	369	356	371	368	374	365	373	361	
21A 825	5	146.6	145.2	141.7	141.0	139.5	+20.5	434	432	437	428	436	426	447	431	447	440	
22A 724	7	219.7	221.8	214.8	N.R.	214.5	+27.5	123	114	110	110	165	123	155	155	153	128	D.H.
22B 724	7	239.7	240.0	225.3	220.7	221.6	+48.4	328	319	331	325	342	330	343	334	348	341	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1986

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Reading

Part 2

Well Number and Group Number		Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
		19 82	19 83	19 84	19 85	19 86		19 82 High	19 82 Low	1983 High	1983 Low	19 84 High	19 84 Low	19 85 High	19 85 Low	1986 High	1986 Low	
22C 724	7	214.9	213.1	210.8	208.5	N.R.	N.R.	336	317	340	326	334	320	334	329	349	328	
22A 821	6	323.3	322.3	319.1	319.7	N.R.	N.R.	327	325	334	330	330	324	334	328	325	325	
22A 823	4	211.8	212.2	210.2	208.8	N.R.	N.R.	357	357	356	350	377	354	356	353	357	356	
22A 824	2	N.R.	156.3	154.3	152.9	150.7	+29.3	339	332	339	335	350	346	350	340	No Reading		
22A 922	5	287.6	286.6	281.4	282.2	282.5	+17.5	112	105	105	103	108	105	108	101	108	102	
23A 724	7	224.4	223.5	N.R.	N.R.	N.R.	N.R.	355	338	N.R.	N.R.	N.R.	N.R.	287	277	250	250	D.H.
23A 823	4	219.8	218.5	214.7	215.2	212.4	+17.6	343	323	339	334	348	343	349	340	351	351	
23B 823	4	218.6	217.4	214.1	214.6	211.9	+18.1	135	134	136	136	138	130	145	137	142	137	
23A 824	2	N.R.	N.R.	N.R.	156.9	155.3	+24.7	525	525	N.R.	N.R.	N.R.	N.R.	N.R.	N.R.	530	518	
23A 825	5	184.7	182.4	179.4	178.1	176.4	+23.6	378	357	N.R.	N.R.	367	367	N.R.	N.R.	N.R.	N.R.	
23B 825	5	180.0	178.2	175.4	173.8	172.3	+27.7	370	369	375	373	375	369	N.R.	N.R.	374	373	
24A 821	6	330.1	328.6	325.0	325.7	N.R.	N.R.	97	88	95	88	112	105	112	101	113	101	
24A 823	3	N.R.	N.R.	185.2	N.R.	177.2	+42.8	482	471	487	462	531	525	526	514	530	520	
24B 823	3	169.0	166.8	166.2	161.4	160.5	+19.5	341	336	345	332	340	340	345	342	348	337	
24C 823	1	167.6	167.6	157.7	161.5	159.3	+20.7	361	354	368	368	368	354	362	348	361	348	
24A 825	5	174.6	174.6	169.9	170.2	N.R.	N.R.	267	263	N.R.	N.R.	263	262	274	268	N.R.	N.R.	
25A 823	3	160.1	159.0	157.8	156.7	155.9	+24.1	180	172	184	168	184	172	184	172	185	180	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1986

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Reading

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 19 82	19 83	19 84	19 85	19 86	Distance From Bowls ±	INCHES 19 82 High	19 82 Low	19 83 High	19 83 Low	19 84 High	19 84 Low	1985 High	1985 Low	19 86 High	19 86 Low	REMARKS
26A 724	7	214.3	213.3	209.9	208.5	207.0	+23.0	322	317	319	312	328	320	326	314	N.R.	N.R.	
26B 724	7	207.7	204.1	203.4	N.R.	N.R.	N.R.	133	126	110	107	130	113	130	130	N.R.	N.R.	D.H.
26A 821	6	351.1	349.5	347.0	347.1	345.3	+24.7	271	252	274	252	271	258	264	250	264	258	Airline "no good"
26B 821	6	airline plugged					N.R.	339	330	343	331	343	333	344	334	338	322	
26A 823	4	182.7	179.9	180.0	179.8	178.9	+11.1	224	218	222	216	222	219	224	219	220	216	
26A 824	2	N.R.	142.0	137.5	135.5	N.R.	N.R.	519	506	504	504	511	503	510	509	547	491	D.H.
27A 725	7	225.3	N.R.	N.R.	220.2	218.9	+21.1	145	145	147	140	163	140	147	147	155	147	D.H.
27A 823	1	212.6	210.7	206.0	205.1	199.9	+30.1	272	267	275	267	278	272	275	268	280	270	
27B 823	4	187.9	183.8	184.4	183.6	179.7	+20.3	220	192	198	196	196	195	205	195	201	195	
27C 823	1	203.4	203.8	200.7	200.7	196.0	+24.0	238	232	245	233	245	238	242	239	240	239	
28A 724	7	232.3	231.3	228.5	224.7	225.6	+44.4	328	313	321	312	325	321	328	325	328	325	
28B 724	7	231.9	230.2	227.5	223.6	224.5	+25.5	173	163	168	168	178	170	170	168	191	170	
28A 823	4	201.9	202.1	199.2	195.4	195.1	+24.9	535	529	535	522	535	531	537	530	530	521	
28B 823	4	200.2	201.6	198.7	194.9	194.6	+25.4	321	310	314	307	321	310	313	310	313	313	
28C 823	4	196.7	196.7	193.4	192.2	No Reading		270	246	242	222	258	224	255	231	253	242	D.H.
28A 922	6	280.8	282.4	280.5	278.1	277.9	+22.1	130	126	128	124	130	122	128	120	128	123	D.H.
29A 725	7	257.9	256.1	254.7	253.3	251.7	+38.3	230	218	227	220	268	262	268	260	267	259	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1986

D.H. – Direct Hookup
N.R. – No. Reading

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 1982	1983	1984	1985	1986	Distance From Bowls ±	INCHES 1982 High	1982 Low	1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	REMARKS
29A 823	4	210.3	208.8	207.4	206.6	204.0	+16.0	500	496	506	487	510	500	500	495	499	490	
29B 823	4	N.R.	204.8	206.8	206.0	203.4	+16.6	190	169	190	170	196	182	190	183	196	190	
29A 824	3	140.5	140.5	137.6	136.2	N.R.	N.R.	259	250	314	308	315	309	314	310	317	287	
30A 724	3	270.2	269.6	267.3	267.3	266.8	+13.2	365	357	369	368	380	377	377	370	380	369	
30B 724	3	271.2	271.2	267.1	267.7	266.1	+13.9	279	262	266	266	275	267	269	267	264	252	
30A 725	7	247.7	245.3	242.3	N.R.	239.3	+20.7	356	351	363	351	355	353	390	375	400	393	D.H.
30A 822	6	299.5	295.8	291.6	293.2	287.4	+32.6	191	181	189	182	187	186	189	183	190	180	
30A 824	3	163.4	164.0	N.R.	161.7	157.7	+22.3	265	259	N.R.	N.R.	N.R.	N.R.	279	272	275	275	D.H.
30B 824	3	141.6	141.4	140.3	N.R.	135.6	+24.4	171	170	172	172	174	162	N.R.	N.R.	167	157	D.H.
30A 922	6	airline plugged						419	407	418	416	406	400	419	400	404	404	
31A 724	2	260.4	260.4	256.6	256.6	254.0	+46.0	204	192	222	209	214	209	218	212	220	217	
31A 725	7	201.0	200.7	197.9	195.0	194.2	+25.8	234	228	236	229	232	231	243	231	240	235	
31A 823	4	205.4	195.5	193.2	192.9	189.0	+41.0	334	321	361	356	366	361	363	359	365	358	
31A 824	3	179.8	176.7	175.9	172.5	173.0	+27.0	468	458	467	457	470	464	468	462	470	453	
31B 824	3	170.7	178.0	175.8	172.5	172.9	+27.1	212	208	211	211	211	211	211	206	217	211	
32A 724	2	232.7	231.3	227.9	227.6	225.3	+14.7	438	431	439	430	438	434	437	436	443	428	
32B 724	2	228.1	225.0	223.1	222.6	221.1	+18.9	281	275	299	282	290	271	287	280	282	274	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1986

D.H. – Direct Hookup
N.R. – No Reading

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded 19 82	19 83	19 84	19 85	19 86	Distance From Bowls ±	INCHES 19 82 High	19 82 Low	19 83 High	19 83 Low	1984 High	1984 Low	1985 High	1985 Low	19 86 High	19 86 Low	REMARKS
32A 725	7	203.1	205.1	199.3	196.6	No Reading		216	212	221	212	222	217	227	221	No Reading		
33A 724	2	223.9	222.1	219.5	218.7	216.9	+23.1	310	300	304	300	310	304	304	301	316	296	
33B 724	7	229.1	229.0	225.7	225.4	223.3	+16.7	244	244	243	238	250	247	245	237	250	241	
33A 725	7	airline leaks		No Readings				336	333	N.R.	N.R.	339	336	350	343	346	346	
33B 922	6	N.R.	295.5	294.8	294.2	292.5	+17.5	285	280	289	267	299	296	296	296	294	289	
33C 922	6	288.8	airline no good				N.R.	170	168	173	173	169	163	164	162	162	157	
34A 723	3	254.5	250.1	248.6	247.7	245.7	+24.3	352	347	354	349	358	346	345	336	350	339	
34B 723	3	248.7	247.3	245.9	246.5	No Reading		150	147	170	168	164	152	172	164	203	203	
34A 724	2	206.9	204.0	201.5	198.3	198.9	+21.1	378	351	378	358	380	371	379	368	372	361	
34A 725	7	239.7	236.6	224.4	223.4	222.3	+37.7	357	344	358	347	355	333	360	355	381	340	
34A 823	4	163.4	163.7	160.3	159.3	157.0	+23.0	217	204	210	202	213	205	211	205	213	206	
35A 724	2	222.1	220.1	215.4	208.9	206.7	+33.3	428	406	411	408	417	405	427	420	422	420	
35B 724	2	211.5	209.0	206.9	203.5	202.8	+17.2	190	180	179	179	191	186	195	182	190	186	
35A 821	6	325.	324.2	321.6	322.8	322.0	+18.0	279	274	280	269	278	274	289	274	284	277	
35B 821	6	N.R.	339.2	339.8	340.6	339.2	+20.8	255	252	290	276	290	282	290	270	282	282	
35C 821	6	341.3	340.1	336.8	337.8	334.7	+25.3	322	313	319	313	317	311	317	305	318	313	
35D 821	6	329.1	329.0	328.3	N.R.	N.R.	N.R.	341	328	337	321	334	330	334	328	334	334	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1986

D.H. - Direct Hookup
N.R. - No Reading

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number		Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
		19 82	19 83	19 84	1985	19 86		1982 High	1982 Low	19 83 High	19 83 Low	1984 High	1984 Low	19 85 High	19 85 Low	1986 High	1986 Low	
35A 822	4	219.9	219.0	215.9	216.1	211.9	+18.1	476	471	482	477	488	487	482	481	482	477	
35B 822	4	220.2	219.4	216.8	216.9	213.4	+26.6	263	245	254	248	252	245	252	245	252	247	
35C 822	5	262.9	254.5	248.8	248.7	248.8	+31.2	164	145	198	160	161	160	155	148	152	148	D.H.
35A 823	4	174.9	173.3	172.6	172.6	No Reading		416	396	408	403	412	405	410	402	405	396	
35B 823	4	160.8	160.9	157.9	156.3	154.0	+26.0	105	101	102	96	115	96	108	103	114	104	D.H.
35C 823	4	165.2	165.2	161.5	160.4	158.3	+21.7	187	170	185	180	191	186	199	188	197	191	
35D 823	4	158.1	155.9	N.R.	152.5	airline plugged		100	94	N.R.	N.R.	93	87	99	89	99	93	D.H.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1987

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R.- No Reading

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 19 83	19 84	19 85	19 86	19 87	Distance From Bowls ±	INCHES 19 83 High	19 83 Low	19 84 High	19 84 Low	1985 High	1985 Low	19 86 High	1986 Low	1987 High	1987 Low	REMARKS
1A 823 3	262.6	256.7	253.4	253.5	250.8	+39.2	477	464	487	464	487	482	475	470	460	457	
1B 823 3	258.1	254.2	251.9	251.9	249.6	+20.4	325	313	329	328	328	324	327	324	312	312	
1C 823 3	233.3	230.7	229.8	227.8	227.6	+12.4	375	361	375	368	375	370	382	361	382	356	
1A 824 3		184.2	182.6	Broke			388	388	374	367	379	372	379	373	376	376	Air line no good
1A 921 6	345.8	339.2	342.2	339.1	338.8	+21.2	369	357	365	330	363	363	363	340	363	340	D.H.
2A 823 3	236.2	232.7	231.4	N.R.	224.4	+25.6	267	260	263	262	269	262	267	264	270	265	
2A 824 5	180.8	176.5	175.0	N.R.	172.6	+17.4	101	99	103	100	103	100	108	95	106	89	D.H.
2A 923 4	158.6	157.2	154.7	154.2	151.1	+28.9	127	122	126	119	126	122	130	120	130	126	
2A 1021 6	Air out water static				346.4	+63.6	239	239	238	229	237	234	231	221	N.R.	N.R.	
3A 824 2	206.2	203.6	201.4	201.0	200.3	+19.7	460	445	460	455	459	453	466	456	465	460	
3B 824 2	203.6	201.0	199.4	198.8	199.9	+20.1	226	217	230	225	227	226	226	223	225	219	
3A 825 7	227.1	228.0	225.8	224.8	223.6	+36.4	365	345	408	398	400	395	400	400	403	401	
3B 825 7	228.4	226.6	224.1	222.9	223.1	+26.9	377	365	373	373	374	368	378	372	377	368	
3C 825 7	228.6	225.3	221.4	222.8	221.5	+18.5	274	272	282	280	290	280	284	282	294	287	
3D 825 7	221.5	218.5	214.7	216.1	213.1	+36.9	195	185	198	192	195	187	195	195	203	190	
3E 825 7	224.2	221.4	219.8	219.4	218.3	+21.7	237	226	238	232	238	232	240	237	244	233	
3A 921 6	320.3	318.3	317.5	N.R.	318.7	+11.3	122	106	111	107	114	104	103	97	92	80	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1987

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup

N.R. – No Reading

Part 2

Well Number and Group Number			Low Pumping Depth Recorded 19 83	19 84	19 85	19 86	19 87	Distance From Bowls ±	INCHES 19 83 High	19 83 Low	19 84 High	19 84 Low	19 85 High	19 85 Low	1986 High	1986 Low	19 87 High	1987 Low	REMARKS
3B	921	6	321.9	316.8	318.1	air line broke			348	343	396	374	411	389	400	391	405	404	air line no good
3C	921	6	325.7	325.8	325.3	324.7	323.7	+26.3	375	364	396	382	382	378	376	374	404	400	
3A	922	5	246.3	245.9	243.2	242.2	243.2	+24.8	431	424	441	431	439	432	441	420	432	430	
3B	922	5	246.3	242.5	air line plugged				291	283	293	292	296	289	278	274	285	276	air line no good
3A	923	4	176.8	175.9	175.3	174.0	172.9	+27.1	248	239	244	243	249	240	246	242	257	243	
3B	923	4	154.1	152.6	150.7	149.9	149.2	+30.8	133	125	131	124	133	125	137	128	143	120?	D.H.
3A	1022	6	306.3	307.5	301.4	301.1	304.7	+25.3	193	178	184	178	189	184	189	184	184	178	
4A	823	4	252.0	251.1	250.5	248.9	248.9	+21.1	490	490	489	489	500	490	494	489	496	470	
4B	823	4	250.7	249.8	249.5	N.R.	247.0	+23.0	252	232	267	245	271	260	274	265	280	265	
4A	824	2	223.9	218.0	206.1	207.9	air line broke		462	451	469	460	479	461	481	472	483	475	air line no good
4B	824	1	215.4	214.4	211.9	206.8	206.7	+23.3	455	454	458	451	464	464	472	454	470	452	
4C	824	5	221.7	219.7	218.3	208.4	207.9	+32.1	210	210	218	209	217	210	223	215	217	210	
5B	823	4	263.8	261.7	256.8	256.8	260.7	+19.3	349	348	356	342	356	341	354	352	350	350	
5C	823	4	259.4	258.9	253.8	254.0	255.5	+24.5	215	212	218	208	214	211	212	212	213	210	
5A	825	7	213.2	211.0	208.5	208.2	211.8	+38.2	541	519	565	550	561	555	559	535	555	534	
5B	825	7	air line no good						260	250	260	260	260	260	260	250	260	260	air line no good
6A	824	1	no air line						540	534	615	611	608	595	586	559	591	544	no room for air line

A & B IRRIGATION DISTRICT - Rupert, Idaho

1987

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup

N.R. - No Reading

Part 2

Well Number and Group Number	Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
	19 83	19 84	19 85	19 86	19 87		19 83 High	19 83 Low	19 84 High	19 84 Low	19 85 High	19 85 Low	19 86 High	19 86 Low	1987 High	1987 Low	
6B 824 2	252.3	248.2	246.0	245.0	243.7	+16.3	316	302	311	302	317	305	308	296	308	299	
6C 824 5	212.4	209.4	208.7	203.0	206	+24.0	98	95	98	98	98	98	98	95	98	91	
6A 825 7	180.9	178.3	176.5	175.3	177.5	+22.5	327	315	326	320	326	314	326	320	325	315	
6B 825 7	181.1	178.0	175.8	174.9	174.4	+25.6	186	186	194	186	196	192	195	195	192	182	
6A 923 1	191.6	189.9	187.9	N.R.	N.R.	N.R.	450	442	448	440	448	443	450	444	444	444	
6B 923 4	172.0	170.6	168.3	166.7	168.1	+11.9	285	278	282	282	286	280	286	280	285	281	
7B 824 1	193.9	190.0	190.0	186.5	187.3	+17.7	460	416	460	438	467	447	455	445	444	417	
7A 922 5	334.0	316.0	323.4	air line broke			468	412	467	441	464	450	470	452	466	450	air line broke
7B 922 5	300.5	297.0	297.5	air line leaks			445	435	445	438	440	433	436	433	438	435	air line leaks
8A 823 1	N.R.	N.R.	247.5	246.0	240.6	+39.4	462	460	467	454	460	450	401	401	412	400	
8A 824 1	196.3	194.0	190.6	189.5	188.5	+33.5	390	371	388	376	410	375	390	374	388	380	
9A 922 5						N.R.	444	444	449	436	364	360	357	346	368	368	
9B 922 5	air line plugged		273.8				231	223	234	231	238	229	233	224	230	230	air line no good
10A 823 3	224.4	220.8	215.6	219.6	217.2	+22.8	198	189	196	186	189	181	190	182	194	190	
10B 823 3	228.9	231.2	226.1	228.6	228.7	+31.3	128	123	126	121	126	119	122	120	122	120	D.H.
10A 824 1	186.9	184.4	180.9	181.6	181.4	+28.6	460	432	460	454	467	457	470	462	475	467	
10B 824 1	173.6	171.1	169.5	168.4	167.6	+12.4	340	332	334	330	336	330	344	336	349	335	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1987

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Reading

Part 2

Well Number and Group Number	Low Pumping Depth Recorded 1983	1984	1985	1986	1987	Distance From Bowls ±	INCHES 1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	REMARKS
10C 824 5	177.5	175.9	173.7	172.5	172.5	+27.5	291	285	285	284	294	284	295	290	310	292	
10A 922 5	237.7	232.0	air line leaks				205	190	211	211	209	198	198	190	220	209	air line no good
11A 824 1			180.7	187.5	179.9	+40.3	542	535	540	535	539	522	524	518	520	505	
11B 824 1	183.8	181.6	178.9	178.4	177.4	+22.6	201	195	200	200	200	200	212	190	201	197	
11C 824 3	179.4	176.4	174.2	173.6	172.5	+27.5	299	281	290	288	296	292	297	293	302	291	
11A 825 7	N.R.	185.4	182.6	182.1	181.5	+18.5					247	241	247	240	271	242	
11B 922 7	251.2	237.3	239.6	229.8	235.5	+24.5	227	219	229	225	228	223	228	223	238	224	
11C 922 4	214.0	216.1	215.0	209.8	209.8	+40.2	245	235	247	238	241	238	238	234	238	223	
12A 823 3	air line does not work						370	357	374	365	383	368	381	377	385	374	
12B 823 3	224.6	229.5	225.6	227.4	222.4	+27.6	162	158	160	156	162	159	N.R.	N.R.	152	150	
12C 823 3	223.0	219.2	218.6	215.9	211.1	+28.1	462	462	477	465	474	465	467	446	473	463	
12D 823 3	224.6	220.9	220.0	218.4	216.0	+34.0	187	174	191	181	203	195	N.R.	N.R.	193	183	
12A 824 3	166.0	N.R.	N.R.				N.R.	N.R.	N.R.	N.R.	326	326	305	305	305	305	D.H.
12A 825 7	205.3	202.7	200.5	N.R.	199.2	+20.8			491	487	510	491	485	485	500	491	
12B 825 7	202.6	201.2	197.9	N.R.	197.1	+32.9	403	390	396	390	403	394	390	390	405	394	
13A 824 2	174.0	171.8	170.3	168.2	167.2	+32.8	594	480	601	595	594	594	602	594	N.R.	N.R.	D.H.
13B 824 2	173.4	171.8	170.4	168.5	N.R.		266	254	266	260	260	260	264	260	284	284	D.H.

A & B IRRIGATION DISTRICT – Rupert, Idaho

1987

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
N.R. – No Reading

Part 2

Well Number and Group Number	Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
	19 83	19 84	19 85	19 86	19 87		1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	
13A 825 5	171.8	168.5	165.0	N.R.	164.5	+25.5	137	133	140	135	137	136	N.R.	N.R.	138	137	
14A 823 3	219.3	223.7	221.2	220.3	219.2	+20.8	350	336	348	340	349	341	348	345	350	341	
14B 823 3	231.4	228.0	212.0	211.1	210.2	+29.9	N.R.	N.R.	147	139	142	137	142	142	142	138	
14A 824 1	149.2	149.1	146.8	146.2	144.8	+15.2	428	422	428	427	433	427	430	417	420	418	
14C 825 7	176.8	174.9	170.8	170.2	169.2	+30.8	141	135	141	140	137	137	145	140	141	141	
15A 823 3	229.3	226.2	221.1	224.1	221.6	+28.4	520	510	518	510	523	520	530	520	520	516	
15B 823 3	233.8	229.7	224.4	227.3	227.1	+32.9	232	232	240	224	240	228	234	230	235	230	
15D 823 4	212.3	208.9	208.2	206.8	205.5	+24.5	119	115	119	119	119	112	115	112	115	112	
15A 824 1	167.2	164.9	160.7	161.2	159.4	+30.6	304	293	313	307	310	300	314	305	317	298	
15A 825 5	171.7	168.7	166.6	165.0	166.1	+23.9	535	526	531	524	541	525	537	530	538	528	
15B 825 5	169.2	166.6	163.2	162.8	162.6	+17.4	184	183	195	186	183	183	183	183	183	183	
15A 922 5	284.3	278.7	281.1	277.0	274.6	+25.4	95	83	90	86	90	86	95	89	95	86	D.H.
15B 922 5	no air	line					108	103	114	105	115	104	114	105	118	107	D.H.
17A 823 4	N.R.	212.0	215.0	212.1	N.R.	N.R.	338	331	340	332	341	332	334	332	335	334	
17B 823 4	219.3	218.5	217.0	213.9	215.3	+24.7	147	146	154	137	148	144	147	147	147	147	
17C 823 1	242.8	240.7	235.0	237.9	233.0	+27.0	112	108	112	112	115	112	112	112	112	112	
17A 825 5	148.6	145.7	141.6	142.9	141.9	+18.1	454	440	452	439	449	443	467	445	461	455	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1987

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Reading

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			19 83	19 84	19 85	19 86	19 87		1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	
18A	824	1	205.8	202.4	200.9	199.6	201.3	+30.7	500	487	502	494	513	499	506	494	575	565	
18A	922	5	271.8	265.4	267.8	266.0	261.1	+18.9	316	312	319	315	315	308	315	307	315	307	
18B	922	5	270.4	265.1	267.2	265.5	265.2	+14.8	142	142	142	140	139	137	140	137	143	137	
19A	823	4	234.3	231.6	230.3	228.4	229.5	+20.5	366	360	368	361	362	354	361	359	368	354	
19B	823	4	231.2	229.4	227.7	N.R.	227.1	+22.9	189	185	195	195	190	189	195	195	200	184	
19A	825	2	140.6	138.6	136.6	133.6	134.8	+25.2	513	507	526	526	524	513	518	500	530	510	
19B	825	2	142.2	141.2	138.9	135.8	137.1	+22.9	314	314	320	312	320	316	328	310	319	310	
19C	825	3	148.0	144.4	142.1	M scope	142	+18.0	354	341	360	353	360	356	357	351	362	348	air line broke
19D	825	3	150.0	147.6	146.0	N.R.	144	+16.0	320	320	320	300	265	265	279	262	247	238	
19A	922	6	325.0	324.5	321.4	319.4	320.6	+19.4	223	213	231	231	238	234	241	234	235	227	
20A	922	5	290.4	276.2	277.8	274.2	286.6	+73.4	372	321	377	368	372	360	361	347	358	348	
21A	823	4	208.9	205.8	N.R.	202.7	N.R.	N.R.	387	380	388	372	389	377	390	380	375	375	
21A	824	1	157.6	153.8	153.8	152.2	150.1	+31.9	559	545	564	559	568	568	577	554	566	531	
21B	824	2	166.2	166.1	164.6	161.5	160.9	+19.0	369	356	371	368	374	365	373	361	369	361	
21A	825	5	145.2	141.7	141.0	139.5	137.3	+22.7	437	428	436	426	447	431	447	440	440	433	
22A	724	7	221	214.8	N.R.	214.5	N.R.		110	110	165	123	155	155	153	128	153	128	D.H.
22B	724	7	240.0	225.3	220.7	221.6	225.8	+44.9	331	325	342	330	343	334	348	341	350	337	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1987

D.H. - Direct Hookup

N.R. - No Reading

Annual Pump Report

Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1983	1984	1985	1986	1987		1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	
22C	724	7	213.1	210.8	208.5	N.R.	202.2	+27.8	340	326	334	320	334	329	349	328	330	326	
22A	821	6	322.3	319.1	319.7	N.R.	318.6	+21.4	334	330	330	324	334	328	325	325	332	326	
22A	823	4	212.2	210.2	208.8	N.R.			356	350	377	354	356	353	357	356	350	350	
22A	824	2	156.3	154.3	152.9	150.7	153.6	+26.4	339	335	350	346	350	340	N.R.	N.R.	345	333	
22A	922	5	286.6	281.4	282.2	282.5	283.3	+16.7	105	103	108	105	108	101	108	102	108	105	
23A	724	7	223.5	N.R.	N.R.	N.R.	N.R.		N.R.	N.R.	N.R.	N.R.	287	277	250	250	N.R.	N.R.	D.H.
23A	823	4	218.5	214.7	215.2	212.4	211.6	+18.4	339	334	348	343	349	340	351	351	350	347	
23B	823	4	217.4	214.1	214.8	211.9	211.3	+18.7	136	136	138	130	145	137	142	137	132	132	
23A	824	2	N.R.	N.R.	156.9	155.3	155.6	+24.4	N.R.	N.R.	N.R.	N.R.	N.R.	N.R.	530	518	530	518	
23A	825	5	182.4	179.4	178.1	176.4	176.4	+23.6	N.R.	N.R.	367	367	N.R.	N.R.	N.R.	N.R.	378	376	
23B	825	5	178.2	175.4	173.8	172.3	171.6	+28.4	375	373	375	369	N.R.	N.R.	374	373	378	373	
24A	821	6	328.6	325.0	325.7	N.R.	324.3	+25.7	95	88	112	105	112	101	113	101	108	98	
24A	823	3	N.R.	185.2	N.R.	177.2	181.0	+39	487	462	531	525	526	514	530	520	530	530	
24B	823	3	166.8	166.2	161.4	160.5	161.0	+19	345	332	340	340	345	342	348	337	345	342	
24C	823	1	167.6	157.7	161.5	159.3	160	+20	368	368	368	354	362	348	361	348	361	354	
24A	825	5	174.6	169.9	170.2	N.R.	168.1	+21.9	N.R.	N.R.	263	262	274	268	N.R.	N.R.	267	263	
25A	823	3	159.0	157.8	156.7	155.9	153.2	+26.8	184	168	184	172	184	172	185	180	184	182	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1987

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Reading

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1983	1984	1985	1986	1987		1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	
26A	724	7	213.3	209.9	208.5	207.0	206.0	+24	319	312	328	320	326	314	N.R.	N.R.	330	322	
26B	724	7	204.1	203.4	N.R.	N.R.	197.4	+32.6	110	107	130	113	130	130	N.R.	N.R.			D.H.
26A	821	6	349.5	347.0	347.1	345.3	345.3	+24.7	274	252	271	258	264	250	264	258	271	252	
26B	821	6	air line plugged						343	331	343	333	344	334	338	322	340	328	air line no good
26A	823	4	179.9	180.0	179.8	178.9	179.5	+10.5	222	216	222	219	224	219	220	216	231	219	
26A	824	2	142.0	137.5	135.5	N.R.			504	504	511	503	510	509	547	491			
27A	725	7	N.R.	N.R.	220.2	218.9	217.5	+22.5	147	140	163	140	147	147	155	147	145	145	D.H.
27A	823	1	210.7	206.0	205.1	199.9	205.3	+24.7	275	267	278	272	275	268	280	270	275	270	
27B	823	4	183.8	184.4	183.6	179.7	178.1	+21.9	198	196	196	195	205	195	201	195	200	192	
27C	823	1	203.8	200.7	200.7	196.0	193.8	+26.2	245	233	245	238	242	239	240	239	249	240	
28A	724	7	231.3	228.5	224.7	225.6	231.3	+38.7	321	312	325	321	328	325	328	325	332	322	
28B	724	7	230.2	227.5	223.6	224.5	222.9	+27.8	168	168	178	170	170	168	171	170	178	170	
28A	823	4	202.1	199.2	195.4	195.1	199.2	+20.8	535	522	535	531	537	530	530	521	540	522	
28B	823	4	201.6	198.7	194.9	194.6	197.2	+22.8	314	307	321	310	313	310	313	313	386	361	
28C	823	4	196.7	193.4	192.2	N.R.	191.8	+38.2	242	222	258	224	255	231	253	242	250	242	D.H.
28A	922	6	282.4	280.5	278.1	277.9	274.1	+25.9	128	124	130	122	128	120	128	123	130	121	D.H.
29A	725	7	256.1	254.7	253.3	251.7	258.5	+31.5	227	220	268	262	268	260	267	259	263	259	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1987

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Reading

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1983	1984	1985	1986	1987		1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	
29A	823	4	208.8	207.4	206.6	204.0	204.5	+15.5	506	487	510	500	500	495	499	490	501	488	
29B	823	4	204.8	206.8	206.0	203.4	203.7	+16.3	190	170	196	182	190	183	196	190	240	238	
29A	824	3	140.5	137.6	136.2	N.R.	138.6	+21.4	314	308	315	309	314	310	317	287	313	312	
30A	724	3	269.6	267.3	267.3	266.8	263.6	+16.4	369	368	380	377	377	370	380	369	376	365	
30B	724	3	271.2	267.1	267.7	266.1	265.6	+14.4	266	266	275	267	269	267	264	252	269	259	
30A	725	7	245.3	242.3	N.R.	239.3	238.0	+22.0	363	351	355	353	390	375	400	393	388	375	D.H.
30A	822	6	295.8	291.6	293.2	287.4	290.5	+29.5	189	182	187	186	189	183	190	180	192	183	
30A	824	3	164.0	N.R.	161.7	157.7	157.6	+22.4	N.R.	N.R.	N.R.	N.R.	279	272	275	275	272	272	D.H.
30B	824	3	141.4	140.3	N.R.	135.6	135.0	+25.0	172	172	174	162	N.R.	N.R.	167	157	163	163	D.H.
30A	922	6	air line plugged						418	416	406	400	419	400	404	404	400	396	
31A	724	2	260.4	256.6	256.6	254.0	256.1	+43.9	222	209	214	209	218	212	220	217	221	216	
31A	725	7	200.7	197.9	195.0	194.2	N.R.		236	229	232	231	243	231	240	235	238	238	
31A	823	4	195.5	193.2	192.9	189.0	air line broke		361	356	366	361	363	359	365	358	361	361	air line broke
31A	824	3	176.7	175.9	172.5	173.0	172.9	+27.1	467	457	470	464	468	462	470	453	480	460	
31B	824	3	178.0	175.8	172.5	172.9	172.9	+27.1	211	211	211	211	211	206	217	211	217	211	
32A	724	2	231.3	227.9	227.6	225.3	221.3	+18.7	439	430	438	434	437	436	443	428	455	450	
32B	724	2	225.0	223.1	222.8	221.1	218.0	+22.0	299	282	290	271	287	280	282	274	275	274	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1987

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Reading

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			19 83	19 84	19 85	19 86	19 87		19 83 High	1983 Low	19 84 High	19 84 Low	1985 High	19 85 Low	19 86 High	19 86 Low	19 87 High	1987 Low	
32A	725	7	205.1	199.3	196.6	N.R.	195.8	+24.2	221	212	222	217	227	221	N.R.	N.R.	226	222	
33A	724	2	222.1	219.5	218.7	216.9	216.3	+23.7	304	300	310	304	304	301	316	296	320	300	
33B	724	7	229.0	225.7	225.4	223.3	222.6	+17.4	243	238	250	247	245	237	250	241	240	240	
33A	725	7	air line leaks						N.R.	N.R.	339	336	350	343	346	346	350	350	
33B	922	6	295.5	294.8	294.2	292.5	291.2	+18.8	289	267	299	296	296	296	294	289	304	295	
33C	922	6	air line no good						173	173	169	163	164	162	162	157	161	159	
34A	723	3	250.1	248.6	247.7	245.7	248.6	+21.4	354	349	358	346	345	336	350	339	350	336	
34B	723	3	247.3	245.9	246.5	N.R.	243.8	+36.2	170	168	164	152	172	164	203	203	205	200	
34A	724	2	204.0	201.5	198.3	198.9	197.3	+22.7	378	358	380	371	379	368	372	361	375	360	
34A	725	7	236.5	224.4	223.4	222.3	219.2	+40.8	358	347	355	333	360	355	381	340	367	363	
34A	823	4	163.7	160.3	159.3	157.0	157.9	+22.1	210	202	213	205	211	205	213	206	219	209	
35A	724	2	220.1	215.4	208.9	206.7	206.7	+33.3	411	408	417	405	427	420	422	420	419	410	
35B	724	2	209.0	206.9	203.5	202.8	202.3	+17.7	179	179	191	186	195	182	190	186	191	186	
35A	821	6	324.2	321.6	322.8	322.0	319.3	+20.7	280	269	278	274	289	274	284	277	282	269	
35B	821	6	339.2	339.8	340.6	339.2	335.2	+24.8	290	276	290	282	290	270	282	282	282	269	
35C	821	6	340.1	336.8	337.8	334.7	334.5	+25.5	319	313	317	311	317	305	318	313	316	310	
35D	821	6	329.0	328.3	N.R.	N.R.	321.8	+28.2	337	321	334	330	334	328	334	334	334	328	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1987

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Reading

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1983	1984	1985	1986	1987		1983 High	1983 Low	1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	
35A	822	4	219.0	215.9	216.1	211.9	214.1	+15.9	482	477	488	487	482	481	482	477	482	473	
35B	822	4	219.4	216.8	216.9	213.4	215.4	+24.6	254	248	252	245	252	245	252	247	252	247	
35C	822	5	254.5	248.8	248.7	248.8	248.2		198	160	161	160	155	148	152	148	160	145	D.H.
35A	823	4	173.3	172.6	172.6	N.R.	N.R.		408	403	412	405	410	402	405	396	392	390	
35B	823	4	160.9	157.9	156.3	154.0	153.4	+26.6	102	96	115	96	108	103	114	104	114	111	D.H.
35C	823	4	165.2	161.5	160.4	158.3	158.4	+21.6	185	180	191	186	199	188	197	191	203	193	
35D	823	4	155.9	N.R.	152.5	air line plugged			N.R.	N.R.	93	87	99	89	99	93	99	99	D.H.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1988

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1984	1985	1986	1987	1988		1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	
1A	823	3	256.7	253.4	253.5	250.6	255.1	+34.9	487	464	487	482	475	470	460	457	480	460	pulled pump
1B	823	3	254.2	251.9	251.9	249.6	253.2	+16.8	329	328	328	324	327	324	312	312	330	320	
1C	823	3	230.7	229.8	227.8	227.6	229.3	+10.7	375	368	375	370	382	361	382	356	370	357	
1A	824	3	184.2	182.6	A.N.G.	A.N.G.	A.N.G.		374	367	379	372	379	373	376	376	N.R.	N.R.	D.H.
1A	921	6	339.2	342.2	339.1	338.8	340.8	+19.2	365	330	363	363	363	340	363	340	363	360	D.H.
2A	823	3	232.7	231.4	N.R.	224.4	232.0	+18.0	263	262	269	262	267	264	270	265	270	265	
2A	824	5	176.5	175.0	N.R.	172.6	174.3	+15.7	103	100	103	100	108	95	106	89	103	100	D.H.
2A	923	4	157.2	154.7	154.2	151.1	155.7	+24.3	126	119	126	122	130	120	130	126	133	126	
2A	1021	6	Airline Out Of Water						238	229	237	234	231	221	N.R.	N.R.	232	227	
3A	824	2	203.6	201.4	201.0	200.3	202.0	+18.0	460	455	459	453	466	456	465	460	463	451	
3B	824	2	201.0	199.4	198.8	199.9	200.5	+19.5	230	225	227	226	226	223	225	219	226	215	
3A	825	7	228.0	225.8	224.8	223.6	227.0	+33.0	408	398	400	395	400	400	403	401	404	403	
3B	825	7	226.6	224.1	222.9	223.1	224.6	+25.4	373	373	374	368	378	372	377	368	377	368	
3C	825	7	225.3	221.4	222.8	221.5	223.8	+16.2	282	280	290	280	284	282	294	287	296	282	
3D	825	7	218.5	214.7	216.1	213.1	220.3	+29.7	198	192	195	187	195	195	203	190	194	184	
3E	825	7	221.4	219.8	219.4	218.3	219.5	+20.5	238	232	238	232	240	237	244	233	244	234	
3A	921	6	318.3	317.5	N.R.	318.7	317.8	+12.2	111	107	114	104	103	97	92	80	116	95	D.H.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1988

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Annual Pump Report
Hydrologic Data of Individual Wells

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1984	1985	1986	1987	1988		1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	
3B	921	6	316.8	318.1	A.N.G.	A.N.G.	A.N.G		396	374	411	389	400	391	405	404	400	392	
3C	921	6	325.8	325.3	324.7	323.7	324.8	+25.2	396	382	382	378	376	374	404	400	397	391	
3A	922	5	245.9	243.2	242.2	245.2	A.N.G		441	431	439	432	441	420	432	430	436	435	
3B	922	5	242.5	A.N.G.	A.N.G.	A.N.G.	A.N.G		293	292	296	289	278	274	285	276	282		
3A	923	4	175.9	175.3	174.0	172.9	174.7	+25.3	244	243	249	240	246	242	257	243	249	245	
3B	923	4	152.6	150.7	149.9	149.2	151.5	+28.5	131	124	133	125	137	128	143	120?	136	125	
3A	1022	6	307.5	301.4	301.1	304.7	313.7	+16.3	184	178	189	184	189	184	184	178	184	181	
4A	823	4	251.1	250.5	248.9	248.9	250.3	+19.7	489	489	500	490	494	489	496	470	490	470	
4B	823	4	249.8	249.5	N.R.	247.0	249.1	+20.9	267	245	271	260	274	265	280	265	270	265	
4A	824	2	218.0	206.1	207.9	A.N.G.	204.8	+35.2	469	460	479	461	481	472	483	475	485	464	
4B	824	1	214.4	211.9	206.8	206.7	210.7	+19.3	458	451	464	464	472	454	470	452	464	445	
4C	824	5	219.7	218.3	208.4	207.9	216.5	+23.5	218	209	217	210	223	215	217	210	218	210	
5B	823	4	261.7	256.8	256.8	260.7	261.2	+18.8	356	342	356	341	354	352	350	350	360	345	
5C	823	4	258.9	253.8	254.0	255.5	258.1	+21.9	218	208	214	211	212	212	213	210	212	209	
5A	825	7	211.0	208.5	208.2	211.8	209.4	+40.6	565	550	561	555	559	535	555	534	545	521	
5B	825	7	A.N.G.	A.N.G.	A.N.G.	A.N.G	A.N.G.		260	260	260	260	260	250	260	260	256	246	
6A	824	1		NO AIRLINE					615	611	608	595	586	559	591	544	586	579	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1988

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
N.R. – No Readings
A.N.G. – Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			19 84	1985	19 86	19 87	19 88		19 84 High	19 84 Low	19 85 High	19 85 Low	19 86 High	1986 Low	1987 High	19 87 Low	1988 High	19 88 Low	
6B	824	2	248.2	246.0	245.0	243.7	246.2	+13.8	311	302	317	305	308	296	308	299	306	277	pulled pump
6C	824	5	209.4	208.7	203.0	206.0	208.5	+21.5	98	98	98	98	98	95	98	91	95	88	
6A	825	7	178.3	176.5	175.3	177.5	176.5	+23.5	326	320	326	314	326	320	325	315	316	315	
6B	825	7	178.0	175.8	174.9	174.4	176.0	+24.0	194	186	196	192	195	195	192	182	184	181	
6A	923	1	189.9	187.9	N.R.	N.R.	188.5	+11.5	448	440	448	443	450	444	444	444	452	441	
6B	923	4	170.6	168.3	166.7	168.1	169.3	+10.7	282	282	286	280	286	280	285	281	287	283	
7B	824	1	190.0	190.0	186.5	187.3	188.0	+17.0	460	438	467	447	455	445	444	417	439	415	
7A	922	5	316.0	323.4	A.N.G.	A.N.G.	A.N.G.		467	441	464	450	470	452	466	450	461	448	
7B	922	5	297.0	297.5	A.N.G.	A.N.G.	294.9	+35.1	445	438	440	433	436	433	438	435	438	435	
8A	823	1	N.R.	247.5	246.0	240.6	247.0	+33.0	467	454	460	450	401	401	412	400	435	417	
8A	824	1	194.0	190.6	189.5	188.5	190.4	+31.6	388	376	410	375	390	374	388	380	389	375	
9A	922	5	N.R.	N.R.	N.R.	N.R.	270.5	+19.5	449	436	364	360	357	346	368	368	N.R.	N.R.	
9B	922	5	AIRL	NE IS	NO GOO	D			234	231	238	229	233	224	230	230	N.R.	N.R.	
10A	823	3	220.8	215.6	219.6	217.2	219.9	+20.1	196	186	189	181	190	182	194	190	193	190	
10B	823	3	231.2	226.1	228.6	228.7	230.5	+29.5	126	121	126	119	122	120	122	120	123	120	D.H.
10A	824	1	184.4	180.9	181.6	181.4	182.9	+27.1	460	454	467	457	470	462	475	467	484	461	
10B	824	1	171.1	169.5	168.4	167.6	169.5	+10.5	334	330	336	330	344	336	349	335	350	333	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1988

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
N.R. – No Readings
A.N.G. – Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded 1984	1985	1986	1987	1988	Distance From Bowls ±	INCHES 1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	REMARKS
10C	824	5	175.9	173.7	172.5	172.5	173.1	+26.9	285	284	294	284	295	290	310	292	292	271	
10A	922	5	232.0	AIRLINE LEAKS			235.5	+14.5	211	211	209	198	198	190	220	209	212	205	D.H.
11A	824	1		180.7	187.5	179.9	182.0	+38.0	540	535	539	522	524	518	520	505	520	504	
11B	824	1	181.6	178.9	178.4	177.4	179.6	+20.4	200	200	200	200	212	190	201	197	205	196	
11C	824	3	176.4	174.2	173.6	172.5	174.2	+25.8	290	288	296	292	297	293	302	291	296	289	
11A	825	7	185.4	182.6	182.1	181.5	182.3	+17.7			247	241	247	240	271	242	272	272	D.H.
11B	922	7	237.3	239.6	229.8	235.5	227.5	+32.5	229	225	228	223	228	223	238	224	N.R.	N.R.	
11C	922	4	216.1	215.0	209.8	209.8	215.1	+34.9	247	238	241	238	238	234	238	223	238	234	
12A	823	3	AIRLINE IS NO GOOD						374	365	383	368	381	377	385	374	382	366	
12B	823	3	229.5	225.6	227.4	222.4	229.1	+20.9	160	156	162	159	N.R.	N.R.	152	150	162	152	
12C	823	3	219.2	218.6	215.9	211.1	217.6	+22.4	477	465	474	465	467	446	473	463	470	463	
12D	823	3	220.9	220.0	218.4	216.0	219.2	+30.8	191	181	203	195	N.R.	N.R.	193	183	190	184	
12A	824	3	N.R.	N.R.	N.R.	N.R.	160.7	+29.3	N.R.	N.R.	326	326	305	305	305	305	N.R.	N.R.	D.H.
12A	825	7	202.7	200.5	N.R.	199.2	200.6	+19.4	491	487	510	491	485	485	500	491	500	491	
12B	825	7	201.2	197.9	N.R.	197.1	198.8	+31.2	396	390	403	394	390	390	405	394	407	403	
13A	824	2	171.8	170.3	168.2	167.2	169.7	+30.3	601	595	594	594	602	594	N.R.	N.R.	592		D.H.
13B	824	2	171.8	170.4	168.5	N.R.	169.6	+30.4	266	260	260	260	264	260	284	284	286		D.H.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1988

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1984	1985	1986	1987	1988		1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	
13A	825	5	168.5	165.0	N.R.	164.5	166.7	+23.3	140	135	137	136	N.R.	N.R.	138	137	130	125	D.H.
14A	823	3	223.7	221.2	220.3	219.2	214.8	+25.2	348	340	349	341	348	345	350	341	350	345	
14B	823	3	228.0	212.0	211.1	210.2	213.8	+26.2	147	139	142	137	142	142	142	138	145	135	
14A	824	1	149.1	146.8	146.2	144.8	146.8	+13.2	428	427	433	427	430	417	420	418	421	409	
14C	825	7	174.9	170.8	170.2	169.2	172.9	+27.1	141	140	137	137	145	140	141	141	141	137	D.H. pulled pump
15A	823	3	226.2	221.1	224.1	221.6	225.5	+24.5	518	510	523	520	530	520	520	516	527	520	
15B	823	3	229.7	224.4	227.3	227.1	228.7	+31.3	240	224	240	228	234	230	235	230	240	230	
15D	823	4	208.9	208.2	206.8	205.5	208.2	+21.8	119	119	119	112	115	112	115	112	116	112	
15A	824	1	164.9	160.7	161.2	159.4	163.3	+26.7	313	307	310	300	314	305	317	298	318	306	
15A	825	5	168.7	166.6	165.0	166.1	165.8	+24.2	531	524	541	525	537	530	538	528	533	520	
15B	825	5	166.6	163.2	162.8	162.6	164.8	+15.2	195	186	183	183	183	183	183	183	183	183	
15A	922	5	278.7	281.1	277.0	274.6	281.3	+18.7	90	86	90	86	95	89	95	86	96	85	D.H.
15B	922	5	A.N.G.	A.N.G.	A.N.G	A.N.G.	A.N.G		114	105	115	104	114	105	118	107	117	107	D.H.
17A	823	4	212.0	215.0	212.1	N.R.	215.9	+24.1	340	332	341	332	334	332	335	334	343	330	
17B	823	4	218.5	217.0	213.9	215.3	218.1	+21.9	154	137	148	144	147	147	147	147	147	147	
17C	823	1	240.7	235.0	237.9	233.0	238.7	+21.3	112	112	115	112	112	112	112	112	112	112	
17A	825	5	145.7	141.6	142.9	141.9	143.8	+16.2	452	439	449	443	467	445	461	455	465	460	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1988

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
N.R. – No Readings
A.N.G. – Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1984	1985	1986	1987	1988		1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	
18A	824	1	202.4	200.9	199.6	201.3	202.5	+29.5	502	494	513	499	506	494	575	565	555	500	pulled pump
18A	922	5	265.4	267.8	266.0	261.1	267.1	+12.9	319	315	315	308	315	307	315	307	316	306	
18B	922	5	265.1	267.2	265.5	265.2	266.3	+13.7	142	140	139	137	140	137	143	137	139	136	
19A	823	4	231.6	230.3	228.4	229.5	231.0	+19.0	368	361	362	354	361	359	368	354	369	361	
19B	823	4	229.4	227.7	N.R.	227.1	228.8	+21.2	195	195	190	189	195	195	200	184	205	190	
19A	825	2	138.6	136.6	133.6	134.8	136.3	+23.7	526	526	524	513	518	500	530	510	520	499	
19B	825	2	141.2	138.9	135.8	137.1	138.9	+21.1	320	312	320	316	328	310	319	310	323	307	
19C	825	3	144.4	142.1	N.R.	142.0	A.N.G.		360	353	360	356	357	351	362	348	365	350	
19D	825	3	147.6	146.0	N.R.	144.0	145.2	+14.8	320	300	265	265	279	272	247	238	259	225	pulled pump
19A	922	6	324.5	321.4	319.4	320.6	319.7	+20.3	231	231	238	234	241	234	235	227	233	228	
20A	922	5	276.2	277.8	274.2	286.6	277.7	+82.3	377	368	372	360	361	347	358	348	355	346	
21A	823	4	205.8	N.R.	202.7	N.R.	205.5	+14.5	388	372	389	377	390	380	375	375	380		
21A	824	1	153.8	153.8	152.2	150.1	153.0	+29.0	564	559	568	568	577	554	566	531	569	563	
21B	824	2	166.1	164.6	161.5	160.9	164.5	+15.5	371	368	374	365	373	361	369	361	375	359	
21A	825	5	141.7	141.0	139.5	137.3	140.8	+19.2	436	426	447	431	447	440	440	433	447	438	
22A	724	7	214.8	N.R.	214.5	N.R.	216.4	+25.6	165	123	155	155	153	128	153	128	153		D.H.
22B	724	7	225.3	220.7	221.6	225.1	223.3	+46.7	342	330	343	334	348	341	350	337	351	343	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1988

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded 1984	1985	1986	1987	1988	Distance From Bowls ±	INCHES 1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	REMARKS
22C	724	7	210.8	208.5	N.R.	202.2	209.2	+20.8	334	320	334	329	349	328	330	326	336	324	
22A	821	6	319.1	319.7	N.R.	318.6	319.1	+20.9	330	324	334	328	325	325	332	326	333	325	
22A	823	4	210.2	208.8	N.R.	N.R.	209.5	+20.5	377	354	356	353	357	356	350	350	360	342	
22A	824	2	154.3	152.9	150.7	153.6	152.6	+27.4	350	346	350	340	N.R.	N.R.	345	333	350	335	
22A	922	5	281.4	282.2	282.5	283.3	285.8	+14.2	108	105	108	101	108	102	108	105	108	100	
23A	724	7	N.R.	N.R.	N.R.	N.R.	218.1	+21.9	N.R.	N.R.	287	277	250	250	N.R.	N.R.	270	250	D.H.
23A	823	4	214.7	215.2	212.4	211.6	212.6	+17.4	348	343	349	340	351	351	350	347	350	345	
23B	823	4	214.1	214.6	211.9	211.3	213.6	+16.4	138	130	145	137	142	137	132	132	140	130	
23A	824	2	N.R.	156.9	155.3	155.6	157.3	+22.7	N.R.	N.R.	N.R.	N.R.	530	518	530	518	525	506	
23A	825	5	179.4	178.1	176.4	176.4	177.2	+22.8	367	367	N.R.	N.R.	N.R.	N.R.	378	376	373	369	
23B	825	5	175.4	173.8	172.3	171.6	173.1	+26.9	375	369	N.R.	N.R.	374	373	378	373	375		
24A	821	6	325.0	325.7	N.R.	324.3	325.5	+24.5	112	105	112	101	113	101	108	98	106	95	
24A	823	3	185.2	N.R.	177.2	181.0	183.3	+36.7	531	525	526	514	530	520	530	530	532	520	
24B	823	3	166.2	161.4	160.5	161.0	164.1	+15.9	340	340	345	342	348	337	345	342	351	340	
24C	823	1	157.7	161.5	159.3	160.0	163.7	+16.3	368	354	362	348	361	348	361	354	368	341	
24A	825	5	169.9	170.2	N.R.	168.1	169.1	+20.9	263	262	274	268	N.R.	N.R.	267	263	271	267	
25A	823	3	157.8	156.7	155.9	153.2	156.3	+23.7	184	172	184	172	185	180	184	182	184	180	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1988

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
N.R. – No Readings
A.N.G. – Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls + -	INCHES										REMARKS
			19 84	19 85	19 86	1987	19 88		19 84 High	19 84 Low	19 85 High	19 85 Low	19 86 High	19 86 Low	19 87 High	19 87 Low	19 88 High	19 88 Low	
26A	724	7	209.9	208.5	207.0	206.0	207.9	+22.1	328	320	326	314	N.R.	N.R.	330	322	341	328	
26B	724	7	203.4	N.R.	N.R.	197.4	200.7	+29.3	130	113	130	130	N.R.	N.R.	N.R.	N.R.	N.R.	N.R.	D.H.
26A	821	6	347.0	347.1	345.3	345.3	A.N.G.		271	258	264	250	264	258	271	252	265	252	
26B	821	6	A.N.G.	A.N.G.	A.N.G.	A.N.G.	A.N.G.		343	333	344	334	338	322	340	328	340	325	
26A	823	4	180.0	179.8	178.9	179.5	180.2	+9.8	222	219	224	219	220	216	231	219	234	221	
26A	824	2	137.5	135.5	N.R.	N.R.	134.1	+25.9	511	503	510	509	547	491	N.R.	N.R.	550	458	D.H.
27A	725	7	N.R.	220.2	218.9	217.5	220.1	+19.9	163	140	147	147	155	147	145	145	145	145	D.H.
27A	823	1	206.0	205.1	199.9	205.3	205.2	+24.8	278	272	275	268	280	270	275	270	280	270	
27B	823	4	184.4	183.6	179.7	178.1	184.2	+15.8	196	195	205	195	201	195	200	192	199	195	
27C	823	1	200.7	200.7	196.0	193.8	200.4	+19.6	245	238	242	239	240	239	249	240	240	230	
28A	724	7	228.5	224.7	225.6	231.3	226.8	+43.2	325	321	328	325	328	325	332	322	328	316	
28B	724	7	227.5	223.6	224.5	222.9	225.8	+24.2	178	170	170	168	171	170	178	170	173	170	
28A	823	4	199.2	195.4	195.1	199.2	198.5	+21.5	535	531	537	530	530	521	540	522	537	518	
28B	823	4	198.7	194.9	194.6	197.2	198.3	+21.7	321	310	313	310	313	313	386	361	361	342	
28C	823	4	193.4	192.2	N.R.	191.8	190.9	+39.1	258	224	255	231	253	242	250	242	262	240	D.H.
28A	922	6	280.5	278.1	277.9	274.1	A.N.G.		130	122	128	120	128	123	130	121	132	123	D.H.
29A	725	7	254.7	253.3	251.7	258.5	253.0	+37.0	268	262	268	260	267	259	263	259	267	257	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1988

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
N.R. – No Readings
A.N.G. – Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1984	1985	1986	1987	1988		1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	
29A	823	4	207.4	206.6	204.0	204.5	207.2	+12.8	510	500	500	495	499	490	501	488	500	490	
29B	823	4	206.8	206.0	203.4	203.7	209.0	+11.0	196	182	190	183	196	190	240	238	242	225	
29A	824	3	137.6	136.2	N.R.	138.6	136.5	+23.5	315	309	314	310	317	287	313	312	319	311	
30A	724	3	267.3	267.3	266.8	263.6	265.2	+14.8	380	377	377	370	380	369	376	365	380	369	
30B	724	3	267.1	267.7	266.1	265.6	266.7	+13.3	275	267	269	267	264	252	269	259	267	258	
30A	725	7	242.3	N.R.	239.3	238.0	238.9	+21.1	355	353	390	375	400	393	388	375	385	376	D.H.
30A	822	6	291.6	293.2	287.4	290.5	293.7	+26.3	187	186	189	183	190	180	192	183	187	181	
30A	824	3	N.R.	161.7	157.7	157.6	162.1	+17.9	N.R.	N.R.	279	272	275	275	272	272	275	265	D.H.
30B	824	3	140.3	N.R.	135.6	135.0	136.2	+23.8	174	162	N.R.	N.R.	167	157	163	163	172	155	D.H.
30A	922	6	A.N.G.	A.N.G.	A.N.G.	A.N.G	A.N.G.		406	400	419	400	404	404	400	396	399	397	
31A	724	2	256.6	256.6	254.0	256.1	255.2	+44.8	214	209	218	212	220	217	221	216	221	214	
31A	725	7	197.9	195.0	194.2	N.R.	195.5	+24.5	232	231	243	231	240	235	238	238	234	230	
31A	823	4	193.2	192.9	189.0	A.N.G	A.N.G.		366	361	363	359	365	358	361	361	372	360	
31A	824	3	175.9	172.5	173.0	172.9	174.8	+25.2	470	464	468	462	470	453	480	460	467	456	
31B	824	3	175.8	172.5	172.9	172.9	174.8	+25.2	211	211	211	206	217	211	217	211	211	209	
32A	724	2	227.9	227.6	225.3	221.3	227.3	+12.7	438	434	437	436	443	428	455	450	446	429	
32B	724	2	223.1	222.6	221.1	218.0	222.3	+17.7	290	271	287	280	282	274	275	274	280	275	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1988

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1984	1985	1986	1987	1988		1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	
32A	725	7	199.3	196.6	N.R.	195.8	197.2	+22.8	222	217	227	221	N.R.	N.R.	226	222	224		
33A	724	2	219.5	218.7	216.9	216.3	217.9	+22.1	310	304	304	301	316	296	320	300	314	293	
33B	724	7	225.7	225.4	223.3	222.6	224.8	+15.2	250	247	245	237	250	241	240	240	246		
33A	725	7	A.N.G.	A.N.G.	A.N.G.	A.N.G.	A.N.G.		339	336	350	343	346	346	350	350	354	350	
33B	922	6	294.8	294.2	292.5	291.2	294.8	+15.2	299	296	296	296	294	289	304	295	297	290	
33C	922	6	A.N.G.	A.N.G.	A.N.G.	A.N.G.	A.N.G.		169	163	164	162	162	157	161	159	158	155	
34A	723	3	248.6	247.7	245.7	248.6	A.N.G.		358	346	345	336	350	339	350	336	350	336	
34B	723	3	245.9	246.5	N.R.	243.8	245.5	+34.5	164	152	172	164	203	203	205	200	219	203	
34A	724	2	201.5	198.3	198.9	197.3	199.8	+20.2	380	371	379	368	372	361	375	360	371	357	pulled pump
34A	725	7	224.4	223.4	222.3	219.2	224.0	+36.0	355	333	360	355	381	340	367	363	363	362	
34A	823	4	160.3	159.3	157.0	157.9	159.2	+20.8	213	205	211	205	213	206	219	209	215	195	
35A	724	2	215.4	208.9	206.7	206.7	212.8	+27.2	417	405	427	420	422	420	419	410	415	407	
35B	724	2	206.9	203.5	202.8	202.3	204.8	+15.2	191	186	195	182	190	186	191	186	189	183	
35A	821	6	321.6	322.8	322.0	319.3	325.1	+14.9	278	274	289	274	284	277	282	269	280	269	
35B	821	6	339.8	340.6	339.2	335.2	340.1	+19.9	290	282	290	270	282	282	282	269	291	282	
35C	821	6	336.8	337.8	334.7	334.5	337.4	+22.6	317	311	317	305	318	313	316	310	313	311	
35D	821	6	328.3	N.R.	N.R.	321.8	327.6	+22.4	334	330	334	328	334	334	334	328	334	334	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1988

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1984	1985	1986	1987	1988		1984 High	1984 Low	1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	
35A	822	4	215.9	216.1	211.9	214.1	215.2	+14.8	488	487	482	481	482	477	482	473	494	466	
35B	822	4	216.8	216.9	213.4	215.4	216.2	+23.8	252	245	252	245	252	247	252	247	252	238	
35C	822	5	248.8	248.7	248.8	248.2	249.3	+30.7	161	160	155	148	152	148	160	145	152	135	D.H.
35A	823	4	172.6	172.6	N.R.	N.R.	170.8	+29.2	412	405	410	402	405	396	392	390	410	400	
35B	823	4	157.9	156.3	154.0	153.4	155.2	+24.8	115	96	108	103	114	104	114	111	109	105	D.H.
35C	823	4	161.5	160.4	158.3	158.4	159.6	+20.4	191	186	199	188	197	191	203	193	205	185	
35D	823	4	N.R.	152.5	A.N.G.	A.N.G.	A.N.G.		93	87	99	89	99	93	99	99	97	95	D.H.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded 1985	1986	1987	1988	1989	Distance From Bowls ±	INCHES 1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	REMARKS
1A	823	3	253.4	253.5	250.8	255.1	259.0	+31.0	487	482	475	470	460	457	480	460	498	480	
1B	823	3	251.9	251.9	249.6	253.2	256.7	+13.3	328	324	327	324	312	312	330	320	335	320	
1C	823	3	229.8	227.8	227.7	229.3	233.3	+6.7	375	370	382	361	382	356	370	357	360	357	
1A	824	3	182.6	A.N.G.	A.N.G.	A.N.G.	A.N.G.		379	372	379	373	376	376	N.R.	N.R.	376	358	D.H.
1A	921	6	342.2	339.1	338.8	340.8	342.7	+17.3	363	363	363	340	363	340	363	360	360	351	D.H.
2A	823	3	231.4	N.R.	224.4	232.0	235.9	+14.1	269	262	267	264	270	265	270	265	270	270	
2A	824	5	175.0	N.R.	172.6	174.3	179.0	+11.0	103	100	108	95	106	89	103	100	101	95	D.H.
2A	923	4	154.7	154.2	151.1	155.7	159.0	+21.0	126	122	130	120	130	126	133	126	130	126	
2A	1021	6	Airline is out of the water						237	234	231	221	N.R.	N.R.	232	227	229	218	
3A	824	2	201.4	201.0	200.3	202.0	205.5	+14.5	459	453	466	456	465	460	463	451	447	442	
3B	824	2	199.4	198.8	199.9	200.5	203.4	+16.6	227	226	226	223	225	219	226	215	218	210	
3A	825	7	225.8	224.8	223.6	227.0	229.8	+30.2	400	395	400	400	403	401	404	403	403	398	
3B	825	7	224.1	222.9	223.1	224.6	227.0	+23.0	374	368	378	372	377	368	377	368	373	369	
3C	825	7	221.4	222.8	221.5	223.8	226.6	+13.4	290	280	284	282	294	287	296	282	289	288	
3D	825	7	214.7	216.1	213.1	220.3	223.2	+26.8	195	187	195	195	203	190	194	184	194	190	
3E	825	7	219.8	219.4	218.3	219.4	222.5	+17.5	238	232	240	237	244	233	244	234	234	234	
3A	921	6	317.5	N.R.	318.7	317.8	318.9	+11.1	114	104	103	97	92	80	116	95	115	112	D.H.

A & B IRRIGATION DISTRICT - Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1985	1986	1987	1988	1989		1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	
3B	921	6	318.1	A.N.G.	A.N.G.	A.N.G.	317.0	+33.0	411	389	400	391	405	404	400	392	397	393	
3C	921	6	325.3	324.7	323.7	324.8	328.1	+21.9	382	378	376	374	404	400	397	391	397	395	
3A	922	5	243.2	242.2	245.2	A.N.G.	A.N.G		439	432	441	420	432	430	436	435	440	420	
3B	922	5	A.N.G.	A.N.G.	A.N.G	A.N.G.	A.N.G		296	289	278	274	285	276	282		277	271	
3A	923	4	175.3	174.0	172.9	174.7	177.9	+22.1	249	240	246	242	257	243	249	245	245	245	
3B	923	4	150.7	149.9	149.2	151.5	154.2	+25.8	133	125	137	128	143	120	136	125	128	106	D.H. pulled pump
3A	1022	6	301.4	301.1	304.7	313.7	315.4	+14.6	189	184	189	184	184	178	184	181	184	178	
4A	823	4	250.5	248.9	248.9	250.3	254.1	+15.9	500	490	494	489	496	470	490	470	490	470	
4B	823	4	249.5	N.R.	247.0	249.1	252.9	+17.1	271	260	274	265	280	265	270	265	260		
4A	824	2	206.1	207.9	A.N.G.	204.8	220.3	+19.7	479	461	481	472	483	475	485	464	472	463	
4B	824	1	211.9	206.8	206.7	210.7	215.3	+14.7	464	464	472	454	470	452	464	445	458	441	
4C	824	5	218.3	208.4	207.9	216.5	220.9	+19.1	217	210	223	215	217	210	218	210	210	210	
5B	823	4	256.8	256.8	260.7	261.2	264.6	+15.4	356	341	354	352	350	350	360	345	350		
5C	823	4	253.8	254.0	255.5	258.1	261.6	+18.4	214	211	212	212	213	210	212	209	212	212	
5A	825	7	208.5	208.2	211.8	209.4	212.3	+37.7	561	555	559	535	555	534	545	521	538	520	
5B	825	7	A.N.G	A.N.G.	A.N.G.	A.N.G	A.N.G		260	260	260	250	260	260	256	246	253	253	
6A	824	1	No Airline						608	595	586	559	591	544	586	579	595	580	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
N.R. – No Readings
A.N.G. – Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1985	1986	1987	1988	1989		1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	
6B	824	2	246.0	245.0	243.7	246.2	249.4	+10.6	317	305	308	296	308	299	306	277	322	316	
6C	824	5	208.7	203.0	206.0	208.5	A.N.G		98	98	98	95	98	91	95	88	98	91	
6A	825	7	176.5	175.3	177.5	176.5	180.6	+19.4	326	314	326	320	325	315	316	315	318	314	
6B	825	7	175.8	174.9	174.4	176.0	179.5	+20.5	196	192	195	195	192	182	184	181	184	184	
6A	923	1	187.9	N.R.	N.R.	188.5	191.2	+8.8	448	443	450	444	444	444	452	441	449	432	
6B	923	4	168.3	166.7	168.1	169.3	172.2	+7.8	286	280	286	280	285	281	287	283	282	282	
7B	824	1	190.0	186.5	187.3	188.0	192.7	+12.3	467	447	455	445	444	417	439	415	436	398	
7A	922	5	323.4	ANG	ANG	ANG	ANG		464	450	470	452	466	450	461	448	461	413	
7B	922	5	297.5	ANG	ANG	294.9	299.2	+30.8	440	433	436	433	438	435	438	435	438	435	
8A	823	1	247.5	246.0	240.6	247.0	249.4	+30.6	460	450	401	401	412	400	435	417	420	406	
8A	824	1	190.6	189.5	188.5	190.4	193.4	+28.6	410	375	390	374	388	380	389	375	398	375	
9A	922	5	N.R.	N.R.	N.R.	270.5	ANG		364	360	357	346	368	368	N.R.	N.R.	330		pulled pump brg. noise
9B	922	5	airline no good				277.0	+53.0	238	229	233	224	230	230	N.R.	N.R.	224	224	
10A	823	3	215.6	219.6	217.2	219.9	223.3	+16.7	189	181	190	182	194	190	193	190	190	190	
10B	823	3	226.1	228.6	228.7	230.5	233.7	+26.3	126	119	122	120	122	120	123	120	120	120	D.H.
10A	824	1	180.9	181.6	181.4	182.9	188.3	+21.7	467	457	470	462	475	467	484	461	476	461	
10B	824	1	169.5	168.4	167.6	169.5	173.9	+6.1	336	330	344	336	349	335	350	333	343	335	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1985	1986	1987	1988	1989		1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	
10C	824	5	173.7	172.5	172.5	173.1	176.9	+23.1	294	284	295	290	310	292	292	271	290	267	
10A	922	5	AIRLINE LEAKS			235.5	236.8	+13.2	209	198	198	190	220	209	212	205	211		D.H.
11A	824	1	180.7	187.5	179.9	182.0	185.2	+34.8	539	522	524	518	520	505	520	504	522	518	
11B	824	1	178.9	178.4	177.4	179.6	183.4	+16.6	200	200	212	190	201	197	205	196	216	192	
11C	824	3	174.2	173.6	172.5	174.2	178.4	+21.6	296	292	297	293	302	291	296	289	294	284	
11A	825	7	182.6	182.1	181.5	182.3	186.0	+14.0	247	241	247	240	271	242	272	272	250		D.H. 8lbs back pressure
11B	922	7	239.6	229.8	235.5	227.5	242.0	+18.0	228	223	228	223	238	224	N.R.	N.R.	223	223	
11C	922	4	215.0	209.8	209.8	215.1	218.9	+11.1	241	238	238	234	238	223	238	234	240	227	
12A	823	3	AIRLINE IS NO GOOD						383	368	381	377	385	374	382	366	371	370	
12B	823	3	225.6	227.4	222.4	229.1	232.8	+17.2	162	159	N.R.	N.R.	152	150	162	152	152	150	
12C	823	3	218.6	215.9	211.1	217.6	222.8	+17.2	474	465	467	446	473	463	470	463	465	462	
12D	823	3	220.0	218.4	216.0	219.2	223.6	+26.4	203	195	N.R.	N.R.	193	183	190	184	195	188	
12A	824	3	N.R.	N.R.	N.R.	160.7	164.0	+26.0	326	326	305	305	305	305	N.R.	N.R.	223	209	D.H. pulled pump
12A	825	7	200.5	N.R.	199.2	200.6	203.7	+16.3	510	491	485	485	500	491	500	491	491	491	
12B	825	7	197.9	N.R.	197.1	198.8	202.3	+27.7	403	394	390	390	405	394	407	403	403	403	
13A	824	2	170.3	168.2	167.2	169.7	173.2	+26.8	594	594	602	594	N.R.	N.R.	592		587	587	D.H.
13B	824	2	170.4	168.5	N.R.	169.6	180.0	+20.0	260	260	264	260	284	284	286		272	266	D.H.

A & B IRRIGATION DISTRICT – Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
N.R. – No Readings
A.N.G. – Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded 1985	1986	1987	1988	1989	Distance From Bowls ±	INCHES 1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	REMARKS
13A	825	5	165.0	N.R.	164.5	166.7	170.0	+20.0	137	136	N.R.	N.R.	138	137	130	125	126	126	D.H.
14A	823	3	221.2	220.3	219.2	214.8	ANG		349	341	348	345	350	341	350	345	350	338	
14B	823	3	212.0	211.1	210.2	213.8	216.3	+23.7	142	137	142	142	142	138	145	135	142		
14A	824	1	146.8	146.2	144.8	146.8	152.1	+7.9	433	427	430	417	420	418	421	409	433	407	
14C	825	7	170.8	170.2	169.2	172.9	177.9	+22.1	137	137	145	140	141	141	141	137	145	133	D.H.
15A	823	3	221.1	224.1	221.6	225.5	228.7	+21.3	523	520	530	520	520	516	527	520	520	515	
15B	823	3	224.4	227.3	227.1	228.7	232.6	+27.4	240	228	234	230	235	230	240	230	231	226	
15D	823	4	208.2	206.8	205.5	208.2	211.7	+18.3	119	112	115	112	115	112	116	112	115	115	
15A	824	1	160.7	161.2	159.4	163.3	166.8	+23.2	310	300	314	305	317	298	318	306	315	310	
15A	825	5	166.6	165.0	166.1	165.8	169.3	+20.7	541	525	537	530	538	528	533	520	525	524	
15B	825	5	163.2	162.8	162.6	164.8	168.0	+12.0	183	183	183	183	183	183	183	183	184	184	
15A	922	5	281.1	277.0	274.6	281.3	285.8	+14.2	90	86	95	89	95	86	96	85	95	85	D.H.
15B	922	5	ANG	AIRLINE IS NO GOOD					115	104	114	105	118	107	117	107	112	104	D.H.
17A	823	4	215.0	212.1	N.R.	215.9	218.9	+21.1	341	332	334	332	335	334	343	330	340	335	
17B	823	4	217.0	213.9	215.3	218.1	220.4	+19.6	148	144	147	147	147	147	147	147	145		
17C	823	1	235.0	237.9	233.0	238.7	242.2	+17.8	115	112	112	112	112	112	112	112	112	112	
17A	825	5	141.6	142.9	141.9	143.8	146.7	+13.3	449	443	467	445	461	455	465	460	460	445	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded 1985	1986	1987	1988	1989	Distance From Bowls ±	INCHES 1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	REMARKS
18A	824	1	200.9	199.6	201.3	202.5	206.4	+15.6	513	499	506	494	575	565	555	500	543	526	
18A	922	5	267.8	266.0	261.1	267.1	272.2	+7.8	315	308	315	307	315	307	316	306	315	308	
18B	922	5	267.2	265.5	265.2	266.3	270.5	+9.5	139	137	140	137	143	137	139	136	142	137	
19A	823	4	230.3	228.4	229.5	231.0	232.5	+17.5	362	354	361	359	368	354	369	361	371	362	
19B	823	4	227.7	N.R.	227.1	228.8	231.6	+18.4	190	189	195	195	200	184	205	190	200	200	
19A	825	2	136.6	133.6	134.8	136.3	139.1	+20.9	524	513	518	500	530	510	520	499	520	510	
19B	825	2	138.9	135.8	137.1	138.9	141.8	+18.2	320	316	328	310	319	310	323	307	322	309	
19C	825	3	142.1	N.R.	142.0	ANG	ANG		360	356	357	351	362	348	365	350	360	336	
19D	825	3	146.0	N.R.	144.0	145.2	148.1	+11.9	265	265	279	272	247	238	259	225	269	242	
19A	922	6	321.4	319.4	320.6	319.7	326.2	+13.8	238	234	241	234	235	227	233	228	231	224	
20A	922	5	277.8	274.2	286.6	277.4	290.5	+69.5	372	360	361	347	358	348	355	346	356	310	
21A	823	4	N.R.	202.7	N.R.	205.5	210.0	+10.0	389	377	390	380	375	375	380		380	375	
21A	824	1	153.8	152.2	150.1	153.0	157.5	+24.5	568	568	577	554	566	531	569	563	561	549	
21B	824	2	164.6	161.5	160.9	164.5	167.8	+12.2	374	365	373	361	369	361	375	359	366	360	
21A	825	5	141.0	139.5	137.3	140.8	144.2	+15.8	447	431	447	440	440	433	447	438	441	424	
22A	724	7	N.R.	214.5	N.R.	216.4	219.5	+22.5	155	155	153	128	153	128	153		153	145	D.H.
22B	724	7	220.7	221.6	225.1	223.3	227.0	+43.0	343	334	348	341	350	337	351	343	348	341	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
N.R. – No Readings
A.N.G. – Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1985	1986	1987	1988	1989		1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	
22C	724	7	208.5	N.R.	202.2	209.2	213.6	+16.4	334	329	349	328	330	326	336	324	335	325	
22A	821	6	319.7	N.R.	318.6	319.1	322.1	+17.9	334	328	325	325	332	326	333	325	327	316	
22A	823	4	208.8	N.R.	N.R.	209.5	213.2	+16.8	356	353	357	356	350	350	360	342	355	336	
22A	824	2	152.9	150.7	153.6	152.6	155.7	+24.3	350	340	N.R.		345	333	350	335	340	332	
22A	922	5	282.2	282.5	283.3	285.8	289.3	+10.7	108	101	108	102	108	105	108	100	105	101	
23A	724	7	N.R.	N.R.	N.R.	218.1	N.R.		287	277	250	250	N.R.		270	250	276	255	D.H.
23A	823	4	215.2	212.4	211.6	212.6	217.6	+12.4	349	340	351	351	350	347	350	345	348	345	
23B	823	4	214.6	211.9	211.3	213.6	216.9	+13.1	145	137	142	137	132	132	140	130	140	137	
23A	824	2	156.9	155.3	155.6	157.3	160.8	+19.2	N.R.		530	518	530	518	525	506	529	510	
23A	825	5	178.1	176.4	176.4	177.2	180.9	+19.1	N.R.		N.R.		378	376	373	369	375	365	
23B	825	5	173.8	172.3	171.6	173.1	176.9	+23.1	N.R.		374	373	378	373	375		375	371	
24A	821	6	325.7	N.R.	324.3	325.5	329.1	+20.9	112	101	113	101	108	98	106	95	100	95	
24A	823	3	N.R.	177.2	181.0	183.3	186.9	+33.1	526	514	530	520	530	530	532	520	535	530	
24B	823	3	161.4	160.5	161.0	164.1	167.4	+12.6	345	342	348	337	345	342	351	340	345	336	
24C	823	1	161.5	159.3	160.0	163.7	165.5	+14.5	362	348	361	348	361	354	368	341	354	328	
24A	825	5	170.2	N.R.	168.1	169.1	173.8	+16.2	274	268	N.R.		267	263	271	267	267	262	
25A	823	3	156.7	155.9	153.2	156.3	169.6	+10.4	184	172	185	180	184	182	184	180	184	184	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.C. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1985	1986	1987	1988	1989		1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	
26A	724	7	208.5	207.0	206.0	207.9	211.4	+18.6	326	314	N.R.		330	322	341	328	337	324	
26B	724	7	N.R.	N.R.	197.4	200.7	203.4	+26.6	130	130	N.R.		N.R.		N.R.		135	110	D.H, pulled pump
26A	821	6	347.1	345.3	345.3	ANC	ANC		264	250	264	258	271	252	265	252	258	246	
26B	821	6	AIRLINE IS NO GOOD						344	334	338	322	340	328	340	325	341	327	
26A	823	4	179.8	178.9	179.5	180.2	182.3	+7.7	224	219	220	216	231	219	234	221	227	223	
26A	824	2	135.5	N.R.	N.R.	134.1	138.8	+21.2	510	509	547	491	N.R.		550	458	528	516	D.H.
27A	725	7	220.2	218.9	217.5	220.1	223.3	+16.7	147	147	155	147	145	145	145	145	148	128	D.H.
27A	823	1	205.1	199.9	205.3	205.2	205.2	+24.8	275	268	280	270	275	270	280	270	270	265	
27B	823	4	183.6	179.7	178.1	184.2	187.1	+12.9	205	195	201	195	200	192	199	195	200	198	
27C	823	1	200.7	196.0	193.8	200.4	203.3	+16.7	242	239	240	239	249	240	240	230	240	230	
28A	724	7	224.7	225.6	231.3	226.8	230.3	+39.7	328	325	328	325	332	322	328	316	330	321	
28B	724	7	223.6	224.5	222.9	225.8	229.5	+20.5	170	168	171	170	178	170	173	170	173	170	
28A	823	4	195.4	195.1	199.2	198.5	201.3	+18.7	537	530	530	521	540	522	537	518	545	519	
28B	823	4	194.9	194.6	197.2	198.3	201.3	+18.7	313	310	313	313	386	361	361	342	345	332	
28C	823	4	192.2	N.R.	191.8	190.9	194.4	+35.6	255	231	253	242	250	242	262	240	259	234	D.H.
28A	922	6	278.1	277.9	274.1	ANC	280.7	+19.3	128	120	128	123	130	121	132	123	131	112	D.H.
29A	725	7	253.3	251.7	258.5	253.0	256.6	+33.4	268	260	267	259	263	259	267	257	263	250	

A & B IRRIGATION DISTRICT – Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. – Direct Hookup
N.R. – No Readings
A.N.G. – Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded 1985	1986	1987	1988	1989	Distance From Bowls ±	INCHES 1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	REMARKS
29A	823	4	206.6	204.0	204.5	207.2	210.4	+9.6	500	495	499	490	501	488	500	490	500	488	
29B	823	4	206.0	203.4	203.7	209.0	214.0	+6.0	190	183	196	190	240	238	242	225	231	225	
29A	824	3	136.2	N.R.	138.6	136.5	139.2	+20.8	314	310	317	287	313	312	319	311	315	306	
30A	724	3	267.3	266.8	263.6	265.2	269.7	+10.3	377	370	380	369	376	365	380	369	380	357	
30B	724	3	267.7	266.1	265.6	266.7	271.0	+9.0	269	267	264	252	269	259	267	258	252	252	
30A	725	7	N.R.	239.3	238.0	238.9	243.9	+16.1	390	375	400	393	388	375	385	376	390	380	D.H.
30A	822	6	293.2	287.4	290.5	293.7	296.9	+23.1	189	183	190	180	192	183	187	181	181	152	D.H. meters icorrect
30A	824	2	161.7	157.7	157.6	162.1	162.6	+17.4	279	272	275	275	272	272	275	265	275	265	D.H.
30B	824	3	N.R.	135.6	135.0	136.2	139.5	+20.5	N.R.		167	157	163	163	172	155	165	135	D.H. pulled pump
30A	922	6	AIRLINE IS NO GOOD						419	400	404	404	400	396	399	397	390	383	
31A	724	2	256.6	254.0	256.1	255.2	259.6	+40.4	218	212	220	217	221	216	221	214	221	214	
31A	725	7	195.0	194.2	N.R.	195.5	199.1	+20.9	243	231	240	235	238	238	234	230	237	231	
31A	823	4	192.9	189.0	ANG	ANG	ANG		363	359	365	358	361	361	372	360	368	360	
31A	824	3	172.5	173.0	172.9	174.8	178.1	+21.9	468	462	470	453	480	460	467	456	476	460	
31B	824	3	172.5	172.9	172.9	174.8	ANG		211	206	217	211	217	211	211	209	216	205	
32A	724	2	227.6	225.3	221.3	227.3	230.3	+9.7	437	436	443	428	455	450	446	429	445	434	
32B	724	2	222.6	221.1	218.0	222.3	224.7	+15.3	287	280	282	274	275	274	280	275	N.R.		

A & B IRRIGATION DISTRICT - Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1985	1986	1987	1988	1989		1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	
32A	725	7	196.6	N.R.	195.8	197.2	201.0	+19.9	227	221	N.R.		226	222	224		224	220	
33A	724	2	218.7	216.9	216.3	217.9	221.2	+18.8	304	301	316	296	320	300	314	293	310	294	
33B	724	7	225.4	223.3	222.6	224.8	228.1	+11.9	245	237	250	241	240	240	246		245	243	
33A	725	7	AIRLINE IS NO GOOD						350	343	346	346	350	350	354	350	350	349	
33B	922	6	294.2	292.5	291.2	294.8	299.4	+10.6	296	296	294	289	304	295	297	290	296	286	
33C	922	6	AIRLINE IS NO GOOD						164	162	162	157	161	159	158	155	152	147	
34A	723	3	247.7	245.7	248.6	ANG	ANG		345	336	350	339	350	336	350	336	350	330	
34B	723	3	246.5	N.R.	243.8	245.5	249.2	+30.8	172	164	203	203	205	200	219	203	205	200	
34A	724	2	198.3	198.9	197.3	199.8	208.1	+11.9	379	368	372	361	375	360	371	357	408	394	
34A	725	7	223.4	222.3	219.2	224.0	226.5	+33.5	360	355	381	340	367	363	363	362	363	358	
34A	823	4	159.3	157.0	157.9	159.2	161.5	+18.5	211	205	213	206	219	209	215	195	209	207	
35A	724	2	208.9	206.7	206.7	212.8	217.7	+22.3	427	420	422	420	419	410	415	407	415	400	
35B	724	2	203.5	202.8	202.3	204.8	209.8	+10.2	195	182	190	186	191	186	189	183	188	183	
35A	821	6	322.8	322.0	319.3	325.1	328.3	+11.7	289	274	284	277	282	269	280	269	277	274	
35B	821	6	340.6	339.2	335.2	340.1	343.0	+17.0	290	270	282	282	282	269	291	282	290	282	
35C	821	6	337.8	334.7	334.5	337.4	340.1	+19.9	317	305	318	313	316	310	313	311	313	313	
35D	821	6	N.R.	N.R.	321.8	327.6	ANG		334	328	334	334	334	328	334	334	334	329	

A & B IRRIGATION DISTRICT - Rupert, Idaho

1989

Annual Pump Report
Hydrologic Data of Individual Wells

D.H. - Direct Hookup
N.R. - No Readings
A.N.G. - Airline No Good

Part 2

Well Number and Group Number			Low Pumping Depth Recorded					Distance From Bowls ±	INCHES										REMARKS
			1985	1986	1987	1988	1989		1985 High	1985 Low	1986 High	1986 Low	1987 High	1987 Low	1988 High	1988 Low	1989 High	1989 Low	
35A	822	4	216.1	211.9	214.1	215.2	218.3	+11.7	482	481	482	477	482	473	494	466	501	491	
35B	822	4	216.9	213.4	215.4	216.2	218.7	+21.3	252	245	252	247	252	247	252	238	250	238	
35C	822	5	248.7	248.8	248.2	249.3	252.9	+27.1	155	148	152	148	160	145	152	135	169		D.H.
35A	823	4	172.6	N.R.	N.R.	170.8	173.0	+27.0	410	402	405	396	392	390	410	400	403	397	
35B	823	4	156.3	154.0	153.4	155.2	159.3	+20.7	108	103	114	104	114	111	109	105	95	92	D.H.
35C	823	4	160.4	158.3	158.4	159.6	160.7	+19.3	199	188	197	191	203	193	205	185	175	169	D.H.
35D	823	4	152.5	ANG	ANG	ANG	156.6	+33.4	99	89	99	93	99	99	97	95	97	85	D.H.