


30 second average
360 individual samples
12 per second for 30 seconds
Those 12 samples are averaged over the hour
12 – 30 second averages per hour – every 5 minutes



Time stamped – beginning of hour

Accessing the Data

<http://www.idahopower.com/ourenvironment/waterinformation/streamflow/getstreamdata.cfm?stationID=1317034001&days=2>

<http://www.idahopower.com/ourenvironment/waterinformation/streamflow/getstreamdata.cfm?stationID=1317034001&days=2&period=5>

```
<?xml version="1.0" encoding="UTF-8"?>
- <Station xmlns="getStreamDataWS" Station_Name="Cottonwood Pk HW - XML" Station_ID="1317034001">
  <!-- Provisional Data -->
  - <DataType UNITS="ft" TypeDesc="Reservoir Elevation" TYPE="HW">
    <Reading Value="2454.82" PERIOD="D" Date="2016-06-21 00:00:00.0"/>
    <Reading Value="2454.83" PERIOD="D" Date="2016-06-21 01:00:00.0"/>
    <Reading Value="2454.87" PERIOD="D" Date="2016-06-21 02:00:00.0"/>
    <Reading Value="2454.88" PERIOD="D" Date="2016-06-21 03:00:00.0"/>
    <Reading Value="2454.88" PERIOD="D" Date="2016-06-21 04:00:00.0"/>
    <Reading Value="2454.91" PERIOD="D" Date="2016-06-21 05:00:00.0"/>
    <Reading Value="2454.93" PERIOD="D" Date="2016-06-21 06:00:00.0"/>
    <Reading Value="2454.95" PERIOD="D" Date="2016-06-21 07:00:00.0"/>
    <Reading Value="2454.90" PERIOD="D" Date="2016-06-21 08:00:00.0"/>
    <Reading Value="2454.86" PERIOD="D" Date="2016-06-21 09:00:00.0"/>
    <Reading Value="2454.85" PERIOD="D" Date="2016-06-21 10:00:00.0"/>
    <Reading Value="2454.88" PERIOD="D" Date="2016-06-21 11:00:00.0"/>
    <Reading Value="2454.89" PERIOD="D" Date="2016-06-21 12:00:00.0"/>
    <Reading Value="2454.90" PERIOD="D" Date="2016-06-21 13:00:00.0"/>
    <Reading Value="2454.93" PERIOD="D" Date="2016-06-21 14:00:00.0"/>
    <Reading Value="2454.95" PERIOD="D" Date="2016-06-21 15:00:00.0"/>
    <Reading Value="2454.94" PERIOD="D" Date="2016-06-21 16:00:00.0"/>
    <Reading Value="2454.90" PERIOD="D" Date="2016-06-21 17:00:00.0"/>
    <Reading Value="2454.88" PERIOD="D" Date="2016-06-21 18:00:00.0"/>
    <Reading Value="2454.85" PERIOD="D" Date="2016-06-21 19:00:00.0"/>
    <Reading Value="2454.84" PERIOD="D" Date="2016-06-21 20:00:00.0"/>
    <Reading Value="2454.81" PERIOD="D" Date="2016-06-21 21:00:00.0"/>
    <Reading Value="2454.84" PERIOD="D" Date="2016-06-21 22:00:00.0"/>
    <Reading Value="2454.87" PERIOD="D" Date="2016-06-21 23:00:00.0"/>
    <Reading Value="2454.87" PERIOD="D" Date="2016-06-22 00:00:00.0"/>
    <Reading Value="2454.90" PERIOD="D" Date="2016-06-22 01:00:00.0"/>
    <Reading Value="2454.92" PERIOD="D" Date="2016-06-22 02:00:00.0"/>
    <Reading Value="2454.94" PERIOD="D" Date="2016-06-22 03:00:00.0"/>
    <Reading Value="2454.96" PERIOD="D" Date="2016-06-22 04:00:00.0"/>
    <Reading Value="2454.97" PERIOD="D" Date="2016-06-22 05:00:00.0"/>
    <Reading Value="2454.95" PERIOD="D" Date="2016-06-22 06:00:00.0"/>
    <Reading Value="2454.92" PERIOD="D" Date="2016-06-22 07:00:00.0"/>
    <Reading Value="2454.91" PERIOD="D" Date="2016-06-22 08:00:00.0"/>
    <Reading Value="2454.88" PERIOD="D" Date="2016-06-22 09:00:00.0"/>
    <Reading Value="2454.86" PERIOD="D" Date="2016-06-22 10:00:00.0"/>
    <Reading Value="2454.87" PERIOD="D" Date="2016-06-22 11:00:00.0"/>
    <Reading Value="2454.91" PERIOD="D" Date="2016-06-22 12:00:00.0"/>
    <Reading Value="2454.91" PERIOD="D" Date="2016-06-22 13:00:00.0"/>
    <Reading Value="2454.94" PERIOD="D" Date="2016-06-22 14:00:00.0"/>
    <Reading Value="2454.96" PERIOD="D" Date="2016-06-22 15:00:00.0"/>
    <Reading Value="2454.91" PERIOD="D" Date="2016-06-22 16:00:00.0"/>
    <Reading Value="2454.90" PERIOD="D" Date="2016-06-22 17:00:00.0"/>
    <Reading Value="2454.88" PERIOD="D" Date="2016-06-22 18:00:00.0"/>
    <Reading Value="2454.85" PERIOD="D" Date="2016-06-22 19:00:00.0"/>
    <Reading Value="2454.82" PERIOD="D" Date="2016-06-22 20:00:00.0"/>
    <Reading Value="2454.86" PERIOD="D" Date="2016-06-22 23:00:00.0"/>
  </DataType>
</Station>
```